

DIAGTOOL REPORT



**Round Robin (GT cotier) : Ionospheric correction.
Nea. J3. Iono filtered vs Iono gim.**

Table of Contents

1 General description	7
2 Processing	7
2.1 sla formula	7
2.1.1 Iono_filtered product ' sla	7
2.1.2 Iono_gim product ' sla	7
2.2 Binning	7
2.3 Filtering	7
3 Spatial coherence analysis	8
3.1 sla	8
3.1.1 sla 's count	8
3.1.2 sla 's std	11
3.1.3 sla 's mean	14
3.2 Iono	17
3.2.1 Iono 's count	17
3.2.2 Iono 's std	20
3.2.3 Iono 's mean	23
4 Histograms	26
4.1 Iono	26
4.2 sla	29
5 Along-track analysis	30
5.1 Iono	30
5.1.1 Iono 's count	30
5.1.2 Iono 's std	31
5.1.3 Iono 's mean	32
5.2 sla	33
5.2.1 sla 's count	33
5.2.2 sla 's std	34
5.2.3 sla 's mean	35
6 Comparison with Insitu Data (Tide Gauge)	36
6.1 Station : HERBAUDIERE	36
6.1.1 correlation visualization in maps view % HERBAUDIERE tide gauge	36
6.1.2 rmsd visualization in maps view % HERBAUDIERE tide gauge	36
6.1.3 std visualization in maps view % HERBAUDIERE tide gauge	36
6.1.4 valid_data_percent visualization in maps view % HERBAUDIERE tide gauge	36
6.1.5 Valid data (%) in function of distance to coast/HERBAUDIERE station	36
6.1.6 Std in function of distance to coast/HERBAUDIERE station	38
6.1.7 Correlation in function of distance to coast/HERBAUDIERE station	39
6.1.8 Taylor Diagram	40
6.1.9 Mean statistics table of products comparison with HERBAUDIERE tide gauge data	40
6.1.10 The most correlated sla altimetry Time series with the tide gauge sla time serie	40

6.2	Station : Llandudno	40
6.2.1	correlation visualization in maps view % Llandudno tide gauge	41
6.2.2	rmsd visualization in maps view % Llandudno tide gauge	42
6.2.3	std visualization in maps view % Llandudno tide gauge	43
6.2.4	valid_data_percent visualization in maps view % Llandudno tide gauge	44
6.2.5	Valid data (%) in function of distance to coast/Llandudno station	44
6.2.6	Std in function of distance to coast/Llandudno station	46
6.2.7	Correlation in function of distance to coast/Llandudno station	47
6.2.8	Taylor Diagram	48
6.2.9	Mean statistics table of products comparison with Llandudno tide gauge data	48
6.2.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	49
6.3	Station : Newhaven	51
6.3.1	correlation visualization in maps view % Newhaven tide gauge	52
6.3.2	rmsd visualization in maps view % Newhaven tide gauge	53
6.3.3	std visualization in maps view % Newhaven tide gauge	54
6.3.4	valid_data_percent visualization in maps view % Newhaven tide gauge	55
6.3.5	Valid data (%) in function of distance to coast/Newhaven station	55
6.3.6	Std in function of distance to coast/Newhaven station	57
6.3.7	Correlation in function of distance to coast/Newhaven station	58
6.3.8	Taylor Diagram	59
6.3.9	Mean statistics table of products comparison with Newhaven tide gauge data	59
6.3.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	60
6.4	Station : CALAIS	61
6.4.1	correlation visualization in maps view % CALAIS tide gauge	62
6.4.2	rmsd visualization in maps view % CALAIS tide gauge	63
6.4.3	std visualization in maps view % CALAIS tide gauge	64
6.4.4	valid_data_percent visualization in maps view % CALAIS tide gauge	65
6.4.5	Valid data (%) in function of distance to coast/CALAIS station	65
6.4.6	Std in function of distance to coast/CALAIS station	67
6.4.7	Correlation in function of distance to coast/CALAIS station	68
6.4.8	Taylor Diagram	69
6.4.9	Mean statistics table of products comparison with CALAIS tide gauge data	69
6.4.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	70
6.5	Station : Portpatrick	72
6.5.1	correlation visualization in maps view % Portpatrick tide gauge	72
6.5.2	rmsd visualization in maps view % Portpatrick tide gauge	72
6.5.3	std visualization in maps view % Portpatrick tide gauge	72
6.5.4	valid_data_percent visualization in maps view % Portpatrick tide gauge	72
6.5.5	Valid data (%) in function of distance to coast/Portpatrick station	72
6.5.6	Std in function of distance to coast/Portpatrick station	74
6.5.7	Correlation in function of distance to coast/Portpatrick station	75
6.5.8	Taylor Diagram	76
6.5.9	Mean statistics table of products comparison with Portpatrick tide gauge data	76
6.5.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	76
6.6	Station : Newlyn	76

6.6.1	correlation visualization in maps view % Newlyn tide gauge	77
6.6.2	rmsd visualization in maps view % Newlyn tide gauge	78
6.6.3	std visualization in maps view % Newlyn tide gauge	79
6.6.4	valid_data_percent visualization in maps view % Newlyn tide gauge	80
6.6.5	Valid data (%) in function of distance to coast/Newlyn station	80
6.6.6	Std in function of distance to coast/Newlyn station	82
6.6.7	Correlation in function of distance to coast/Newlyn station	83
6.6.8	Taylor Diagram	84
6.6.9	Mean statistics table of products comparison with Newlyn tide gauge data	84
6.6.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	85
6.7	Station : LE_CONQUET	86
6.7.1	correlation visualization in maps view % LE_CONQUET tide gauge	87
6.7.2	rmsd visualization in maps view % LE_CONQUET tide gauge	88
6.7.3	std visualization in maps view % LE_CONQUET tide gauge	89
6.7.4	valid_data_percent visualization in maps view % LE_CONQUET tide gauge	90
6.7.5	Valid data (%) in function of distance to coast/LE_CONQUET station	90
6.7.6	Std in function of distance to coast/LE_CONQUET station	92
6.7.7	Correlation in function of distance to coast/LE_CONQUET station	93
6.7.8	Taylor Diagram	94
6.7.9	Mean statistics table of products comparison with LE_CONQUET tide gauge data	94
6.7.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	95
6.8	Station : Holyhead	96
6.8.1	correlation visualization in maps view % Holyhead tide gauge	97
6.8.2	rmsd visualization in maps view % Holyhead tide gauge	98
6.8.3	std visualization in maps view % Holyhead tide gauge	99
6.8.4	valid_data_percent visualization in maps view % Holyhead tide gauge	100
6.8.5	Valid data (%) in function of distance to coast/Holyhead station	100
6.8.6	Std in function of distance to coast/Holyhead station	102
6.8.7	Correlation in function of distance to coast/Holyhead station	103
6.8.8	Taylor Diagram	104
6.8.9	Mean statistics table of products comparison with Holyhead tide gauge data	104
6.8.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	105
6.9	Station : LE_CROUESTY	106
6.9.1	correlation visualization in maps view % LE_CROUESTY tide gauge	107
6.9.2	rmsd visualization in maps view % LE_CROUESTY tide gauge	108
6.9.3	std visualization in maps view % LE_CROUESTY tide gauge	109
6.9.4	valid_data_percent visualization in maps view % LE_CROUESTY tide gauge	110
6.9.5	Valid data (%) in function of distance to coast/LE_CROUESTY station	110
6.9.6	Std in function of distance to coast/LE_CROUESTY station	112
6.9.7	Correlation in function of distance to coast/LE_CROUESTY station	113
6.9.8	Taylor Diagram	114
6.9.9	Mean statistics table of products comparison with LE_CROUESTY tide gauge data	114
6.9.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	115
6.10	Station : North_Shields	116
6.10.1	correlation visualization in maps view % North_Shields tide gauge	117

6.10.2	rmsd visualization in maps view % North_Shields tide gauge	118
6.10.3	std visualization in maps view % North_Shields tide gauge	119
6.10.4	valid_data_percent visualization in maps view % North_Shields tide gauge	120
6.10.5	Valid data (%) in function of distance to coast/North_Shields station	120
6.10.6	Std in function of distance to coast/North_Shields station	122
6.10.7	Correlation in function of distance to coast/North_Shields station	123
6.10.8	Taylor Diagram	124
6.10.9	Mean statistics table of products comparison with North_Shields tide gauge data	124
6.10.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	125

Table des figures

1	Spatial coherence analysis of the count of the Iono_filtered version of sla variable	8
2	Spatial coherence analysis of the count of the Iono_gim version of sla variable	9
3	Spatial coherence analysis of the Difference in sla 's count between Iono_filtered and Iono_gim	10
4	Spatial coherence analysis of the std of the Iono_filtered version of sla variable	11
5	Spatial coherence analysis of the std of the Iono_gim version of sla variable	12
6	Spatial coherence analysis of the Difference in sla 's std between Iono_filtered and Iono_gim	13
7	Spatial coherence analysis of the mean of the Iono_filtered version of sla variable	14
8	Spatial coherence analysis of the mean of the Iono_gim version of sla variable	15
9	Spatial coherence analysis of the Difference in sla 's mean between Iono_filtered and Iono_gim	16
10	Spatial coherence analysis of the count of the Iono_filtered version of Iono variable	17
11	Spatial coherence analysis of the count of the Iono_gim version of Iono variable	18
12	Spatial coherence analysis of the Difference in Iono 's count between Iono_filtered and Iono_gim	19
13	Spatial coherence analysis of the std of the Iono_filtered version of Iono variable	20
14	Spatial coherence analysis of the std of the Iono_gim version of Iono variable	21
15	Spatial coherence analysis of the Difference in Iono 's std between Iono_filtered and Iono_gim	22
16	Spatial coherence analysis of the mean of the Iono_filtered version of Iono variable	23
17	Spatial coherence analysis of the mean of the Iono_gim version of Iono variable	24
18	Spatial coherence analysis of the Difference in Iono 's mean between Iono_filtered and Iono_gim	25
19	Histogram of each of Iono version	26
20	Histograms of difference of each Iono version and reference one	27
21	Histograms of the standard deviation of each Iono version	28
22	Histograms of the standard deviation of each sla version	29
23	Along-track analysis of Iono 's count	30
24	Along-track analysis of Iono 's std	31
25	Along-track analysis of Iono 's mean	32
26	Along-track analysis of sla 's count	33
27	Along-track analysis of sla 's std	34
28	Along-track analysis of sla 's mean	35
29	Valid data (%) in function of distance to coast/HERBAUDIERE station	37
30	Std in function of the distance to the coast/HERBAUDIERE station	38
31	Correlation in function of the distance to the coast/HERBAUDIERE station	39
32	Taylor diagram	40
33	correlation visualization in maps view % Llandudno tide gauge	41

34	rmsd visualization in maps view % Llandudno tide gauge	42
35	std visualization in maps view % Llandudno tide gauge	43
36	valid_data_percent visualization in maps view % Llandudno tide gauge	44
37	Valid data (%) in function of distance to coast/Llandudno station	45
38	Std in function of the distance to the coast/Llandudno station	46
39	Correlation in function of the distance to the coast/Llandudno station	47
40	Taylor diagram	48
41	Mean statistics table of the common points in the altimetry products	49
42	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	50
43	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	51
44	correlation visualization in maps view % Newhaven tide gauge	52
45	rmsd visualization in maps view % Newhaven tide gauge	53
46	std visualization in maps view % Newhaven tide gauge	54
47	valid_data_percent visualization in maps view % Newhaven tide gauge	55
48	Valid data (%) in function of distance to coast/Newhaven station	56
49	Std in function of the distance to the coast/Newhaven station	57
50	Correlation in function of the distance to the coast/Newhaven station	58
51	Taylor diagram	59
52	Mean statistics table of the common points in the altimetry products	60
53	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	61
54	correlation visualization in maps view % CALAIS tide gauge	62
55	rmsd visualization in maps view % CALAIS tide gauge	63
56	std visualization in maps view % CALAIS tide gauge	64
57	valid_data_percent visualization in maps view % CALAIS tide gauge	65
58	Valid data (%) in function of distance to coast/CALAIS station	66
59	Std in function of the distance to the coast/CALAIS station	67
60	Correlation in function of the distance to the coast/CALAIS station	68
61	Taylor diagram	69
62	Mean statistics table of the common points in the altimetry products	70
63	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	71
64	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	72
65	Valid data (%) in function of distance to coast/Portpatrick station	73
66	Std in function of the distance to the coast/Portpatrick station	74
67	Correlation in function of the distance to the coast/Portpatrick station	75
68	Taylor diagram	76
69	correlation visualization in maps view % Newlyn tide gauge	77
70	rmsd visualization in maps view % Newlyn tide gauge	78
71	std visualization in maps view % Newlyn tide gauge	79
72	valid_data_percent visualization in maps view % Newlyn tide gauge	80
73	Valid data (%) in function of distance to coast/Newlyn station	81
74	Std in function of the distance to the coast/Newlyn station	82
75	Correlation in function of the distance to the coast/Newlyn station	83
76	Taylor diagram	84
77	Mean statistics table of the common points in the altimetry products	85
78	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	86

79	correlation visualization in maps view % LE_CONQUET tide gauge	87
80	rmsd visualization in maps view % LE_CONQUET tide gauge	88
81	std visualization in maps view % LE_CONQUET tide gauge	89
82	valid_data_percent visualization in maps view % LE_CONQUET tide gauge	90
83	Valid data (%) in function of distance to coast/LE_CONQUET station	91
84	Std in function of the distance to the coast/LE_CONQUET station	92
85	Correlation in function of the distance to the coast/LE_CONQUET station	93
86	Taylor diagram	94
87	Mean statistics table of the common points in the altimetry products	95
88	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	96
89	correlation visualization in maps view % Holyhead tide gauge	97
90	rmsd visualization in maps view % Holyhead tide gauge	98
91	std visualization in maps view % Holyhead tide gauge	99
92	valid_data_percent visualization in maps view % Holyhead tide gauge	100
93	Valid data (%) in function of distance to coast/Holyhead station	101
94	Std in function of the distance to the coast/Holyhead station	102
95	Correlation in function of the distance to the coast/Holyhead station	103
96	Taylor diagram	104
97	Mean statistics table of the common points in the altimetry products	105
98	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	106
99	correlation visualization in maps view % LE_CROUESTY tide gauge	107
100	rmsd visualization in maps view % LE_CROUESTY tide gauge	108
101	std visualization in maps view % LE_CROUESTY tide gauge	109
102	valid_data_percent visualization in maps view % LE_CROUESTY tide gauge	110
103	Valid data (%) in function of distance to coast/LE_CROUESTY station	111
104	Std in function of the distance to the coast/LE_CROUESTY station	112
105	Correlation in function of the distance to the coast/LE_CROUESTY station	113
106	Taylor diagram	114
107	Mean statistics table of the common points in the altimetry products	115
108	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	116
109	correlation visualization in maps view % North_Shields tide gauge	117
110	rmsd visualization in maps view % North_Shields tide gauge	118
111	std visualization in maps view % North_Shields tide gauge	119
112	valid_data_percent visualization in maps view % North_Shields tide gauge	120
113	Valid data (%) in function of distance to coast/North_Shields station	121
114	Std in function of the distance to the coast/North_Shields station	122
115	Correlation in function of the distance to the coast/North_Shields station	123
116	Taylor diagram	124
117	Mean statistics table of the common points in the altimetry products	125
118	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	126
119	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	127

1 General description

- Figures and notes have been included in this report to evaluate different altimetry products.
- In order to test different version of the Ionospheric correction used to calculate the sea level anomaly. Each version has been compared with a reference version. In this case the Iono_gim is the reference one.
- The sea level anomaly has been calculated using each version of the variable and has been compared to the sea level anomaly calculated using the reference version.
- The region of study is Nea
- Mission : J3
- Git last tag : 0.5 Mettre à jour les rapports de la wet, range et tide apres application de binning X-track
- Git changeset number : 8fa7971-2022-04-07

2 Processing

2.1 sla formula

2.1.1 Iono_filtered product ' sla

```
sla = ORBIT.ALTI.CNES_POE_F - RANGE.ALTI - MEAN_SEA_SURFACE.MODEL.CNESCLS15 - SEA_STATE_BIAS.ALTI  
- IONOSPHERIC_CORRECTION.ALTI.FILTR - WET_TROPOSPHERIC_CORRECTION.RAD - DRY_TROPOSPHERIC_CORRECTION.N  
- DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR - OCEAN_TIDE_HEIGHT.MODEL.FES14B - SO  
LID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 - POLE_TIDE_HEIGHT.MODEL.DESAI_2015
```

2.1.2 Iono_gim product ' sla

```
sla = ORBIT.ALTI.CNES_POE_F - RANGE.ALTI - MEAN_SEA_SURFACE.MODEL.CNESCLS15 - SEA_STATE_BIAS.ALTI  
- IONOSPHERIC_CORRECTION.MODEL.GIM - WET_TROPOSPHERIC_CORRECTION.RAD - DRY_TROPOSPHERIC_CORRECTION.N  
- DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR - OCEAN_TIDE_HEIGHT.MODEL.FES14B - SO  
LID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 - POLE_TIDE_HEIGHT.MODEL.DESAI_2015
```

2.2 Binning

Each track has been divided to a set of sections, where the center of each section is separated by the sample frequency of the satellite times it's velocity.

The data located within the sections limits represent the altimetry time-series on which the statistics will be calculated and visualized in this report.

2.3 Filtering

- The sla has been filtered by a threshold of 3 m.
- Each sla time-serie has been filtered by a window of $[-4\sigma, 4\sigma]$, where σ is the standard deviation of the sla time serie

3 Spatial coherence analysis

3.1 sla

3.1.1 sla 's count




FIGURE 1 – Spatial coherence analysis of the count of the Iono_filtered version of sla variable




FIGURE 2 – Spatial coherence analysis of the count of the Iono_gim version of sla variable




FIGURE 3 – Spatial coherence analysis of the Difference in sla 's count between Iono_filtered and Iono_gim

3.1.2 sla's std




FIGURE 4 – Spatial coherence analysis of the std of the Iono_filtered version of sla variable




FIGURE 5 – Spatial coherence analysis of the std of the Iono_gim version of sla variable




FIGURE 6 – Spatial coherence analysis of the Difference in sla's std between Iono_filtered and Iono_gim

3.1.3 sla's mean




FIGURE 7 – Spatial coherence analysis of the mean of the Iono_filtered version of sla variable




FIGURE 8 – Spatial coherence analysis of the mean of the Iono_gim version of the sla variable




FIGURE 9 – Spatial coherence analysis of the Difference in sla 's mean between Iono_filtered and Iono_gim

3.2 Iono

3.2.1 Iono 's count




FIGURE 10 – Spatial coherence analysis of the count of the Iono_filtered version of Iono variable




FIGURE 11 – Spatial coherence analysis of the count of the Iono_gim version of Iono variable




FIGURE 12 – Spatial coherence analysis of the Difference in Iono 's count between Iono_filtered and Iono_gim

3.2.2 Iono 's std




FIGURE 13 – Spatial coherence analysis of the std of the Iono_filtered version of Iono variable




FIGURE 14 – Spatial coherence analysis of the std of the Iono_gim version of Iono variable




FIGURE 15 – Spatial coherence analysis of the Difference in Iono's std between Iono_filtered and Iono_gim

3.2.3 Iono 's mean




FIGURE 16 – Spatial coherence analysis of the mean of the Iono_filtered version of Iono variable




FIGURE 17 – Spatial coherence analysis of the mean of the Iono_gim version of Iono variable




FIGURE 18 – Spatial coherence analysis of the Difference in Iono 's mean between Iono_filtered and Iono_gim

4 Histograms

4.1 Iono




FIGURE 19 – Histogram of each of Iono version




FIGURE 20 – Histograms of difference of each Iono version and reference one




FIGURE 21 – Histograms of the standard deviation of each Iono version

4.2 sla




FIGURE 22 – Histograms of the standard deviation of each sla version

5 Along-track analysis

5.1 Iono

5.1.1 Iono 's count




FIGURE 23 – Along-track analysis of Iono 's count

5.1.2 Iono 's std




FIGURE 24 – Along-track analysis of Iono 's std

5.1.3 Iono 's mean




FIGURE 25 – Along-track analysis of Iono 's mean

5.2 sla

5.2.1 sla 's count




FIGURE 26 – Along-track analysis of sla 's count

5.2.2 sla's std




FIGURE 27 – Along-track analysis of sla's std

5.2.3 sla 's mean




FIGURE 28 – Along-track analysis of sla 's mean

6 Comparison with Insitu Data (Tide Gauge)

The size of the marker representing each point in the figures below increase by getting closer to the tide Gauge station

6.1 Station : HERBAUDIERE

- Nearest track to HERBAUDIERE station is the track number track70
- The area of interest is limited by :
 - A circle which it's center is the HERBAUDIERE tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km
 - Latitude limits : [None, 47.1] °

6.1.1 correlation visualization in maps view % HERBAUDIERE tide gauge

6.1.2 rmsd visualization in maps view % HERBAUDIERE tide gauge

6.1.3 std visualization in maps view % HERBAUDIERE tide gauge

6.1.4 valid_data_percent visualization in maps view % HERBAUDIERE tide gauge

6.1.5 Valid data (%) in function of distance to coast/HERBAUDIERE station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvd_i = \frac{nvd_i}{maxNB}, i = 1, np$$

Where pvd and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 93$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 29 – Valid data (%) in function of distance to coast/HERBAUDIERE station

6.1.6 Std in function of distance to coast/HERBAUDIERE station





FIGURE 30 – Std in function of the distance to the coast/HERBAUDIERE station

6.1.7 Correlation in function of distance to coast/HERBAUDIERE station




FIGURE 31 – Correlation in function of the distance to the coast/HERBAUDIERE station

6.1.8 Taylor Diagram




FIGURE 32 – Taylor diagram

6.1.9 Mean statistics table of products comparison with HERBAUDIERE tide gauge data

6.1.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 93 point.

The altimetry products don't share a common point which is close to the tide gauge station and has more than 80 % of data

6.2 Station : Llandudno

- Nearest track to Llandudno station is the track number track222
- The area of interest is limited by :
 - A circle which it's center is the Llandudno tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km
 - Latitude limits : [None, 53.4] °

6.2.1 correlation visualization in maps view % Llandudno tide gauge

Correlation Altimetry data with respect to Llandudno Tide gauge data




FIGURE 33 – correlation visualization in maps view % Llandudno tide gauge

6.2.2 rmsd visualization in maps view % Llandudno tide gauge

Rmsd (m) Altimerty data with respect to Llandudno Tide gauge data




FIGURE 34 – rmsd visualization in maps view % Llandudno tide gauge

6.2.3 std visualization in maps view % Llandudno tide gauge

Std (m) Altimetry data with respect to Llandudno Tide gauge data




FIGURE 35 – std visualization in maps view % Llandudno tide gauge

6.2.4 valid_data_percent visualization in maps view % Llandudno tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Llandudno Tide gauge data




FIGURE 36 – valid_data_percent visualization in maps view % Llandudno tide gauge

6.2.5 Valid data (%) in function of distance to coast/Llandudno station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 78$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 37 – Valid data (%) in function of distance to coast/Llandudno station

6.2.6 Std in function of distance to coast/Llandudno station





FIGURE 38 – Std in function of the distance to the coast/Llandudno station

6.2.7 Correlation in function of distance to coast/Llandudno station




FIGURE 39 – Correlation in function of the distance to the coast/Llandudno station

6.2.8 Taylor Diagram




FIGURE 40 – Taylor diagram

6.2.9 Mean statistics table of products comparison with Llandudno tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
iono_filtered#J3	82.506	0.403	0.164	0.153
iono_gim#J3	94.086	0.4	0.171	0.159

FIGURE 41 – Mean statistics table of the common points in the altimetry products

6.2.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 78 point.




FIGURE 42 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 43 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie

6.3 Station : Newhaven

- Nearest track to Newhaven station is the track number track137
- The area of interest is limited by :
 - A circle which it's center is the Newhaven tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.3.1 correlation visualization in maps view % Newhaven tide gauge

Correlation Altimerty data with respect to Newhaven Tide gauge data




FIGURE 44 – correlation visualization in maps view % Newhaven tide gauge

6.3.2 rmsd visualization in maps view % Newhaven tide gauge

Rmsd (m) Altimerty data with respect to Newhaven Tide gauge data




FIGURE 45 – rmsd visualization in maps view % Newhaven tide gauge

6.3.3 std visualization in maps view % Newhaven tide gauge

Std (m) Altimetry data with respect to Newhaven Tide gauge data




FIGURE 46 – std visualization in maps view % Newhaven tide gauge

6.3.4 valid_data_percent visualization in maps view % Newhaven tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Newhaven Tide gauge data




FIGURE 47 – valid_data_percent visualization in maps view % Newhaven tide gauge

6.3.5 Valid data (%) in function of distance to coast/Newhaven station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 108$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 48 – Valid data (%) in function of distance to coast/Newhaven station

6.3.6 Std in function of distance to coast/Newhaven station




FIGURE 49 – Std in function of the distance to the coast/Newhaven station

6.3.7 Correlation in function of distance to coast/Newhaven station




FIGURE 50 – Correlation in function of the distance to the coast/Newhaven station

6.3.8 Taylor Diagram




FIGURE 51 – Taylor diagram

6.3.9 Mean statistics table of products comparison with Newhaven tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
iono_filtered#J3	97.508	0.453	0.162	0.145
iono_gim#J3	98.131	0.452	0.162	0.145

FIGURE 52 – Mean statistics table of the common points in the altimetry products

6.3.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 108 point.




FIGURE 53 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.4 Station : CALAIS

- Nearest track to CALAIS station is the track number track44
- The area of interest is limited by :
 - A circle which it's center is the CALAIS tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 14 Km
 - Latitude limits : [50.8, 51.21] °

6.4.1 correlation visualization in maps view % CALAIS tide gauge

Correlation Altimetry data with respect to CALAIS Tide gauge data




FIGURE 54 – correlation visualization in maps view % CALAIS tide gauge

6.4.2 rmsd visualization in maps view % CALAIS tide gauge

Rmsd (m) Altimerty data with respect to CALAIS Tide gauge data




FIGURE 55 – rmsd visualization in maps view % CALAIS tide gauge

6.4.3 std visualization in maps view % CALAIS tide gauge

Std (m) Altimerty data with respect to CALAIS Tide gauge data




FIGURE 56 – std visualization in maps view % CALAIS tide gauge

6.4.4 valid_data_percent visualization in maps view % CALAIS tide gauge

Valid_Data_Percent (%) Altimerty data with respect to CALAIS Tide gauge data




FIGURE 57 – valid_data_percent visualization in maps view % CALAIS tide gauge

6.4.5 Valid data (%) in function of distance to coast/CALAIS station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 108$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 58 – Valid data (%) in function of distance to coast/CALAIS station

6.4.6 Std in function of distance to coast/CALAIS station





FIGURE 59 – Std in function of the distance to the coast/CALAIS station

6.4.7 Correlation in function of distance to coast/CALAIS station




FIGURE 60 – Correlation in function of the distance to the coast/CALAIS station

6.4.8 Taylor Diagram




FIGURE 61 – Taylor diagram

6.4.9 Mean statistics table of products comparison with CALAIS tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
iono_filtered#J3	58.606	0.442	0.188	0.17
iono_gim#J3	96.895	0.47	0.197	0.175

FIGURE 62 – Mean statistics table of the common points in the altimetry products

6.4.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 108 point.




FIGURE 63 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 64 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie

6.5 Station : Portpatrick

- Nearest track to Portpatrick station is the track number track87
- The area of interest is limited by :
 - A circle which it's center is the Portpatrick tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.5.1 correlation visualization in maps view % Portpatrick tide gauge

6.5.2 rmsd visualization in maps view % Portpatrick tide gauge

6.5.3 std visualization in maps view % Portpatrick tide gauge

6.5.4 valid_data_percent visualization in maps view % Portpatrick tide gauge

6.5.5 Valid data (%) in function of distance to coast/Portpatrick station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvd_i = \frac{nvd_i}{maxNB}, i = 1, np$$

Where pvd and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 59$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 65 – Valid data (%) in function of distance to coast/Portpatrick station

6.5.6 Std in function of distance to coast/Portpatrick station




FIGURE 66 – Std in function of the distance to the coast/Portpatrick station

6.5.7 Correlation in function of distance to coast/Portpatrick station




FIGURE 67 – Correlation in function of the distance to the coast/Portpatrick station

6.5.8 Taylor Diagram




FIGURE 68 – Taylor diagram

6.5.9 Mean statistics table of products comparison with Portpatrick tide gauge data

6.5.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 59 point.

The altimetry products don't share a common point which is close to the tide gauge station and has more than 80 % of data

6.6 Station : Newlyn

- Nearest track to Newlyn station is the track number track70
- The area of interest is limited by :
 - A circle which it's center is the Newlyn tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km
 - Latitude limits : [49.8, 50.06] °

6.6.1 correlation visualization in maps view % Newlyn tide gauge

Correlation Altimetry data with respect to Newlyn Tide gauge data




FIGURE 69 – correlation visualization in maps view % Newlyn tide gauge

6.6.2 rmsd visualization in maps view % Newlyn tide gauge




FIGURE 70 – rmsd visualization in maps view % Newlyn tide gauge

6.6.3 std visualization in maps view % Newlyn tide gauge

Std (m) Altimetry data with respect to Newlyn Tide gauge data




FIGURE 71 – std visualization in maps view % Newlyn tide gauge

6.6.4 valid_data_percent visualization in maps view % Newlyn tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Newlyn Tide gauge data




FIGURE 72 – valid_data_percent visualization in maps view % Newlyn tide gauge

6.6.5 Valid data (%) in function of distance to coast/Newlyn station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 111$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 73 – Valid data (%) in function of distance to coast/Newlyn station

6.6.6 Std in function of distance to coast/Newlyn station




FIGURE 74 – Std in function of the distance to the coast/Newlyn station

6.6.7 Correlation in function of distance to coast/Newlyn station




FIGURE 75 – Correlation in function of the distance to the coast/Newlyn station

6.6.8 Taylor Diagram




FIGURE 76 – Taylor diagram

6.6.9 Mean statistics table of products comparison with Newlyn tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
iono_filtered#J3	85.958	0.311	0.161	0.154
iono_gim#J3	85.977	0.313	0.161	0.154

FIGURE 77 – Mean statistics table of the common points in the altimetry products

6.6.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 111 point.




FIGURE 78 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.7 Station : LE_CONQUET

- Nearest track to LE_CONQUET station is the track number track61
- The area of interest is limited by :
 - A circle which it's center is the LE_CONQUET tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.7.1 correlation visualization in maps view % LE_CONQUET tide gauge

Correlation Altimetry data with respect to LE_CONQUET Tide gauge data




FIGURE 79 – correlation visualization in maps view % LE_CONQUET tide gauge

6.7.2 rmsd visualization in maps view % LE_CONQUET tide gauge

Rmsd (m) Altimetry data with respect to LE_CONQUET Tide gauge data




FIGURE 80 – rmsd visualization in maps view % LE_CONQUET tide gauge

6.7.3 std visualization in maps view % LE_CONQUET tide gauge

Std (m) Altimerty data with respect to LE_CONQUET Tide gauge data




FIGURE 81 – std visualization in maps view % LE_CONQUET tide gauge

6.7.4 valid_data_percent visualization in maps view % LE_CONQUET tide gauge

Valid_Data_Percent (%) Altimerty data with respect to LE_CONQUET Tide gauge data




FIGURE 82 – valid_data_percent visualization in maps view % LE_CONQUET tide gauge

6.7.5 Valid data (%) in function of distance to coast/LE_CONQUET station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 105$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 83 – Valid data (%) in function of distance to coast/LE_CONQUET station

6.7.6 Std in function of distance to coast/LE_CONQUET station




FIGURE 84 – Std in function of the distance to the coast/LE_CONQUET station

6.7.7 Correlation in function of distance to coast/LE_CONQUET station




FIGURE 85 – Correlation in function of the distance to the coast/LE_CONQUET station

6.7.8 Taylor Diagram




FIGURE 86 – Taylor diagram

6.7.9 Mean statistics table of products comparison with LE_CONQUET tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
iono_filtered#J3	85.897	0.2	0.238	0.236
iono_gim#J3	85.927	0.2	0.24	0.237

FIGURE 87 – Mean statistics table of the common points in the altimetry products

6.7.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 105 point.




FIGURE 88 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.8 Station : Holyhead

- Nearest track to Holyhead station is the track number track163
- The area of interest is limited by :
 - A circle which it's center is the Holyhead tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.8.1 correlation visualization in maps view % Holyhead tide gauge

Correlation Altimetry data with respect to Holyhead Tide gauge data




FIGURE 89 – correlation visualization in maps view % Holyhead tide gauge

6.8.2 rmsd visualization in maps view % Holyhead tide gauge

Rmsd (m) Altimerty data with respect to Holyhead Tide gauge data




FIGURE 90 – rmsd visualization in maps view % Holyhead tide gauge

6.8.3 std visualization in maps view % Holyhead tide gauge




FIGURE 91 – std visualization in maps view % Holyhead tide gauge

6.8.4 valid_data_percent visualization in maps view % Holyhead tide gauge

Valid_Data_Percent (%) Altimerty data with respect to Holyhead Tide gauge data




FIGURE 92 – valid_data_percent visualization in maps view % Holyhead tide gauge

6.8.5 Valid data (%) in function of distance to coast/Holyhead station

The formula to calculate the percentage of valid data in each time serie is;

$$pvd_i = \frac{nvd_i}{maxNB}, i = 1, np$$

Where pvd and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 88$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 93 – Valid data (%) in function of distance to coast/Holyhead station

6.8.6 Std in function of distance to coast/Holyhead station




FIGURE 94 – Std in function of the distance to the coast/Holyhead station

6.8.7 Correlation in function of distance to coast/Holyhead station




FIGURE 95 – Correlation in function of the distance to the coast/Holyhead station

6.8.8 Taylor Diagram




FIGURE 96 – Taylor diagram

6.8.9 Mean statistics table of products comparison with Holyhead tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
iono_filtered#J3	93.049	0.288	0.151	0.148
iono_gim#J3	93.987	0.289	0.152	0.149

FIGURE 97 – Mean statistics table of the common points in the altimetry products

6.8.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 88 point.




FIGURE 98 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.9 Station : LE_CROUESTY

- Nearest track to LE_CROUESTY station is the track number track137
- The area of interest is limited by :
 - A circle which it's center is the LE_CROUESTY tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.9.1 correlation visualization in maps view % LE_CROUESTY tide gauge

Correlation Altimetry data with respect to LE_CROUESTY Tide gauge data




FIGURE 99 – correlation visualization in maps view % LE_CROUESTY tide gauge

6.9.2 rmsd visualization in maps view % LE_CROUESTY tide gauge

Rmsd (m) Altimerty data with respect to LE_CROUESTY Tide gauge data




FIGURE 100 – rmsd visualization in maps view % LE_CROUESTY tide gauge

6.9.3 std visualization in maps view % LE_CROUESTY tide gauge

Std (m) Altimetry data with respect to LE_CROUESTY Tide gauge data




FIGURE 101 – std visualization in maps view % LE_CROUESTY tide gauge

6.9.4 valid_data_percent visualization in maps view % LE_CROUESTY tide gauge

Valid_Data_Percent (%) Altimetry data with respect to LE_CROUESTY Tide gauge data




FIGURE 102 – valid_data_percent visualization in maps view % LE_CROUESTY tide gauge

6.9.5 Valid data (%) in function of distance to coast/LE_CROUESTY station

The formula to calculate the percentage of valid data in each time serie is;

$$pvd_i = \frac{nvd_i}{maxNB}, i = 1, np$$

Where pvd and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 103$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 103 – Valid data (%) in function of distance to coast/LE_CROUESTY station

6.9.6 Std in function of distance to coast/LE_CROUESTY station




FIGURE 104 – Std in function of the distance to the coast/LE_CROUESTY station

6.9.7 Correlation in function of distance to coast/LE_CROUESTY station




FIGURE 105 – Correlation in function of the distance to the coast/LE_CROUESTY station

6.9.8 Taylor Diagram




FIGURE 106 – Taylor diagram

6.9.9 Mean statistics table of products comparison with LE_CROUESTY tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
iono_filtered#J3	59.794	0.205	0.155	0.155
iono_gim#J3	90.52	0.188	0.197	0.197

FIGURE 107 – Mean statistics table of the common points in the altimetry products

6.9.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 103 point.




FIGURE 108 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.10 Station : North_Shields

- Nearest track to North_Shields station is the track number track120
- The area of interest is limited by :
 - A circle which it's center is the North_Shields tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.10.1 correlation visualization in maps view % North_Shields tide gauge

Correlation Altimetry data with respect to North_Shields Tide gauge data




FIGURE 109 – correlation visualization in maps view % North_Shields tide gauge

6.10.2 rmsd visualization in maps view % North_Shields tide gauge

Rmsd (m) Altimetry data with respect to North_Shields Tide gauge data




FIGURE 110 – rmsd visualization in maps view % North_Shields tide gauge

6.10.3 std visualization in maps view % North_Shields tide gauge

Std (m) Altimetry data with respect to North_Shields Tide gauge data




FIGURE 111 – std visualization in maps view % North_Shields tide gauge

6.10.4 valid_data_percent visualization in maps view % North_Shields tide gauge

Valid_Data_Percent (%) Altimetry data with respect to North_Shields Tide gauge data




FIGURE 112 – valid_data_percent visualization in maps view % North_Shields tide gauge

6.10.5 Valid data (%) in function of distance to coast/North_Shields station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 82$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 113 – Valid data (%) in function of distance to coast/North_Shields station

6.10.6 Std in function of distance to coast/North_Shields station




FIGURE 114 – Std in function of the distance to the coast/North_Shields station

6.10.7 Correlation in function of distance to coast/North_Shields station




FIGURE 115 – Correlation in function of the distance to the coast/North_Shields station

6.10.8 Taylor Diagram




FIGURE 116 – Taylor diagram

6.10.9 Mean statistics table of products comparison with North_Shields tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
iono_filtered#J3	95.595	0.437	0.139	0.125
iono_gim#J3	97.948	0.442	0.14	0.125

FIGURE 117 – Mean statistics table of the common points in the altimetry products

6.10.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 82 point.




FIGURE 118 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 119 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie