

DIAGTOOL REPORT



**Round Robin (GT cotier) : Tide. Eaustralia. J3.
fes14b struct vs fes14b unstruct vs fes14b unstruct
reg vs EOT20.**

Table of Contents

1 General description	6
2 Processing	6
2.1 sla formula	6
2.1.1 fes14b_struct product ' sla	6
2.1.2 fes14b_unstruct product ' sla	6
2.1.3 fes14b_unstruct_reg product ' sla	7
2.1.4 EOT20 product ' sla	7
2.2 Binning	7
2.3 Filtering	7
3 Spatial coherence analysis	8
3.1 sla	8
3.1.1 sla 's count	8
3.1.2 sla 's std	18
3.1.3 sla 's mean	28
3.2 Tide	38
3.2.1 Tide 's count	38
3.2.2 Tide 's std	48
3.2.3 Tide 's mean	58
4 Histograms	68
4.1 Tide	68
4.2 sla	71
5 Along-track analysis	71
5.1 Tide	71
5.1.1 Tide 's count	71
5.1.2 Tide 's std	72
5.1.3 Tide 's mean	73
5.2 sla	74
5.2.1 sla 's count	74
5.2.2 sla 's std	75
5.2.3 sla 's mean	76
6 Comparison with Insitu Data (Tide Gauge)	77
6.1 Station : Lorne_Jetty	77
6.1.1 correlation visualization in maps view % Lorne_Jetty tide gauge	77
6.1.2 rmsd visualization in maps view % Lorne_Jetty tide gauge	78
6.1.3 std visualization in maps view % Lorne_Jetty tide gauge	79
6.1.4 valid_data_percent visualization in maps view % Lorne_Jetty tide gauge	80
6.1.5 Valid data (%) in function of distance to coast/Lorne_Jetty station	80
6.1.6 Std in function of distance to coast/Lorne_Jetty station	82
6.1.7 Correlation in function of distance to coast/Lorne_Jetty station	83
6.1.8 Taylor Diagram	84

6.1.9	Mean statistics table of products comparison with Lorne_Jetty tide gauge data	84
6.1.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	85
6.2	Station : Bundaberg	86
6.2.1	correlation visualization in maps view % Bundaberg tide gauge	87
6.2.2	rmsd visualization in maps view % Bundaberg tide gauge	88
6.2.3	std visualization in maps view % Bundaberg tide gauge	89
6.2.4	valid_data_percent visualization in maps view % Bundaberg tide gauge	90
6.2.5	Valid data (%) in function of distance to coast/Bundaberg station	90
6.2.6	Std in function of distance to coast/Bundaberg station	92
6.2.7	Correlation in function of distance to coast/Bundaberg station	93
6.2.8	Taylor Diagram	94
6.2.9	Mean statistics table of products comparison with Bundaberg tide gauge data	94
6.2.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	95
6.3	Station : Thursday_Island	96
6.3.1	correlation visualization in maps view % Thursday_Island tide gauge	97
6.3.2	rmsd visualization in maps view % Thursday_Island tide gauge	98
6.3.3	std visualization in maps view % Thursday_Island tide gauge	99
6.3.4	valid_data_percent visualization in maps view % Thursday_Island tide gauge	100
6.3.5	Valid data (%) in function of distance to coast/Thursday_Island station	100
6.3.6	Std in function of distance to coast/Thursday_Island station	102
6.3.7	Correlation in function of distance to coast/Thursday_Island station	103
6.3.8	Taylor Diagram	104
6.3.9	Mean statistics table of products comparison with Thursday_Island tide gauge data	104
6.3.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	105
6.4	Station : Southport	107
6.4.1	correlation visualization in maps view % Southport tide gauge	108
6.4.2	rmsd visualization in maps view % Southport tide gauge	109
6.4.3	std visualization in maps view % Southport tide gauge	110
6.4.4	valid_data_percent visualization in maps view % Southport tide gauge	111
6.4.5	Valid data (%) in function of distance to coast/Southport station	111
6.4.6	Std in function of distance to coast/Southport station	113
6.4.7	Correlation in function of distance to coast/Southport station	114
6.4.8	Taylor Diagram	115
6.4.9	Mean statistics table of products comparison with Southport tide gauge data	115
6.4.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	116
6.5	Station : Townsville	117
6.5.1	correlation visualization in maps view % Townsville tide gauge	118
6.5.2	rmsd visualization in maps view % Townsville tide gauge	119
6.5.3	std visualization in maps view % Townsville tide gauge	120
6.5.4	valid_data_percent visualization in maps view % Townsville tide gauge	121
6.5.5	Valid data (%) in function of distance to coast/Townsville station	121
6.5.6	Std in function of distance to coast/Townsville station	123
6.5.7	Correlation in function of distance to coast/Townsville station	124
6.5.8	Taylor Diagram	125
6.5.9	Mean statistics table of products comparison with Townsville tide gauge data	125

6.5.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	126
6.6	Station : Booby_island	128
6.6.1	correlation visualization in maps view % Booby_island tide gauge	129
6.6.2	rmsd visualization in maps view % Booby_island tide gauge	130
6.6.3	std visualization in maps view % Booby_island tide gauge	131
6.6.4	valid_data_percent visualization in maps view % Booby_island tide gauge	132
6.6.5	Valid data (%) in function of distance to coast/Booby_island station	132
6.6.6	Std in function of distance to coast/Booby_island station	134
6.6.7	Correlation in function of distance to coast/Booby_island station	135
6.6.8	Taylor Diagram	136
6.6.9	Mean statistics table of products comparison with Booby_island tide gauge data	136
6.6.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	137

Table des figures

1	Spatial coherence analysis of the count of the fes14b_struct version of sla variable	8
2	Spatial coherence analysis of the count of the fes14b_unstruct version of sla variable	9
3	Spatial coherence analysis of the count of the fes14b_unstruct_reg version of sla variable	10
4	Spatial coherence analysis of the count of the EOT20 version of sla variable	11
5	Spatial coherence analysis of the Difference in sla 's count between fes14b_unstruct and fes14b_struct	12
6	Spatial coherence analysis of the Difference in sla 's count between fes14b_unstruct_reg and fes14b_struct	13
7	Spatial coherence analysis of the Difference in sla 's count between fes14b_unstruct_reg and fes14b_unstruct	14
8	Spatial coherence analysis of the Difference in sla 's count between EOT20 and fes14b_struct	15
9	Spatial coherence analysis of the Difference in sla 's count between EOT20 and fes14b_unstruct	16
10	Spatial coherence analysis of the Difference in sla 's count between EOT20 and fes14b_unstruct_reg	17
11	Spatial coherence analysis of the std of the fes14b_struct version of sla variable	18
12	Spatial coherence analysis of the std of the fes14b_unstruct version of sla variable	19
13	Spatial coherence analysis of the std of the fes14b_unstruct_reg version of sla variable	20
14	Spatial coherence analysis of the std of the EOT20 version of sla variable	21
15	Spatial coherence analysis of the Difference in sla 's std between fes14b_unstruct and fes14b_struct	22
16	Spatial coherence analysis of the Difference in sla 's std between fes14b_unstruct_reg and fes14b_struct	23
17	Spatial coherence analysis of the Difference in sla 's std between fes14b_unstruct_reg and fes14b_unstruct	24
18	Spatial coherence analysis of the Difference in sla 's std between EOT20 and fes14b_struct	25
19	Spatial coherence analysis of the Difference in sla 's std between EOT20 and fes14b_unstruct	26
20	Spatial coherence analysis of the Difference in sla 's std between EOT20 and fes14b_unstruct_reg	27
21	Spatial coherence analysis of the mean of the fes14b_struct version of sla variable	28
22	Spatial coherence analysis of the mean of the fes14b_unstruct version of sla variable	29
23	Spatial coherence analysis of the mean of the fes14b_unstruct_reg version of sla variable	30
24	Spatial coherence analysis of the mean of the EOT20 version of sla variable	31
25	Spatial coherence analysis of the Difference in sla 's mean between fes14b_unstruct and fes14b_struct	32
26	Spatial coherence analysis of the Difference in sla 's mean between fes14b_unstruct_reg and fes14b_struct	33
27	Spatial coherence analysis of the Difference in sla 's mean between fes14b_unstruct_reg and fes14b_unstruct	34
28	Spatial coherence analysis of the Difference in sla 's mean between EOT20 and fes14b_struct	35
29	Spatial coherence analysis of the Difference in sla 's mean between EOT20 and fes14b_unstruct	36
30	Spatial coherence analysis of the Difference in sla 's mean between EOT20 and fes14b_unstruct_reg	37

31	Spatial coherence analysis of the count of the fes14b_struct version of Tide variable	38
32	Spatial coherence analysis of the count of the fes14b_unstruct version of Tide variable	39
33	Spatial coherence analysis of the count of the fes14b_unstruct_reg version of Tide variable	40
34	Spatial coherence analysis of the count of the EOT20 version of Tide variable	41
35	Spatial coherence analysis of the Difference in Tide 's count between fes14b_unstruct and fes14b_struct .	42
36	Spatial coherence analysis of the Difference in Tide 's count between fes14b_unstruct_reg and fes14b_struct .	43
37	Spatial coherence analysis of the Difference in Tide 's count between fes14b_unstruct_reg and fes14b_unstruct .	44
38	Spatial coherence analysis of the Difference in Tide 's count between EOT20 and fes14b_struct	45
39	Spatial coherence analysis of the Difference in Tide 's count between EOT20 and fes14b_unstruct	46
40	Spatial coherence analysis of the Difference in Tide 's count between EOT20 and fes14b_unstruct_reg .	47
41	Spatial coherence analysis of the std of the fes14b_struct version of Tide variable	48
42	Spatial coherence analysis of the std of the fes14b_unstruct version of Tide variable	49
43	Spatial coherence analysis of the std of the fes14b_unstruct_reg version of Tide variable	50
44	Spatial coherence analysis of the std of the EOT20 version of Tide variable	51
45	Spatial coherence analysis of the Difference in Tide 's std between fes14b_unstruct and fes14b_struct .	52
46	Spatial coherence analysis of the Difference in Tide 's std between fes14b_unstruct_reg and fes14b_struct .	53
47	Spatial coherence analysis of the Difference in Tide 's std between fes14b_unstruct_reg and fes14b_unstruct .	54
48	Spatial coherence analysis of the Difference in Tide 's std between EOT20 and fes14b_struct	55
49	Spatial coherence analysis of the Difference in Tide 's std between EOT20 and fes14b_unstruct	56
50	Spatial coherence analysis of the Difference in Tide 's std between EOT20 and fes14b_unstruct_reg .	57
51	Spatial coherence analysis of the mean of the fes14b_struct version of Tide variable	58
52	Spatial coherence analysis of the mean of the fes14b_unstruct version of Tide variable	59
53	Spatial coherence analysis of the mean of the fes14b_unstruct_reg version of Tide variable	60
54	Spatial coherence analysis of the mean of the EOT20 version of Tide variable	61
55	Spatial coherence analysis of the Difference in Tide 's mean between fes14b_unstruct and fes14b_struct .	62
56	Spatial coherence analysis of the Difference in Tide 's mean between fes14b_unstruct_reg and fes14b_struct .	63
57	Spatial coherence analysis of the Difference in Tide 's mean between fes14b_unstruct_reg and fes14b_unstruct .	64
58	Spatial coherence analysis of the Difference in Tide 's mean between EOT20 and fes14b_struct	65
59	Spatial coherence analysis of the Difference in Tide 's mean between EOT20 and fes14b_unstruct	66
60	Spatial coherence analysis of the Difference in Tide 's mean between EOT20 and fes14b_unstruct_reg .	67
61	Histogram of each of Tide version	68
62	Histograms of difference of each Tide version and reference one	69
63	Histograms of the standard deviation of each Tide version	70
64	Along-track analysis of Tide 's count	71
65	Along-track analysis of Tide 's std	72
66	Along-track analysis of Tide 's mean	73
67	Along-track analysis of sla 's count	74
68	Along-track analysis of sla 's std	75
69	Along-track analysis of sla 's mean	76
70	correlation visualization in maps view % Lorne_Jetty tide gauge	77
71	rmsd visualization in maps view % Lorne_Jetty tide gauge	78
72	std visualization in maps view % Lorne_Jetty tide gauge	79
73	valid_data_percent visualization in maps view % Lorne_Jetty tide gauge	80
74	Valid data (%) in function of distance to coast/Lorne_Jetty station	81
75	Std in function of the distance to the coast/Lorne_Jetty station	82

76	Correlation in function of the distance to the coast/Lorne_Jetty station	83
77	Taylor diagram	84
78	Mean statistics table of the common points in the altimetry products	85
79	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	86
80	correlation visualization in maps view % Bundaberg tide gauge	87
81	rmsd visualization in maps view % Bundaberg tide gauge	88
82	std visualization in maps view % Bundaberg tide gauge	89
83	valid_data_percent visualization in maps view % Bundaberg tide gauge	90
84	Valid data (%) in function of distance to coast/Bundaberg station	91
85	Std in function of the distance to the coast/Bundaberg station	92
86	Correlation in function of the distance to the coast/Bundaberg station	93
87	Taylor diagram	94
88	Mean statistics table of the common points in the altimetry products	95
89	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	96
90	correlation visualization in maps view % Thursday_Island tide gauge	97
91	rmsd visualization in maps view % Thursday_Island tide gauge	98
92	std visualization in maps view % Thursday_Island tide gauge	99
93	valid_data_percent visualization in maps view % Thursday_Island tide gauge	100
94	Valid data (%) in function of distance to coast/Thursday_Island station	101
95	Std in function of the distance to the coast/Thursday_Island station	102
96	Correlation in function of the distance to the coast/Thursday_Island station	103
97	Taylor diagram	104
98	Mean statistics table of the common points in the altimetry products	105
99	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	106
100	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	107
101	correlation visualization in maps view % Southport tide gauge	108
102	rmsd visualization in maps view % Southport tide gauge	109
103	std visualization in maps view % Southport tide gauge	110
104	valid_data_percent visualization in maps view % Southport tide gauge	111
105	Valid data (%) in function of distance to coast/Southport station	112
106	Std in function of the distance to the coast/Southport station	113
107	Correlation in function of the distance to the coast/Southport station	114
108	Taylor diagram	115
109	Mean statistics table of the common points in the altimetry products	116
110	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	117
111	correlation visualization in maps view % Townsville tide gauge	118
112	rmsd visualization in maps view % Townsville tide gauge	119
113	std visualization in maps view % Townsville tide gauge	120
114	valid_data_percent visualization in maps view % Townsville tide gauge	121
115	Valid data (%) in function of distance to coast/Townsville station	122
116	Std in function of the distance to the coast/Townsville station	123
117	Correlation in function of the distance to the coast/Townsville station	124
118	Taylor diagram	125
119	Mean statistics table of the common points in the altimetry products	126
120	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	127

121	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	128
122	correlation visualization in maps view % Booby_island tide gauge	129
123	rmsd visualization in maps view % Booby_island tide gauge	130
124	std visualization in maps view % Booby_island tide gauge	131
125	valid_data_percent visualization in maps view % Booby_island tide gauge	132
126	Valid data (%) in function of distance to coast/Booby_island station	133
127	Std in function of the distance to the coast/Booby_island station	134
128	Correlation in function of the distance to the coast/Booby_island station	135
129	Taylor diagram	136
130	Mean statistics table of the common points in the altimetry products	137
131	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	138

1 General description

- Figures and notes have been included in this report to evaluate different altimetry products.
- In order to test different version of the Tide used to calculate the sea level anomaly. Each version has been compared with a reference version. In this case the Fes14b_struct is the reference one.
- The sea level anomaly has been calculated using each version of the variable and has been compared to the sea level anomaly calculated using the reference version.
- The region of study is Eaustralia
- Mission : J3
- Git last tag :
- Git changeset number : 3b970d7-2022-07-05

2 Processing

2.1 sla formula

2.1.1 fes14b_struct product 'sla

```
sla = ORBIT.ALTI.CNES_POE_F -
RANGE.ALTI -
MEAN_SEA_SURFACE.MODEL.CNESCLS15 -
SEA_STATE_BIAS.ALTI -
IONOSPHERIC_CORRECTION.MODEL.GIM -
WET_TROPOSPHERIC_CORRECTION.RAD -
DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -
OCEAN_TIDE_HEIGHT.MODEL.FES14B -
SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -
POLE_TIDE_HEIGHT.MODEL.DESAI_2015
```

2.1.2 fes14b_unstruct product 'sla

```
sla = ORBIT.ALTI.CNES_POE_F -
RANGE.ALTI -
MEAN_SEA_SURFACE.MODEL.CNESCLS15 -
SEA_STATE_BIAS.ALTI -
IONOSPHERIC_CORRECTION.MODEL.GIM -
WET_TROPOSPHERIC_CORRECTION.RAD -
DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -
```

```
tide_FES2014b_unstruct -
LOAD_TIDE.MODEL.FES14B -
SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -
POLE_TIDE_HEIGHT.MODEL.DESAI_2015
```

2.1.3 fes14b_unstruct_reg product 'sla

```
sla = ORBIT.ALTI.CNES_POE_F -
RANGE.ALTI -
MEAN_SEA_SURFACE.MODEL.CNESCLS15 -
SEA_STATE_BIAS.ALTI -
IONOSPHERIC_CORRECTION.MODEL.GIM -
WET_TROPOSPHERIC_CORRECTION.RAD -
DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -
tide_RegAT -
LOAD_TIDE.MODEL.FES14B -
SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -
POLE_TIDE_HEIGHT.MODEL.DESAI_2015
```

2.1.4 EOT20 product 'sla

```
sla = ORBIT.ALTI.CNES_POE_F -
RANGE.ALTI -
MEAN_SEA_SURFACE.MODEL.CNESCLS15 -
SEA_STATE_BIAS.ALTI -
IONOSPHERIC_CORRECTION.MODEL.GIM -
WET_TROPOSPHERIC_CORRECTION.RAD -
DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -
tide_EOT20 -
LOAD_TIDE.MODEL.FES14B -
SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -
POLE_TIDE_HEIGHT.MODEL.DESAI_2015
```

2.2 Binning

Each track has been divided to a set of sections, where the center of each section is separated by the sample frequency of the satellite times it's velocity.

The data located within the sections limits represent the altimetry time-series on which the statistics will be calculated and visualized in this report.

2.3 Filtering

- The sla has been filtered by a threshold of 3 m.
- Each sla time-serie has been filtered by a window of $[-4\sigma, 4\sigma]$, where σ is the standard deviation of the sla time serie

3 Spatial coherence analysis

3.1 sla

3.1.1 sla 's count




FIGURE 1 – Spatial coherence analysis of the count of the fes14b_struct version of sla variable




FIGURE 2 – Spatial coherence analysis of the count of the fes14b_unstruct version of sla variable




FIGURE 3 – Spatial coherence analysis of the count of the fes14b_unstruct_reg version of sla variable




FIGURE 4 – Spatial coherence analysis of the count of the EOT20 version of sla variable




FIGURE 5 – Spatial coherence analysis of the Difference in sla 's count between fes14b_unstruct and fes14b_struct




FIGURE 6 – Spatial coherence analysis of the Difference in sla 's count between fes14b_unstruct_reg and fes14b_struct




FIGURE 7 – Spatial coherence analysis of the Difference in sla 's count between fes14b_unstruct_reg and fes14b_unstruct




FIGURE 8 – Spatial coherence analysis of the Difference in sla 's count between EOT20 and fes14b_struct




FIGURE 9 – Spatial coherence analysis of the Difference in sla 's count between EOT20 and fes14b_unstruct




FIGURE 10 – Spatial coherence analysis of the Difference in sla 's count between EOT20 and fes14b_unstruct_reg

3.1.2 sla's std




FIGURE 11 – Spatial coherence analysis of the std of the `fes14b_struct` version of `sla` variable




FIGURE 12 – Spatial coherence analysis of the std of the fes14b_unstruct version of sla variable




FIGURE 13 – Spatial coherence analysis of the std of the fes14b_unstruct_reg version of sla variable




FIGURE 14 – Spatial coherence analysis of the std of the EOT20 version of sla variable

fes14b_unstruct - fes14b_struct




FIGURE 15 – Spatial coherence analysis of the Difference in sla 's std between fes14b_unstruct and fes14b_struct

fes14b_unstruct_reg - fes14b_struct




FIGURE 16 – Spatial coherence analysis of the Difference in sla 's std between fes14b_unstruct_reg and fes14b_struct

fes14b_unstruct_reg - fes14b_unstruct




FIGURE 17 – Spatial coherence analysis of the Difference in sla 's std between fes14b_unstruct_reg and fes14b_unstruct




FIGURE 18 – Spatial coherence analysis of the Difference in sla 's std between EOT20 and fes14b_struct




FIGURE 19 – Spatial coherence analysis of the Difference in sla's std between EOT20 and fes14b_unstruct

EOT20 - fes14b_unstruct_reg




FIGURE 20 – Spatial coherence analysis of the Difference in sla 's std between EOT20 and fes14b_unstruct_reg

3.1.3 sla's mean




FIGURE 21 – Spatial coherence analysis of the mean of the fes14b_struct version of sla variable




FIGURE 22 – Spatial coherence analysis of the mean of the fes14b_unstruct version of sla variable




FIGURE 23 – Spatial coherence analysis of the mean of the `fes14b_unstruct_reg` version of `sla` variable




FIGURE 24 – Spatial coherence analysis of the mean of the EOT20 version of sla variable

fes14b_unstruct - fes14b_struct




FIGURE 25 – Spatial coherence analysis of the Difference in sla 's mean between fes14b_unstruct and fes14b_struct

fes14b_unstruct_reg - fes14b_struct




FIGURE 26 – Spatial coherence analysis of the Difference in sla 's mean between fes14b_unstruct_reg and fes14b_struct




FIGURE 27 – Spatial coherence analysis of the Difference in sla 's mean between fes14b_unstruct_reg and fes14b_unstruct




FIGURE 28 – Spatial coherence analysis of the Difference in sla 's mean between EOT20 and fes14b_struct

EOT20 - fes14b_unstruct




FIGURE 29 – Spatial coherence analysis of the Difference in sla 's mean between EOT20 and fes14b_unstruct

EOT20 - fes14b_unstruct_reg




FIGURE 30 – Spatial coherence analysis of the Difference in sla 's mean between EOT20 and fes14b_unstruct_reg

3.2 Tide

3.2.1 Tide 's count




FIGURE 31 – Spatial coherence analysis of the count of the fes14b_struct version of Tide variable




FIGURE 32 – Spatial coherence analysis of the count of the fes14b_unstruct version of Tide variable




FIGURE 33 – Spatial coherence analysis of the count of the fes14b_unstruct_reg version of Tide variable




FIGURE 34 – Spatial coherence analysis of the count of the EOT20 version of Tide variable




FIGURE 35 – Spatial coherence analysis of the Difference in Tide's count between fes14b_unstruct and fes14b_struct




FIGURE 36 – Spatial coherence analysis of the Difference in Tide's count between fes14b_unstruct_reg and fes14b_struct




FIGURE 37 – Spatial coherence analysis of the Difference in Tide's count between fes14b_unstruct_reg and fes14b_unstruct




FIGURE 38 – Spatial coherence analysis of the Difference in Tide 's count between EOT20 and fes14b_struct




FIGURE 39 – Spatial coherence analysis of the Difference in Tide's count between EOT20 and fes14b_unstruct




FIGURE 40 – Spatial coherence analysis of the Difference in Tide's count between EOT20 and fes14b_unstruct_reg

3.2.2 Tide 's std




FIGURE 41 – Spatial coherence analysis of the std of the fes14b_struct version of Tide variable




FIGURE 42 – Spatial coherence analysis of the std of the fes14b_unstruct version of Tide variable




FIGURE 43 – Spatial coherence analysis of the std of the fes14b_unstruct_reg version of Tide variable




FIGURE 44 – Spatial coherence analysis of the std of the EOT20 version of Tide variable




FIGURE 45 – Spatial coherence analysis of the Difference in Tide's std between fes14b_unstruct and fes14b_struct




FIGURE 46 – Spatial coherence analysis of the Difference in Tide's std between fes14b_unstruct_reg and fes14b_struct




FIGURE 47 – Spatial coherence analysis of the Difference in Tide's std between fes14b_unstruct_reg and fes14b_unstruct




FIGURE 48 – Spatial coherence analysis of the Difference in Tide's std between EOT20 and fes14b_struct




FIGURE 49 – Spatial coherence analysis of the Difference in Tide's std between EOT20 and fes14b_unstruct




FIGURE 50 – Spatial coherence analysis of the Difference in Tide's std between EOT20 and fes14b_unstruct_reg

3.2.3 Tide 's mean




FIGURE 51 – Spatial coherence analysis of the mean of the fes14b_struct version of Tide variable




FIGURE 52 – Spatial coherence analysis of the mean of the fes14b_unstruct version of Tide variable




FIGURE 53 – Spatial coherence analysis of the mean of the fes14b_unstruct_reg version of Tide variable




FIGURE 54 – Spatial coherence analysis of the mean of the EOT20 version of Tide variable

fes14b_unstruct - fes14b_struct




FIGURE 55 – Spatial coherence analysis of the Difference in Tide's mean between fes14b_unstruct and fes14b_struct




FIGURE 56 – Spatial coherence analysis of the Difference in Tide 's mean between fes14b_unstruct_reg and fes14b_struct




FIGURE 57 – Spatial coherence analysis of the Difference in Tide's mean between fes14b_unstruct_reg and fes14b_unstruct




FIGURE 58 – Spatial coherence analysis of the Difference in Tide's mean between EOT20 and fes14b_struct




FIGURE 59 – Spatial coherence analysis of the Difference in Tide's mean between EOT20 and fes14b_unstruct

EOT20 - fes14b_unstruct_reg




FIGURE 60 – Spatial coherence analysis of the Difference in Tide's mean between EOT20 and fes14b_unstruct_reg

4 Histograms

4.1 Tide




FIGURE 61 – Histogram of each of Tide version

	min (cm)	max (cm)	mean (cm)	std (cm)
4b unstruct - fes14b struct	-82.05	47.095	-0.062	1.1
4b unstruct reg - fes14b struct	-96.095	140.419	-0.065	2.2
20 - fes14b struct	-104.116	52.86	-0.073	3.3
4b unstruct reg - fes14b unstruct	-58.812	54.008	-0.003	2.2
20 - fes14b unstruct	-50.464	46.529	-0.011	3.3
20 - fes14b unstruct reg	-52.019	57.169	-0.009	3.3




FIGURE 62 – Histograms of difference of each Tide version and reference one




FIGURE 63 – Histograms of the standard deviation of each Tide version

4.2 sla

5 Along-track analysis

5.1 Tide

5.1.1 Tide 's count




FIGURE 64 – Along-track analysis of Tide 's count

5.1.2 Tide 's std




FIGURE 65 – Along-track analysis of Tide 's std

5.1.3 Tide's mean




FIGURE 66 – Along-track analysis of Tide's mean

5.2 sla

5.2.1 sla 's count




FIGURE 67 – Along-track analysis of sla 's count

5.2.2 sla 's std




FIGURE 68 – Along-track analysis of sla 's std

5.2.3 sla 's mean




FIGURE 69 – Along-track analysis of sla 's mean

6 Comparison with Insitu Data (Tide Gauge)

The size of the marker representing each point in the figures below increase by getting closer to the coast

6.1 Station : Lorne_Jetty

- Nearest track to Lorne_Jetty station is the track number track88
- The area of interest is limited by :
 - A circle which it's center is the Lorne_Jetty tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.1.1 correlation visualization in maps view % Lorne_Jetty tide gauge

Correlation Altimetry data with respect to Lorne_Jetty Tide gauge data




FIGURE 70 – correlation visualization in maps view % Lorne_Jetty tide gauge

6.1.2 rmsd visualization in maps view % Lorne_Jetty tide gauge

Rmsd (m) Altimetry data with respect to Lorne_Jetty Tide gauge data




FIGURE 71 – rmsd visualization in maps view % Lorne_Jetty tide gauge

6.1.3 std visualization in maps view % Lorne_Jetty tide gauge

Std (m) Altimetry data with respect to Lorne_Jetty Tide gauge data




FIGURE 72 – std visualization in maps view % Lorne_Jetty tide gauge

6.1.4 valid_data_percent visualization in maps view % Lorne_Jetty tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Lorne_Jetty Tide gauge data




FIGURE 73 – valid_data_percent visualization in maps view % Lorne_Jetty tide gauge

6.1.5 Valid data (%) in function of distance to coast/Lorne_Jetty station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 109$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 74 – Valid data (%) in function of distance to coast/Lorne_Jetty station

6.1.6 Std in function of distance to coast/Lorne_Jetty station




FIGURE 75 – Std in function of the distance to the coast/Lorne_Jetty station

6.1.7 Correlation in function of distance to coast/Lorne_Jetty station




FIGURE 76 – Correlation in function of the distance to the coast/Lorne_Jetty station

6.1.8 Taylor Diagram




FIGURE 77 – Taylor diagram

6.1.9 Mean statistics table of products comparison with Lorne_Jetty tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
fes14b_struct#j3	94.806	0.531	0.152	0.129
fes14b_unstruct#j3	94.821	0.513	0.153	0.131
fes14b_unstruct_reg#j3	94.821	0.537	0.154	0.13
EOT20#j3	94.865	0.509	0.158	0.136

FIGURE 78 – Mean statistics table of the common points in the altimetry products

6.1.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 109 point.




FIGURE 79 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.2 Station : Bundaberg

- Nearest track to Bundaberg station is the track number track149
- The area of interest is limited by :
 - A circle which it's center is the Bundaberg tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.2.1 correlation visualization in maps view % Bundaberg tide gauge

Correlation Altimetry data with respect to Bundaberg Tide gauge data




FIGURE 80 – correlation visualization in maps view % Bundaberg tide gauge

6.2.2 rmsd visualization in maps view % Bundaberg tide gauge

Rmsd (m) Altimetry data with respect to Bundaberg Tide gauge data




FIGURE 81 – rmsd visualization in maps view % Bundaberg tide gauge

6.2.3 std visualization in maps view % Bundaberg tide gauge

Std (m) Altimetry data with respect to Bundaberg Tide gauge data




FIGURE 82 – std visualization in maps view % Bundaberg tide gauge

6.2.4 valid_data_percent visualization in maps view % Bundaberg tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Bundaberg Tide gauge data




FIGURE 83 – valid_data_percent visualization in maps view % Bundaberg tide gauge

6.2.5 Valid data (%) in function of distance to coast/Bundaberg station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 105$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 84 – Valid data (%) in function of distance to coast/Bundaberg station

6.2.6 Std in function of distance to coast/Bundaberg station




FIGURE 85 – Std in function of the distance to the coast/Bundaberg station

6.2.7 Correlation in function of distance to coast/Bundaberg station




FIGURE 86 – Correlation in function of the distance to the coast/Bundaberg station

6.2.8 Taylor Diagram




FIGURE 87 – Taylor diagram

6.2.9 Mean statistics table of products comparison with Bundaberg tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
fes14b_struct#j3	94.313	0.429	0.148	0.138
fes14b_unstruct#j3	94.331	0.425	0.148	0.138
fes14b_unstruct_reg#j3	94.295	0.433	0.147	0.137
EOT20#j3	94.367	0.372	0.149	0.144

FIGURE 88 – Mean statistics table of the common points in the altimetry products

6.2.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 105 point.




FIGURE 89 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.3 Station : Thursday_Island

- Nearest track to Thursday_Island station is the track number track138
- The area of interest is limited by :
 - A circle which it's center is the Thursday_Island tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.3.1 correlation visualization in maps view % Thursday_Island tide gauge

Correlation Altimetry data with respect to Thursday_Island Tide gauge data




FIGURE 90 – correlation visualization in maps view % Thursday_Island tide gauge

6.3.2 rmsd visualization in maps view % Thursday_Island tide gauge

Rmsd (m) Altimetry data with respect to Thursday_Island Tide gauge data




FIGURE 91 – rmsd visualization in maps view % Thursday_Island tide gauge

6.3.3 std visualization in maps view % Thursday_Island tide gauge

Std (m) Altimetry data with respect to Thursday_Island Tide gauge data




FIGURE 92 – std visualization in maps view % Thursday_Island tide gauge

6.3.4 valid_data_percent visualization in maps view % Thursday_Island tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Thursday_Island Tide gauge data




FIGURE 93 – valid_data_percent visualization in maps view % Thursday_Island tide gauge

6.3.5 Valid data (%) in function of distance to coast/Thursday_Island station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 103$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 94 – Valid data (%) in function of distance to coast/Thursday_Island station

6.3.6 Std in function of distance to coast/Thursday_Island station




FIGURE 95 – Std in function of the distance to the coast/Thursday_Island station

6.3.7 Correlation in function of distance to coast/Thursday_Island station




FIGURE 96 – Correlation in function of the distance to the coast/Thursday_Island station

6.3.8 Taylor Diagram




FIGURE 97 – Taylor diagram

6.3.9 Mean statistics table of products comparison with Thursday_Island tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
fes14b_struct#j3	87.984	-0.11	0.306	0.324
fes14b_unstruct#j3	87.984	-0.108	0.308	0.326
fes14b_unstruct_reg#j3	87.962	-0.107	0.304	0.321
EOT20#j3	87.997	-0.106	0.308	0.325

FIGURE 98 – Mean statistics table of the common points in the altimetry products

6.3.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 103 point.




FIGURE 99 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 100 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie

6.4 Station : Southport

- Nearest track to Southport station is the track number track47
- The area of interest is limited by :
 - A circle which it's center is the Southport tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km
 - Latitude limits : [-43.55, -43.2] °

6.4.1 correlation visualization in maps view % Southport tide gauge

Correlation Altimetry data with respect to Southport Tide gauge data




FIGURE 101 – correlation visualization in maps view % Southport tide gauge

6.4.2 rmsd visualization in maps view % Southport tide gauge

Rmsd (m) Altimetry data with respect to Southport Tide gauge data




FIGURE 102 – rmsd visualization in maps view % Southport tide gauge

6.4.3 std visualization in maps view % Southport tide gauge

Std (m) Altimetry data with respect to Southport Tide gauge data




FIGURE 103 – std visualization in maps view % Southport tide gauge

6.4.4 valid_data_percent visualization in maps view % Southport tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Southport Tide gauge data




FIGURE 104 – valid_data_percent visualization in maps view % Southport tide gauge

6.4.5 Valid data (%) in function of distance to coast/Southport station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 70$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 105 – Valid data (%) in function of distance to coast/Southport station

6.4.6 Std in function of distance to coast/Southport station




FIGURE 106 – Std in function of the distance to the coast/Southport station

6.4.7 Correlation in function of distance to coast/Southport station




FIGURE 107 – Correlation in function of the distance to the coast/Southport station

6.4.8 Taylor Diagram




FIGURE 108 – Taylor diagram

6.4.9 Mean statistics table of products comparison with Southport tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
fes14b_struct#j3	83.454	0.269	0.379	0.369
fes14b_unstruct#j3	83.436	0.266	0.378	0.368
fes14b_unstruct_reg#j3	83.454	0.271	0.38	0.371
EOT20#j3	83.418	0.279	0.377	0.367

FIGURE 109 – Mean statistics table of the common points in the altimetry products

6.4.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 70 point.




FIGURE 110 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.5 Station : Townsville

- Nearest track to Townsville station is the track number track175
- The area of interest is limited by :
 - A circle which it's center is the Townsville tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.5.1 correlation visualization in maps view % Townsville tide gauge

Correlation Altimetry data with respect to Townsville Tide gauge data




FIGURE 111 – correlation visualization in maps view % Townsville tide gauge

6.5.2 rmsd visualization in maps view % Townsville tide gauge

Rmsd (m) Altimetry data with respect to Townsville Tide gauge data




FIGURE 112 – rmsd visualization in maps view % Townsville tide gauge

6.5.3 std visualization in maps view % Townsville tide gauge

Std (m) Altimetry data with respect to Townsville Tide gauge data




FIGURE 113 – std visualization in maps view % Townsville tide gauge

6.5.4 valid_data_percent visualization in maps view % Townsville tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Townsville Tide gauge data




FIGURE 114 – valid_data_percent visualization in maps view % Townsville tide gauge

6.5.5 Valid data (%) in function of distance to coast/Townsville station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 80$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 115 – Valid data (%) in function of distance to coast/Townsville station

6.5.6 Std in function of distance to coast/Townsville station




FIGURE 116 – Std in function of the distance to the coast/Townsville station

6.5.7 Correlation in function of distance to coast/Townsville station




FIGURE 117 – Correlation in function of the distance to the coast/Townsville station

6.5.8 Taylor Diagram




FIGURE 118 – Taylor diagram

6.5.9 Mean statistics table of products comparison with Townsville tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
fes14b_struct#j3	92.851	0.385	0.214	0.203
fes14b_unstruct#j3	92.881	0.371	0.218	0.208
fes14b_unstruct_reg#j3	92.866	0.414	0.214	0.201
EOT20#j3	92.942	0.388	0.216	0.204

FIGURE 119 – Mean statistics table of the common points in the altimetry products

6.5.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 80 point.




FIGURE 120 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 121 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie

6.6 Station : Booby_island

- Nearest track to Booby_island station is the track number track138
- The area of interest is limited by :
 - A circle which it's center is the Booby_island tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.6.1 correlation visualization in maps view % Booby_island tide gauge

Correlation Altimetry data with respect to Booby_island Tide gauge data




FIGURE 122 – correlation visualization in maps view % Booby_island tide gauge

6.6.2 rmsd visualization in maps view % Booby_island tide gauge

Rmsd (m) Altimetry data with respect to Booby_island Tide gauge data




FIGURE 123 – rmsd visualization in maps view % Booby_island tide gauge

6.6.3 std visualization in maps view % Booby_island tide gauge

Std (m) Altimetry data with respect to Booby_island Tide gauge data




FIGURE 124 – std visualization in maps view % Booby_island tide gauge

6.6.4 valid_data_percent visualization in maps view % Booby_island tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Booby_island Tide gauge data




FIGURE 125 – valid_data_percent visualization in maps view % Booby_island tide gauge

6.6.5 Valid data (%) in function of distance to coast/Booby_island station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 86$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 126 – Valid data (%) in function of distance to coast/Booby_island station

6.6.6 Std in function of distance to coast/Booby_island station





FIGURE 127 – Std in function of the distance to the coast/Booby_island station

6.6.7 Correlation in function of distance to coast/Booby_island station




FIGURE 128 – Correlation in function of the distance to the coast/Booby_island station

6.6.8 Taylor Diagram




FIGURE 129 – Taylor diagram

6.6.9 Mean statistics table of products comparison with Booby_island tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
fes14b_struct#j3	90.935	-0.071	0.256	0.282
fes14b_unstruct#j3	90.958	-0.071	0.261	0.287
fes14b_unstruct_reg#j3	90.953	-0.038	0.255	0.278
EOT20#j3	90.971	-0.02	0.261	0.282

FIGURE 130 – Mean statistics table of the common points in the altimetry products

6.6.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 86 point.




FIGURE 131 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie