

DIAGTOOL REPORT



Round Robin (GT cotier) : Wet tropospheric correction. Medsea. J2. Wet rad vs Wet gpd vs Wet ecmwf.

Table of Contents

1 General description	8
2 Processing	8
2.1 sla formula	8
2.1.1 Wet_rad product ' sla	8
2.1.2 Wet_gpd product ' sla	8
2.1.3 Wet_ecmwf product ' sla	8
2.2 Binning	8
2.3 Filtering	9
3 Spatial coherence analysis	10
3.1 sla	10
3.1.1 sla 's count	10
3.1.2 sla 's std	16
3.1.3 sla 's mean	22
3.2 Wet	28
3.2.1 Wet 's count	28
3.2.2 Wet 's std	34
3.2.3 Wet 's mean	40
4 Histograms	46
4.1 Wet	46
4.2 sla	49
5 Along-track analysis	52
5.1 Wet	52
5.1.1 Wet 's count	52
5.1.2 Wet 's std	53
5.1.3 Wet 's mean	54
5.2 sla	55
5.2.1 sla 's count	55
5.2.2 sla 's std	56
5.2.3 sla 's mean	57
6 Comparison with Insitu Data (Tide Gauge)	58
6.1 Station : SETE	58
6.1.1 correlation visualization in maps view % SETE tide gauge	58
6.1.2 rmsd visualization in maps view % SETE tide gauge	59
6.1.3 std visualization in maps view % SETE tide gauge	60
6.1.4 valid_data_percent visualization in maps view % SETE tide gauge	61
6.1.5 Valid data (%) in function of distance to coast/SETE station	61
6.1.6 Std in function of distance to coast/SETE station	63
6.1.7 Correlation in function of distance to coast/SETE station	64
6.1.8 Taylor Diagram	65
6.1.9 Mean statistics table of products comparison with SETE tide gauge data	65

6.1.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	66
6.2	Station : Mentes	68
6.2.1	correlation visualization in maps view % Mentes tide gauge	69
6.2.2	rmsd visualization in maps view % Mentes tide gauge	70
6.2.3	std visualization in maps view % Mentes tide gauge	71
6.2.4	valid_data_percent visualization in maps view % Mentes tide gauge	72
6.2.5	Valid data (%) in function of distance to coast/Mentes station	72
6.2.6	Std in function of distance to coast/Mentes station	74
6.2.7	Correlation in function of distance to coast/Mentes station	75
6.2.8	Taylor Diagram	76
6.2.9	Mean statistics table of products comparison with Mentes tide gauge data	76
6.2.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	77
6.3	Station : Ibiza	78
6.3.1	correlation visualization in maps view % Ibiza tide gauge	79
6.3.2	rmsd visualization in maps view % Ibiza tide gauge	80
6.3.3	std visualization in maps view % Ibiza tide gauge	81
6.3.4	valid_data_percent visualization in maps view % Ibiza tide gauge	82
6.3.5	Valid data (%) in function of distance to coast/Ibiza station	82
6.3.6	Std in function of distance to coast/Ibiza station	84
6.3.7	Correlation in function of distance to coast/Ibiza station	85
6.3.8	Taylor Diagram	86
6.3.9	Mean statistics table of products comparison with Ibiza tide gauge data	86
6.3.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	87
6.4	Station : LA FIGUEIRETTE	88
6.4.1	correlation visualization in maps view % LA FIGUEIRETTE tide gauge	89
6.4.2	rmsd visualization in maps view % LA FIGUEIRETTE tide gauge	90
6.4.3	std visualization in maps view % LA FIGUEIRETTE tide gauge	91
6.4.4	valid_data_percent visualization in maps view % LA FIGUEIRETTE tide gauge	92
6.4.5	Valid data (%) in function of distance to coast/LA FIGUEIRETTE station	92
6.4.6	Std in function of distance to coast/LA FIGUEIRETTE station	94
6.4.7	Correlation in function of distance to coast/LA FIGUEIRETTE station	95
6.4.8	Taylor Diagram	96
6.4.9	Mean statistics table of products comparison with LA FIGUEIRETTE tide gauge data	96
6.4.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	97
6.5	Station : Ancona	99
6.5.1	correlation visualization in maps view % Ancona tide gauge	100
6.5.2	rmsd visualization in maps view % Ancona tide gauge	101
6.5.3	std visualization in maps view % Ancona tide gauge	102
6.5.4	valid_data_percent visualization in maps view % Ancona tide gauge	103
6.5.5	Valid data (%) in function of distance to coast/Ancona station	103
6.5.6	Std in function of distance to coast/Ancona station	105
6.5.7	Correlation in function of distance to coast/Ancona station	106
6.5.8	Taylor Diagram	107
6.5.9	Mean statistics table of products comparison with Ancona tide gauge data	107
6.5.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	108

6.6	Station : Livourne	109
6.6.1	correlation visualization in maps view % Livourne tide gauge	110
6.6.2	rmsd visualization in maps view % Livourne tide gauge	111
6.6.3	std visualization in maps view % Livourne tide gauge	112
6.6.4	valid_data_percent visualization in maps view % Livourne tide gauge	113
6.6.5	Valid data (%) in function of distance to coast/Livourne station	113
6.6.6	Std in function of distance to coast/Livourne station	115
6.6.7	Correlation in function of distance to coast/Livourne station	116
6.6.8	Taylor Diagram	117
6.6.9	Mean statistics table of products comparison with Livourne tide gauge data	117
6.6.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	118
6.7	Station : MONACO_FONTVIEILLE	119
6.7.1	correlation visualization in maps view % MONACO_FONTVIEILLE tide gauge	120
6.7.2	rmsd visualization in maps view % MONACO_FONTVIEILLE tide gauge	121
6.7.3	std visualization in maps view % MONACO_FONTVIEILLE tide gauge	122
6.7.4	valid_data_percent visualization in maps view % MONACO_FONTVIEILLE tide gauge	123
6.7.5	Valid data (%) in function of distance to coast/MONACO_FONTVIEILLE station	123
6.7.6	Std in function of distance to coast/MONACO_FONTVIEILLE station	125
6.7.7	Correlation in function of distance to coast/MONACO_FONTVIEILLE station	126
6.7.8	Taylor Diagram	127
6.7.9	Mean statistics table of products comparison with MONACO_FONTVIEILLE tide gauge data	127
6.7.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	128
6.8	Station : Erdemli	130
6.8.1	correlation visualization in maps view % Erdemli tide gauge	131
6.8.2	rmsd visualization in maps view % Erdemli tide gauge	132
6.8.3	std visualization in maps view % Erdemli tide gauge	133
6.8.4	valid_data_percent visualization in maps view % Erdemli tide gauge	134
6.8.5	Valid data (%) in function of distance to coast/Erdemli station	134
6.8.6	Std in function of distance to coast/Erdemli station	136
6.8.7	Correlation in function of distance to coast/Erdemli station	137
6.8.8	Taylor Diagram	138
6.8.9	Mean statistics table of products comparison with Erdemli tide gauge data	138
6.8.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	139
6.9	Station : Almeria	140
6.9.1	correlation visualization in maps view % Almeria tide gauge	141
6.9.2	rmsd visualization in maps view % Almeria tide gauge	142
6.9.3	std visualization in maps view % Almeria tide gauge	143
6.9.4	valid_data_percent visualization in maps view % Almeria tide gauge	144
6.9.5	Valid data (%) in function of distance to coast/Almeria station	144
6.9.6	Std in function of distance to coast/Almeria station	146
6.9.7	Correlation in function of distance to coast/Almeria station	147
6.9.8	Taylor Diagram	148
6.9.9	Mean statistics table of products comparison with Almeria tide gauge data	148
6.9.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	149
6.10	Station : Civitavecchia	151

6.10.1	correlation visualization in maps view % Civitavecchia tide gauge	152
6.10.2	rmsd visualization in maps view % Civitavecchia tide gauge	153
6.10.3	std visualization in maps view % Civitavecchia tide gauge	154
6.10.4	valid_data_percent visualization in maps view % Civitavecchia tide gauge	155
6.10.5	Valid data (%) in function of distance to coast/Civitavecchia station	155
6.10.6	Std in function of distance to coast/Civitavecchia station	157
6.10.7	Correlation in function of distance to coast/Civitavecchia station	158
6.10.8	Taylor Diagram	159
6.10.9	Mean statistics table of products comparison with Civitavecchia tide gauge data	159
6.10.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	160
6.11	Station : FOS-SUR-MER	161
6.11.1	correlation visualization in maps view % FOS-SUR-MER tide gauge	162
6.11.2	rmsd visualization in maps view % FOS-SUR-MER tide gauge	163
6.11.3	std visualization in maps view % FOS-SUR-MER tide gauge	164
6.11.4	valid_data_percent visualization in maps view % FOS-SUR-MER tide gauge	165
6.11.5	Valid data (%) in function of distance to coast/FOS-SUR-MER station	165
6.11.6	Std in function of distance to coast/FOS-SUR-MER station	167
6.11.7	Correlation in function of distance to coast/FOS-SUR-MER station	168
6.11.8	Taylor Diagram	169
6.11.9	Mean statistics table of products comparison with FOS-SUR-MER tide gauge data	169
6.11.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	170

Table des figures

1	Spatial coherence analysis of the count of the Wet_rad version of sla variable	10
2	Spatial coherence analysis of the count of the Wet_gpd version of sla variable	11
3	Spatial coherence analysis of the count of the Wet_ecmwf version of sla variable	12
4	Spatial coherence analysis of the Difference in sla 's count between Wet_gpd and Wet_rad	13
5	Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_rad	14
6	Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_gpd	15
7	Spatial coherence analysis of the std of the Wet_rad version of sla variable	16
8	Spatial coherence analysis of the std of the Wet_gpd version of sla variable	17
9	Spatial coherence analysis of the std of the Wet_ecmwf version of sla variable	18
10	Spatial coherence analysis of the Difference in sla 's std between Wet_gpd and Wet_rad	19
11	Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_rad	20
12	Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_gpd	21
13	Spatial coherence analysis of the mean of the Wet_rad version of sla variable	22
14	Spatial coherence analysis of the mean of the Wet_gpd version of sla variable	23
15	Spatial coherence analysis of the mean of the Wet_ecmwf version of sla variable	24
16	Spatial coherence analysis of the Difference in sla 's mean between Wet_gpd and Wet_rad	25
17	Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_rad	26
18	Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_gpd	27
19	Spatial coherence analysis of the count of the Wet_rad version of Wet variable	28
20	Spatial coherence analysis of the count of the Wet_gpd version of Wet variable	29
21	Spatial coherence analysis of the count of the Wet_ecmwf version of Wet variable	30

22	Spatial coherence analysis of the Difference in Wet 's count between Wet_gpd and Wet_rad	31
23	Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_rad	32
24	Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_gpd	33
25	Spatial coherence analysis of the std of the Wet_rad version of Wet variable	34
26	Spatial coherence analysis of the std of the Wet_gpd version of Wet variable	35
27	Spatial coherence analysis of the std of the Wet_ecmwf version of Wet variable	36
28	Spatial coherence analysis of the Difference in Wet 's std between Wet_gpd and Wet_rad	37
29	Spatial coherence analysis of the Difference in Wet 's std between Wet_ecmwf and Wet_rad	38
30	Spatial coherence analysis of the Difference in Wet 's std between Wet_ecmwf and Wet_gpd	39
31	Spatial coherence analysis of the mean of the Wet_rad version of Wet variable	40
32	Spatial coherence analysis of the mean of the Wet_gpd version of Wet variable	41
33	Spatial coherence analysis of the mean of the Wet_ecmwf version of Wet variable	42
34	Spatial coherence analysis of the Difference in Wet 's mean between Wet_gpd and Wet_rad	43
35	Spatial coherence analysis of the Difference in Wet 's mean between Wet_ecmwf and Wet_rad	44
36	Spatial coherence analysis of the Difference in Wet 's mean between Wet_ecmwf and Wet_gpd	45
37	Histogram of each of Wet version	46
38	Histograms of difference of each Wet version and reference one	47
39	Histograms of the standard deviation of each Wet version	48
40	Histogram of each of sla version	49
41	Histograms of difference of each sla version and reference one	50
42	Histograms of the standard deviation of each sla version	51
43	Along-track analysis of Wet 's count	52
44	Along-track analysis of Wet 's std	53
45	Along-track analysis of Wet 's mean	54
46	Along-track analysis of sla 's count	55
47	Along-track analysis of sla 's std	56
48	Along-track analysis of sla 's mean	57
49	correlation visualization in maps view % SETE tide gauge	58
50	rmsd visualization in maps view % SETE tide gauge	59
51	std visualization in maps view % SETE tide gauge	60
52	valid_data_percent visualization in maps view % SETE tide gauge	61
53	Valid data (%) in function of distance to coast/SETE station	62
54	Std in function of the distance to the coast/SETE station	63
55	Correlation in function of the distance to the coast/SETE station	64
56	Taylor diagram	65
57	Mean statistics table of the common points in the altimetry products	66
58	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	67
59	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	68
60	correlation visualization in maps view % Mentes tide gauge	69
61	rmsd visualization in maps view % Mentes tide gauge	70
62	std visualization in maps view % Mentes tide gauge	71
63	valid_data_percent visualization in maps view % Mentes tide gauge	72
64	Valid data (%) in function of distance to coast/Mentes station	73
65	Std in function of the distance to the coast/Mentes station	74
66	Correlation in function of the distance to the coast/Mentes station	75

67	Taylor diagram	76
68	Mean statistics table of the common points in the altimetry products	77
69	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	78
70	correlation visualization in maps view % Ibiza tide gauge	79
71	rmsd visualization in maps view % Ibiza tide gauge	80
72	std visualization in maps view % Ibiza tide gauge	81
73	valid_data_percent visualization in maps view % Ibiza tide gauge	82
74	Valid data (%) in function of distance to coast/Ibiza station	83
75	Std in function of the distance to the coast/Ibiza station	84
76	Correlation in function of the distance to the coast/Ibiza station	85
77	Taylor diagram	86
78	Mean statistics table of the common points in the altimetry products	87
79	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	88
80	correlation visualization in maps view % LA_FIGUEIRETTE tide gauge	89
81	rmsd visualization in maps view % LA_FIGUEIRETTE tide gauge	90
82	std visualization in maps view % LA_FIGUEIRETTE tide gauge	91
83	valid_data_percent visualization in maps view % LA_FIGUEIRETTE tide gauge	92
84	Valid data (%) in function of distance to coast/LA_FIGUEIRETTE station	93
85	Std in function of the distance to the coast/LA_FIGUEIRETTE station	94
86	Correlation in function of the distance to the coast/LA_FIGUEIRETTE station	95
87	Taylor diagram	96
88	Mean statistics table of the common points in the altimetry products	97
89	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	98
90	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	99
91	correlation visualization in maps view % Ancona tide gauge	100
92	rmsd visualization in maps view % Ancona tide gauge	101
93	std visualization in maps view % Ancona tide gauge	102
94	valid_data_percent visualization in maps view % Ancona tide gauge	103
95	Valid data (%) in function of distance to coast/Ancona station	104
96	Std in function of the distance to the coast/Ancona station	105
97	Correlation in function of the distance to the coast/Ancona station	106
98	Taylor diagram	107
99	Mean statistics table of the common points in the altimetry products	108
100	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	109
101	correlation visualization in maps view % Livourne tide gauge	110
102	rmsd visualization in maps view % Livourne tide gauge	111
103	std visualization in maps view % Livourne tide gauge	112
104	valid_data_percent visualization in maps view % Livourne tide gauge	113
105	Valid data (%) in function of distance to coast/Livourne station	114
106	Std in function of the distance to the coast/Livourne station	115
107	Correlation in function of the distance to the coast/Livourne station	116
108	Taylor diagram	117
109	Mean statistics table of the common points in the altimetry products	118
110	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	119
111	correlation visualization in maps view % MONACO_FONTVIEILLE tide gauge	120

112	rmsd visualization in maps view % MONACO_FONTVIEILLE tide gauge	121
113	std visualization in maps view % MONACO_FONTVIEILLE tide gauge	122
114	valid_data_percent visualization in maps view % MONACO_FONTVIEILLE tide gauge	123
115	Valid data (%) in function of distance to coast/MONACO_FONTVIEILLE station	124
116	Std in function of the distance to the coast/MONACO_FONTVIEILLE station	125
117	Correlation in function of the distance to the coast/MONACO_FONTVIEILLE station	126
118	Taylor diagram	127
119	Mean statistics table of the common points in the altimetry products	128
120	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	129
121	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	130
122	correlation visualization in maps view % Erdemli tide gauge	131
123	rmsd visualization in maps view % Erdemli tide gauge	132
124	std visualization in maps view % Erdemli tide gauge	133
125	valid_data_percent visualization in maps view % Erdemli tide gauge	134
126	Valid data (%) in function of distance to coast/Erdemli station	135
127	Std in function of the distance to the coast/Erdemli station	136
128	Correlation in function of the distance to the coast/Erdemli station	137
129	Taylor diagram	138
130	Mean statistics table of the common points in the altimetry products	139
131	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	140
132	correlation visualization in maps view % Almeria tide gauge	141
133	rmsd visualization in maps view % Almeria tide gauge	142
134	std visualization in maps view % Almeria tide gauge	143
135	valid_data_percent visualization in maps view % Almeria tide gauge	144
136	Valid data (%) in function of distance to coast/Almeria station	145
137	Std in function of the distance to the coast/Almeria station	146
138	Correlation in function of the distance to the coast/Almeria station	147
139	Taylor diagram	148
140	Mean statistics table of the common points in the altimetry products	149
141	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	150
142	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	151
143	correlation visualization in maps view % Civitavecchia tide gauge	152
144	rmsd visualization in maps view % Civitavecchia tide gauge	153
145	std visualization in maps view % Civitavecchia tide gauge	154
146	valid_data_percent visualization in maps view % Civitavecchia tide gauge	155
147	Valid data (%) in function of distance to coast/Civitavecchia station	156
148	Std in function of the distance to the coast/Civitavecchia station	157
149	Correlation in function of the distance to the coast/Civitavecchia station	158
150	Taylor diagram	159
151	Mean statistics table of the common points in the altimetry products	160
152	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	161
153	correlation visualization in maps view % FOS-SUR-MER tide gauge	162
154	rmsd visualization in maps view % FOS-SUR-MER tide gauge	163
155	std visualization in maps view % FOS-SUR-MER tide gauge	164
156	valid_data_percent visualization in maps view % FOS-SUR-MER tide gauge	165

157	Valid data (%) in function of distance to coast/FOS-SUR-MER station	166
158	Std in function of the distance to the coast/FOS-SUR-MER station	167
159	Correlation in function of the distance to the coast/FOS-SUR-MER station	168
160	Taylor diagram	169
161	Mean statistics table of the common points in the altimetry products	170
162	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	171

1 General description

- Figures and notes have been included in this report to evaluate different altimetry products.
- In order to test different version of the Wet tropospheric correction used to calculate the sea level anomaly. Each version has been compared with a reference version. In this case the Wet_rad is the reference one.
- The sea level anomaly has been calculated using each version of the variable and has been compared to the sea level anomaly calculated using the reference version.
- The region of study is Medsea
- Mission : J2
- Git last tag : 0.5 Mettre à jour les rapports de la wet, range et tide apres application de binning X-track
- Git changeset number : eb7869a-2022-04-08

2 Processing

2.1 sla formula

2.1.1 Wet_rad product ' sla

```
sla = ORBIT.ALTI.POE_GDR_E - RANGE.ALTI - MEAN_SEA_SURFACE.MODEL.CNESCLS15 - SEA_STATE_BIAS.ALTI.NON_PARAM
- IONOSPHERIC_CORRECTION.MODEL.GIM - WET_TROPOSPHERIC_CORRECTION.RAD - DRY_TROPOSPHERIC_CORRECTION
- DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR - OCEAN_TIDE_HEIGHT.MODEL.FES14B - SO-
LID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 - POLE_TIDE_HEIGHT.MODEL.DESAI_2015_MPL2017
```

2.1.2 Wet_gpd product ' sla

```
sla = ORBIT.ALTI.POE_GDR_E - RANGE.ALTI - MEAN_SEA_SURFACE.MODEL.CNESCLS15 - SEA_STATE_BIAS.ALTI.NON_PARAM
- IONOSPHERIC_CORRECTION.MODEL.GIM - WET_TROPOSPHERIC_CORRECTION.GPD_PLUS - DRY_TROPOSPHERIC_CORRECTION
- DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR - OCEAN_TIDE_HEIGHT.MODEL.FES14B - SO-
LID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 - POLE_TIDE_HEIGHT.MODEL.DESAI_2015_MPL2017
```

2.1.3 Wet_ecmwf product ' sla

```
sla = ORBIT.ALTI.POE_GDR_E - RANGE.ALTI - MEAN_SEA_SURFACE.MODEL.CNESCLS15 - SEA_STATE_BIAS.ALTI.NON_PARAM
- IONOSPHERIC_CORRECTION.MODEL.GIM - WET_TROPOSPHERIC_CORRECTION.MODEL.ECMWF_GAUSS - DRY_TROPOSPHERIC
- DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR - OCEAN_TIDE_HEIGHT.MODEL.FES14B - SO-
LID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 - POLE_TIDE_HEIGHT.MODEL.DESAI_2015_MPL2017
```

2.2 Binning

Each track has been divided to a set of sections, where the center of each section is separated by the sample frequency of the satellite times it's velocity.

The data located within the sections limits represent the altimetry time-series on which the statistics will be calculated and visualized in this report.

2.3 Filtering

- The sla has been filtered by a threshold of 1 m.
- Each sla time-serie has been filtered by a window of $[-4\sigma, 4\sigma]$, where σ is the standard deviation of the sla time serie

3 Spatial coherence analysis

3.1 sla

3.1.1 sla 's count




FIGURE 1 – Spatial coherence analysis of the count of the Wet_rad version of sla variable




FIGURE 2 – Spatial coherence analysis of the count of the Wet_gpd version of sla variable




FIGURE 3 – Spatial coherence analysis of the count of the Wet_ecmwf version of sla variable




FIGURE 4 – Spatial coherence analysis of the Difference in sla 's count between Wet_gpd and Wet_rad




FIGURE 5 – Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_rad




FIGURE 6 – Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_gpd

3.1.2 sla's std




FIGURE 7 – Spatial coherence analysis of the std of the Wet_rad version of sla variable




FIGURE 8 – Spatial coherence analysis of the std of the Wet_gpd version of sla variable




FIGURE 9 – Spatial coherence analysis of the std of the Wet_ecmwf version of sla variable




FIGURE 10 – Spatial coherence analysis of the Difference in sla 's std between Wet_gpd and Wet_rad

Wet_ecmwf - Wet_rad




FIGURE 11 – Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_rad




FIGURE 12 – Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_gpd

3.1.3 sla 's mean




FIGURE 13 – Spatial coherence analysis of the mean of the Wet_rad version of the sla variable




FIGURE 14 – Spatial coherence analysis of the mean of the Wet_gpd version of sla variable




FIGURE 15 – Spatial coherence analysis of the mean of the Wet_ecmwf version of the sla variable




FIGURE 16 – Spatial coherence analysis of the Difference in sla 's mean between Wet_gpd and Wet_rad




FIGURE 17 – Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_rad




FIGURE 18 – Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_gpd

3.2 Wet

3.2.1 Wet's count




FIGURE 19 – Spatial coherence analysis of the count of the Wet_rad version of Wet variable




FIGURE 20 – Spatial coherence analysis of the count of the Wet_gpd version of Wet variable




FIGURE 21 – Spatial coherence analysis of the count of the Wet_ecmwf version of Wet variable




FIGURE 22 – Spatial coherence analysis of the Difference in Wet 's count between Wet_gpd and Wet_rad




FIGURE 23 – Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_rad

Wet_ecmwf - Wet_gpd




FIGURE 24 – Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_gpd

3.2.2 Wet's std




FIGURE 25 – Spatial coherence analysis of the std of the Wet_rad version of Wet variable




FIGURE 26 – Spatial coherence analysis of the std of the Wet_gpd version of Wet variable




FIGURE 27 – Spatial coherence analysis of the std of the Wet_ecmwf version of Wet variable




FIGURE 28 – Spatial coherence analysis of the Difference in Wet 's std between Wet_gpd and Wet_rad




FIGURE 29 – Spatial coherence analysis of the Difference in Wet's std between Wet_ecmwf and Wet_rad




FIGURE 30 – Spatial coherence analysis of the Difference in Wet 's std between Wet_ecmwf and Wet_gpd

3.2.3 Wet's mean




FIGURE 31 – Spatial coherence analysis of the mean of the Wet_rad version of Wet variable




FIGURE 32 – Spatial coherence analysis of the mean of the Wet_gpd version of Wet variable




FIGURE 33 – Spatial coherence analysis of the mean of the Wet_ecmwf version of Wet variable




FIGURE 34 – Spatial coherence analysis of the Difference in Wet 's mean between Wet_gpd and Wet_rad




FIGURE 35 – Spatial coherence analysis of the Difference in Wet's mean between Wet_ecmwf and Wet_rad




FIGURE 36 – Spatial coherence analysis of the Difference in Wet 's mean between Wet_ecmwf and Wet_gpd

4 Histograms

4.1 Wet




FIGURE 37 – Histogram of each of Wet version




FIGURE 38 – Histograms of difference of each Wet version and reference one




FIGURE 39 – Histograms of the standard deviation of each Wet version

4.2 sla




FIGURE 40 – Histogram of each of sla version




FIGURE 41 – Histograms of difference of each sla version and reference one




FIGURE 42 – Histograms of the standard deviation of each sla version

5 Along-track analysis

5.1 Wet

5.1.1 Wet 's count




FIGURE 43 – Along-track analysis of Wet 's count

5.1.2 Wet's std




FIGURE 44 – Along-track analysis of Wet's std

5.1.3 Wet's mean




FIGURE 45 – Along-track analysis of Wet's mean

5.2 sla

5.2.1 sla 's count




FIGURE 46 – Along-track analysis of sla 's count

5.2.2 sla 's std




FIGURE 47 – Along-track analysis of sla 's std

5.2.3 sla 's mean




FIGURE 48 – Along-track analysis of sla 's mean

6 Comparison with Insitu Data (Tide Gauge)

The size of the marker representing each point in the figures below increase by getting closer to the coast

6.1 Station : SETE

- Nearest track to SETE station is the track number track146
- The area of interest is limited by :
 - A circle which it's center is the SETE tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.1.1 correlation visualization in maps view % SETE tide gauge

Correlation Altimetry data with respect to SETE Tide gauge data




FIGURE 49 – correlation visualization in maps view % SETE tide gauge

6.1.2 rmsd visualization in maps view % SETE tide gauge

Rmsd (m) Altimetry data with respect to SETE Tide gauge data




FIGURE 50 – rmsd visualization in maps view % SETE tide gauge

6.1.3 std visualization in maps view % SETE tide gauge

Std (m) Altimetry data with respect to SETE Tide gauge data




FIGURE 51 – std visualization in maps view % SETE tide gauge

6.1.4 valid_data_percent visualization in maps view % SETE tide gauge

Valid_Data_Percent (%) Altimetry data with respect to SETE Tide gauge data




FIGURE 52 – valid_data_percent visualization in maps view % SETE tide gauge

6.1.5 Valid data (%) in function of distance to coast/SETE station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 106$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 53 – Valid data (%) in function of distance to coast/SETE station

6.1.6 Std in function of distance to coast/SETE station





FIGURE 54 – Std in function of the distance to the coast/SETE station

6.1.7 Correlation in function of distance to coast/SETE station




FIGURE 55 – Correlation in function of the distance to the coast/SETE station

6.1.8 Taylor Diagram




FIGURE 56 – Taylor diagram

6.1.9 Mean statistics table of products comparison with SETE tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	90.908	0.492	0.117	0.103
Wet_gpd#J2	90.908	0.492	0.117	0.103
Wet_ecmwf#J2	90.908	0.493	0.118	0.104

FIGURE 57 – Mean statistics table of the common points in the altimetry products

6.1.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 106 point.




FIGURE 58 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 59 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie

6.2 Station : Mentes

- Nearest track to Mentes station is the track number track109
- The area of interest is limited by :
 - A circle which it's center is the Mentes tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km
 - Latitude limits : [38.5, 39] °

6.2.1 correlation visualization in maps view % Mentes tide gauge

Correlation Altimetry data with respect to Mentes Tide gauge data




FIGURE 60 – correlation visualization in maps view % Mentes tide gauge

6.2.2 rmsd visualization in maps view % Mentes tide gauge

Rmsd (m) Altimetry data with respect to Mentes Tide gauge data




FIGURE 61 – rmsd visualization in maps view % Mentes tide gauge

6.2.3 std visualization in maps view % Mentes tide gauge

Std (m) Altimetry data with respect to Mentes Tide gauge data




FIGURE 62 – std visualization in maps view % Mentes tide gauge

6.2.4 valid_data_percent visualization in maps view % Mentes tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Mentes Tide gauge data




FIGURE 63 – valid_data_percent visualization in maps view % Mentes tide gauge

6.2.5 Valid data (%) in function of distance to coast/Mentes station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 101$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 64 – Valid data (%) in function of distance to coast/Mentes station

6.2.6 Std in function of distance to coast/Mentes station




FIGURE 65 – Std in function of the distance to the coast/Mentes station

6.2.7 Correlation in function of distance to coast/Mentes station




FIGURE 66 – Correlation in function of the distance to the coast/Mentes station

6.2.8 Taylor Diagram




FIGURE 67 – Taylor diagram

6.2.9 Mean statistics table of products comparison with Mentes tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	83.732	0.414	0.112	0.105
Wet_gpd#J2	83.356	0.427	0.112	0.103
Wet_ecmwf#J2	83.68	0.426	0.111	0.103

FIGURE 68 – Mean statistics table of the common points in the altimetry products

6.2.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 101 point.




FIGURE 69 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.3 Station : Ibiza

- Nearest track to Ibiza station is the track number track248
- The area of interest is limited by :
 - A circle which it's center is the Ibiza tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km
 - Latitude limits : [38.6, 39.05] °

6.3.1 correlation visualization in maps view % Ibiza tide gauge

Correlation Altimetry data with respect to Ibiza Tide gauge data




FIGURE 70 – correlation visualization in maps view % Ibiza tide gauge

6.3.2 rmsd visualization in maps view % Ibiza tide gauge

Rmsd (m) Altimetry data with respect to Ibiza Tide gauge data




FIGURE 71 – rmsd visualization in maps view % Ibiza tide gauge

6.3.3 std visualization in maps view % Ibiza tide gauge

Std (m) Altimetry data with respect to Ibiza Tide gauge data




FIGURE 72 – std visualization in maps view % Ibiza tide gauge

6.3.4 valid_data_percent visualization in maps view % Ibiza tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Ibiza Tide gauge data




FIGURE 73 – valid_data_percent visualization in maps view % Ibiza tide gauge

6.3.5 Valid data (%) in function of distance to coast/Ibiza station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 110$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 74 – Valid data (%) in function of distance to coast/Ibiza station

6.3.6 Std in function of distance to coast/Ibiza station




FIGURE 75 – Std in function of the distance to the coast/Ibiza station

6.3.7 Correlation in function of distance to coast/Ibiza station




FIGURE 76 – Correlation in function of the distance to the coast/Ibiza station

6.3.8 Taylor Diagram




FIGURE 77 – Taylor diagram

6.3.9 Mean statistics table of products comparison with Ibiza tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	96.157	0.47	0.123	0.109
Wet_gpd#J2	95.286	0.474	0.122	0.108
Wet_ecmwf#J2	96.165	0.468	0.123	0.108

FIGURE 78 – Mean statistics table of the common points in the altimetry products

6.3.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 110 point.




FIGURE 79 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.4 Station : LA FIGUEIRETTE

- Nearest track to LA FIGUEIRETTE station is the track number track222
- The area of interest is limited by :
 - A circle which it's center is the LA FIGUEIRETTE tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.4.1 correlation visualization in maps view % LA FIGUEIRETTE tide gauge

Correlation Altimetry data with respect to LA FIGUEIRETTE Tide gauge data




FIGURE 80 – correlation visualization in maps view % LA FIGUEIRETTE tide gauge

6.4.2 rmsd visualization in maps view % LA FIGUEIRETTE tide gauge

Rmsd (m) Altimetry data with respect to LA FIGUEIRETTE Tide gauge data




FIGURE 81 – rmsd visualization in maps view % LA FIGUEIRETTE tide gauge

6.4.3 std visualization in maps view % LA FIGUEIRETTE tide gauge

Std (m) Altimetry data with respect to LA FIGUEIRETTE Tide gauge data




FIGURE 82 – std visualization in maps view % LA FIGUEIRETTE tide gauge

6.4.4 valid_data_percent visualization in maps view % LA FIGUEIRETTE tide gauge

Valid_Data_Percent (%) Altimetry data with respect to LA FIGUEIRETTE Tide gauge data




FIGURE 83 – valid_data_percent visualization in maps view % LA FIGUEIRETTE tide gauge

6.4.5 Valid data (%) in function of distance to coast/LA FIGUEIRETTE station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 108$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 84 – Valid data (%) in function of distance to coast/LA_FIGUEIRETTE station

6.4.6 Std in function of distance to coast/LA FIGUEIRETTE station





FIGURE 85 – Std in function of the distance to the coast/LA FIGUEIRETTE station

6.4.7 Correlation in function of distance to coast/LA FIGUEIRETTE station





FIGURE 86 – Correlation in function of the distance to the coast/LA FIGUEIRETTE station

6.4.8 Taylor Diagram




FIGURE 87 – Taylor diagram

6.4.9 Mean statistics table of products comparison with LA_FIGUEIRETTE tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	92.842	0.379	0.107	0.1
Wet_gpd#J2	92.818	0.395	0.106	0.098
Wet_ecmwf#J2	92.83	0.422	0.107	0.098

FIGURE 88 – Mean statistics table of the common points in the altimetry products

6.4.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 108 point.




FIGURE 89 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 90 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie

6.5 Station : Ancona

- Nearest track to Ancona station is the track number track161
- The area of interest is limited by :
 - A circle which it's center is the Ancona tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.5.1 correlation visualization in maps view % Ancona tide gauge

Correlation Altimetry data with respect to Ancona Tide gauge data




FIGURE 91 – correlation visualization in maps view % Ancona tide gauge

6.5.2 rmsd visualization in maps view % Ancona tide gauge

Rmsd (m) Altimetry data with respect to Ancona Tide gauge data




FIGURE 92 – rmsd visualization in maps view % Ancona tide gauge

6.5.3 std visualization in maps view % Ancona tide gauge

Std (m) Altimetry data with respect to Ancona Tide gauge data




FIGURE 93 – std visualization in maps view % Ancona tide gauge

6.5.4 valid_data_percent visualization in maps view % Ancona tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Ancona Tide gauge data




FIGURE 94 – valid_data_percent visualization in maps view % Ancona tide gauge

6.5.5 Valid data (%) in function of distance to coast/Ancona station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 100$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 95 – Valid data (%) in function of distance to coast/Ancona station

6.5.6 Std in function of distance to coast/Ancona station




FIGURE 96 – Std in function of the distance to the coast/Ancona station

6.5.7 Correlation in function of distance to coast/Ancona station




FIGURE 97 – Correlation in function of the distance to the coast/Ancona station

6.5.8 Taylor Diagram




FIGURE 98 – Taylor diagram

6.5.9 Mean statistics table of products comparison with Ancona tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	86.322	0.481	0.133	0.117
Wet_gpd#J2	86.305	0.489	0.133	0.116
Wet_ecmwf#J2	86.271	0.493	0.133	0.117

FIGURE 99 – Mean statistics table of the common points in the altimetry products

6.5.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 100 point.




FIGURE 100 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.6 Station : Livourne

- Nearest track to Livourne station is the track number track85
- The area of interest is limited by :
 - A circle which it's center is the Livourne tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.6.1 correlation visualization in maps view % Livourne tide gauge

Correlation Altimetry data with respect to Livourne Tide gauge data




FIGURE 101 – correlation visualization in maps view % Livourne tide gauge

6.6.2 rmsd visualization in maps view % Livourne tide gauge

Rmsd (m) Altimetry data with respect to Livourne Tide gauge data




FIGURE 102 – rmsd visualization in maps view % Livourne tide gauge

6.6.3 std visualization in maps view % Livourne tide gauge

Std (m) Altimetry data with respect to Livourne Tide gauge data




FIGURE 103 – std visualization in maps view % Livourne tide gauge

6.6.4 valid_data_percent visualization in maps view % Livourne tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Livourne Tide gauge data




FIGURE 104 – valid_data_percent visualization in maps view % Livourne tide gauge

6.6.5 Valid data (%) in function of distance to coast/Livourne station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 108$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 105 – Valid data (%) in function of distance to coast/Livourne station

6.6.6 Std in function of distance to coast/Livourne station




FIGURE 106 – Std in function of the distance to the coast/Livourne station

6.6.7 Correlation in function of distance to coast/Livourne station




FIGURE 107 – Correlation in function of the distance to the coast/Livourne station

6.6.8 Taylor Diagram




FIGURE 108 – Taylor diagram

6.6.9 Mean statistics table of products comparison with Livourne tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	91.183	0.389	0.109	0.101
Wet_gpd#J2	92.067	0.394	0.109	0.101
Wet_ecmwf#J2	92.067	0.395	0.11	0.102

FIGURE 109 – Mean statistics table of the common points in the altimetry products

6.6.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 108 point.




FIGURE 110 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.7 Station : MONACO_FONTVIEILLE

- Nearest track to MONACO_FONTVIEILLE station is the track number track9
- The area of interest is limited by :
 - A circle which it's center is the MONACO_FONTVIEILLE tide gauge station location and has a Raduis of 40 Km

6.7.1 correlation visualization in maps view % MONACO_FONTVIEILLE tide gauge

Correlation Altimetry data with respect to MONACO_FONTVIEILLE Tide gauge data




FIGURE 111 – correlation visualization in maps view % MONACO_FONTVIEILLE tide gauge

6.7.2 rmsd visualization in maps view % MONACO_FONTVIEILLE tide gauge

Rmsd (m) Altimetry data with respect to MONACO_FONTVIEILLE Tide gauge data




FIGURE 112 – rmsd visualization in maps view % MONACO_FONTVIEILLE tide gauge

6.7.3 std visualization in maps view % MONACO_FONTVIEILLE tide gauge

Std (m) Altimetry data with respect to MONACO_FONTVIEILLE Tide gauge data




FIGURE 113 – std visualization in maps view % MONACO_FONTVIEILLE tide gauge

6.7.4 valid_data_percent visualization in maps view % MONACO_FONTVIEILLE tide gauge

Valid_Data_Percent (%) Altimetry data with respect to MONACO_FONTVIEILLE Tide gauge data




FIGURE 114 – valid_data_percent visualization in maps view % MONACO_FONTVIEILLE tide gauge

6.7.5 Valid data (%) in function of distance to coast/MONACO_FONTVIEILLE station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 107$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 115 – Valid data (%) in function of distance to coast/MONACO_FONTVIEILLE station

6.7.6 Std in function of distance to coast/MONACO_FONTVIEILLE station





FIGURE 116 – Std in function of the distance to the coast/MONACO_FONTVIEILLE station

6.7.7 Correlation in function of distance to coast/MONACO_FONTVIEILLE station




FIGURE 117 – Correlation in function of the distance to the coast/MONACO_FONTVIEILLE station

6.7.8 Taylor Diagram




FIGURE 118 – Taylor diagram

6.7.9 Mean statistics table of products comparison with MONACO_FONTVIEILLE tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	91.015	0.371	0.107	0.1
Wet_gpd#J2	91.0	0.375	0.106	0.099
Wet_ecmwf#J2	91.005	0.377	0.106	0.099

FIGURE 119 – Mean statistics table of the common points in the altimetry products

6.7.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 107 point.




FIGURE 120 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 121 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie

6.8 Station : Erdemli

- Nearest track to Erdemli station is the track number track68
- The area of interest is limited by :
 - A circle which it's center is the Erdemli tide gauge station location and has a Raduis of 40 Km

6.8.1 correlation visualization in maps view % Erdemli tide gauge

Correlation Altimetry data with respect to Erdemli Tide gauge data




FIGURE 122 – correlation visualization in maps view % Erdemli tide gauge

6.8.2 rmsd visualization in maps view % Erdemli tide gauge

Rmsd (m) Altimetry data with respect to Erdemli Tide gauge data




FIGURE 123 – rmsd visualization in maps view % Erdemli tide gauge

6.8.3 std visualization in maps view % Erdemli tide gauge

Std (m) Altimetry data with respect to Erdemli Tide gauge data




FIGURE 124 – std visualization in maps view % Erdemli tide gauge

6.8.4 valid_data_percent visualization in maps view % Erdemli tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Erdemli Tide gauge data




FIGURE 125 – valid_data_percent visualization in maps view % Erdemli tide gauge

6.8.5 Valid data (%) in function of distance to coast/Erdemli station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 87$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 126 – Valid data (%) in function of distance to coast/Erdemli station

6.8.6 Std in function of distance to coast/Erdemli station




FIGURE 127 – Std in function of the distance to the coast/Erdemli station

6.8.7 Correlation in function of distance to coast/Erdemli station




FIGURE 128 – Correlation in function of the distance to the coast/Erdemli station

6.8.8 Taylor Diagram




FIGURE 129 – Taylor diagram

6.8.9 Mean statistics table of products comparison with Erdemli tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	92.217	0.292	0.114	0.115
Wet_gpd#J2	92.198	0.305	0.114	0.114
Wet_ecmwf#J2	92.207	0.328	0.113	0.111

FIGURE 130 – Mean statistics table of the common points in the altimetry products

6.8.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 87 point.




FIGURE 131 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.9 Station : Almeria

- Nearest track to Almeria station is the track number track96
- The area of interest is limited by :
 - A circle which it's center is the Almeria tide gauge station location and has a Raduis of 40 Km

6.9.1 correlation visualization in maps view % Almeria tide gauge

Correlation Altimetry data with respect to Almeria Tide gauge data




FIGURE 132 – correlation visualization in maps view % Almeria tide gauge

6.9.2 rmsd visualization in maps view % Almeria tide gauge

Rmsd (m) Altimetry data with respect to Almeria Tide gauge data




FIGURE 133 – rmsd visualization in maps view % Almeria tide gauge

6.9.3 std visualization in maps view % Almeria tide gauge

Std (m) Altimetry data with respect to Almeria Tide gauge data




FIGURE 134 – std visualization in maps view % Almeria tide gauge

6.9.4 valid_data_percent visualization in maps view % Almeria tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Almeria Tide gauge data




FIGURE 135 – valid_data_percent visualization in maps view % Almeria tide gauge

6.9.5 Valid data (%) in function of distance to coast/Almeria station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 97$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 136 – Valid data (%) in function of distance to coast/Almeria station

6.9.6 Std in function of distance to coast/Almeria station




FIGURE 137 – Std in function of the distance to the coast/Almeria station

6.9.7 Correlation in function of distance to coast/Almeria station




FIGURE 138 – Correlation in function of the distance to the coast/Almeria station

6.9.8 Taylor Diagram




FIGURE 139 – Taylor diagram

6.9.9 Mean statistics table of products comparison with Almeria tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	90.442	0.22	0.118	0.118
Wet_gpd#J2	90.442	0.226	0.118	0.117
Wet_ecmwf#J2	90.442	0.26	0.118	0.116

FIGURE 140 – Mean statistics table of the common points in the altimetry products

6.9.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 97 point.




FIGURE 141 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 142 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie

6.10 Station : Civitavecchia

- Nearest track to Civitavecchia station is the track number track161
- The area of interest is limited by :
 - A circle which it's center is the Civitavecchia tide gauge station location and has a Raduis of 40 Km

6.10.1 correlation visualization in maps view % Civitavecchia tide gauge

Correlation Altimetry data with respect to Civitavecchia Tide gauge data




FIGURE 143 – correlation visualization in maps view % Civitavecchia tide gauge

6.10.2 rmsd visualization in maps view % Civitavecchia tide gauge

Rmsd (m) Altimetry data with respect to Civitavecchia Tide gauge data




FIGURE 144 – rmsd visualization in maps view % Civitavecchia tide gauge

6.10.3 std visualization in maps view % Civitavecchia tide gauge

Std (m) Altimetry data with respect to Civitavecchia Tide gauge data




FIGURE 145 – std visualization in maps view % Civitavecchia tide gauge

6.10.4 valid_data_percent visualization in maps view % Civitavecchia tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Civitavecchia Tide gauge data




FIGURE 146 – valid_data_percent visualization in maps view % Civitavecchia tide gauge

6.10.5 Valid data (%) in function of distance to coast/Civitavecchia station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 107$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 147 – Valid data (%) in function of distance to coast/Civitavecchia station

6.10.6 Std in function of distance to coast/Civitavecchia station




FIGURE 148 – Std in function of the distance to the coast/Civitavecchia station

6.10.7 Correlation in function of distance to coast/Civitavecchia station




FIGURE 149 – Correlation in function of the distance to the coast/Civitavecchia station

6.10.8 Taylor Diagram




FIGURE 150 – Taylor diagram

6.10.9 Mean statistics table of products comparison with Civitavecchia tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	92.265	0.347	0.102	0.096
Wet_gpd#J2	92.25	0.349	0.102	0.096
Wet_ecmwf#J2	92.25	0.357	0.102	0.096

FIGURE 151 – Mean statistics table of the common points in the altimetry products

6.10.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 107 point.




FIGURE 152 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.11 Station : FOS-SUR-MER

- Nearest track to FOS-SUR-MER station is the track number track187
- The area of interest is limited by :
 - A circle which it's center is the FOS-SUR-MER tide gauge station location and has a Raduis of 40 Km

6.11.1 correlation visualization in maps view % FOS-SUR-MER tide gauge

Correlation Altimetry data with respect to FOS-SUR-MER Tide gauge data




FIGURE 153 – correlation visualization in maps view % FOS-SUR-MER tide gauge

6.11.2 rmsd visualization in maps view % FOS-SUR-MER tide gauge

Rmsd (m) Altimetry data with respect to FOS-SUR-MER Tide gauge data




FIGURE 154 – rmsd visualization in maps view % FOS-SUR-MER tide gauge

6.11.3 std visualization in maps view % FOS-SUR-MER tide gauge

Std (m) Altimetry data with respect to FOS-SUR-MER Tide gauge data




FIGURE 155 – std visualization in maps view % FOS-SUR-MER tide gauge

6.11.4 valid_data_percent visualization in maps view % FOS-SUR-MER tide gauge

Valid_Data_Percent (%) Altimetry data with respect to FOS-SUR-MER Tide gauge data




FIGURE 156 – valid_data_percent visualization in maps view % FOS-SUR-MER tide gauge

6.11.5 Valid data (%) in function of distance to coast/FOS-SUR-MER station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 103$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 157 – Valid data (%) in function of distance to coast/FOS-SUR-MER station

6.11.6 Std in function of distance to coast/FOS-SUR-MER station




FIGURE 158 – Std in function of the distance to the coast/FOS-SUR-MER station

6.11.7 Correlation in function of distance to coast/FOS-SUR-MER station




FIGURE 159 – Correlation in function of the distance to the coast/FOS-SUR-MER station

6.11.8 Taylor Diagram




FIGURE 160 – Taylor diagram

6.11.9 Mean statistics table of products comparison with FOS-SUR-MER tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J2	92.071	0.494	0.107	0.094
Wet_gpd#J2	92.048	0.51	0.108	0.093
Wet_ecmwf#J2	92.048	0.512	0.108	0.093

FIGURE 161 – Mean statistics table of the common points in the altimetry products

6.11.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 103 point.




FIGURE 162 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie