

DIAGTOOL REPORT



Round Robin (GT cotier) : Wet tropospheric correction. Medsea. J3. Wet rad vs Wet gpd vs Wet ecmwf.

Table of Contents

1 General description	8
2 Processing	8
2.1 sla formula	8
2.1.1 Wet_rad product ' sla	8
2.1.2 Wet_gpd product ' sla	8
2.1.3 Wet_ecmwf product ' sla	9
2.2 Binning	9
2.3 Filtering	9
3 Spatial coherence analysis	10
3.1 sla	10
3.1.1 sla 's count	10
3.1.2 sla 's std	16
3.1.3 sla 's mean	22
3.2 Wet	28
3.2.1 Wet 's count	28
3.2.2 Wet 's std	34
3.2.3 Wet 's mean	40
4 Histograms	46
4.1 Wet	46
4.2 sla	49
5 Along-track analysis	52
5.1 Wet	52
5.1.1 Wet 's count	52
5.1.2 Wet 's std	53
5.1.3 Wet 's mean	54
5.2 sla	55
5.2.1 sla 's count	55
5.2.2 sla 's std	56
5.2.3 sla 's mean	57
6 Comparison with Insitu Data (Tide Gauge)	58
6.1 Station : SETE	58
6.1.1 correlation visualization in maps view % SETE tide gauge	58
6.1.2 rmsd visualization in maps view % SETE tide gauge	59
6.1.3 std visualization in maps view % SETE tide gauge	60
6.1.4 valid_data_percent visualization in maps view % SETE tide gauge	61
6.1.5 Valid data (%) in function of distance to coast/SETE station	61
6.1.6 Std in function of distance to coast/SETE station	63
6.1.7 Correlation in function of distance to coast/SETE station	64
6.1.8 Taylor Diagram	65
6.1.9 Mean statistics table of products comparison with SETE tide gauge data	65

6.1.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	66
6.2	Station : Mentes	67
6.2.1	correlation visualization in maps view % Mentes tide gauge	68
6.2.2	rmsd visualization in maps view % Mentes tide gauge	69
6.2.3	std visualization in maps view % Mentes tide gauge	70
6.2.4	valid_data_percent visualization in maps view % Mentes tide gauge	71
6.2.5	Valid data (%) in function of distance to coast/Mentes station	71
6.2.6	Std in function of distance to coast/Mentes station	73
6.2.7	Correlation in function of distance to coast/Mentes station	74
6.2.8	Taylor Diagram	75
6.2.9	Mean statistics table of products comparison with Mentes tide gauge data	75
6.2.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	76
6.3	Station : Ibiza	77
6.3.1	correlation visualization in maps view % Ibiza tide gauge	78
6.3.2	rmsd visualization in maps view % Ibiza tide gauge	79
6.3.3	std visualization in maps view % Ibiza tide gauge	80
6.3.4	valid_data_percent visualization in maps view % Ibiza tide gauge	81
6.3.5	Valid data (%) in function of distance to coast/Ibiza station	81
6.3.6	Std in function of distance to coast/Ibiza station	83
6.3.7	Correlation in function of distance to coast/Ibiza station	84
6.3.8	Taylor Diagram	85
6.3.9	Mean statistics table of products comparison with Ibiza tide gauge data	85
6.3.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	86
6.4	Station : LA FIGUEIRETTE	87
6.4.1	correlation visualization in maps view % LA FIGUEIRETTE tide gauge	88
6.4.2	rmsd visualization in maps view % LA FIGUEIRETTE tide gauge	89
6.4.3	std visualization in maps view % LA FIGUEIRETTE tide gauge	90
6.4.4	valid_data_percent visualization in maps view % LA FIGUEIRETTE tide gauge	91
6.4.5	Valid data (%) in function of distance to coast/LA FIGUEIRETTE station	91
6.4.6	Std in function of distance to coast/LA FIGUEIRETTE station	93
6.4.7	Correlation in function of distance to coast/LA FIGUEIRETTE station	94
6.4.8	Taylor Diagram	95
6.4.9	Mean statistics table of products comparison with LA FIGUEIRETTE tide gauge data	95
6.4.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	96
6.5	Station : Ancona	97
6.5.1	correlation visualization in maps view % Ancona tide gauge	98
6.5.2	rmsd visualization in maps view % Ancona tide gauge	99
6.5.3	std visualization in maps view % Ancona tide gauge	100
6.5.4	valid_data_percent visualization in maps view % Ancona tide gauge	101
6.5.5	Valid data (%) in function of distance to coast/Ancona station	101
6.5.6	Std in function of distance to coast/Ancona station	103
6.5.7	Correlation in function of distance to coast/Ancona station	104
6.5.8	Taylor Diagram	105
6.5.9	Mean statistics table of products comparison with Ancona tide gauge data	105
6.5.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	106

6.6	Station : Livourne	107
6.6.1	correlation visualization in maps view % Livourne tide gauge	108
6.6.2	rmsd visualization in maps view % Livourne tide gauge	109
6.6.3	std visualization in maps view % Livourne tide gauge	110
6.6.4	valid_data_percent visualization in maps view % Livourne tide gauge	111
6.6.5	Valid data (%) in function of distance to coast/Livourne station	111
6.6.6	Std in function of distance to coast/Livourne station	113
6.6.7	Correlation in function of distance to coast/Livourne station	114
6.6.8	Taylor Diagram	115
6.6.9	Mean statistics table of products comparison with Livourne tide gauge data	115
6.6.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	116
6.7	Station : MONACO_FONTVIEILLE	117
6.7.1	correlation visualization in maps view % MONACO_FONTVIEILLE tide gauge	118
6.7.2	rmsd visualization in maps view % MONACO_FONTVIEILLE tide gauge	119
6.7.3	std visualization in maps view % MONACO_FONTVIEILLE tide gauge	120
6.7.4	valid_data_percent visualization in maps view % MONACO_FONTVIEILLE tide gauge	121
6.7.5	Valid data (%) in function of distance to coast/MONACO_FONTVIEILLE station	121
6.7.6	Std in function of distance to coast/MONACO_FONTVIEILLE station	123
6.7.7	Correlation in function of distance to coast/MONACO_FONTVIEILLE station	124
6.7.8	Taylor Diagram	125
6.7.9	Mean statistics table of products comparison with MONACO_FONTVIEILLE tide gauge data	125
6.7.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	126
6.8	Station : Erdemli	127
6.8.1	correlation visualization in maps view % Erdemli tide gauge	128
6.8.2	rmsd visualization in maps view % Erdemli tide gauge	129
6.8.3	std visualization in maps view % Erdemli tide gauge	130
6.8.4	valid_data_percent visualization in maps view % Erdemli tide gauge	131
6.8.5	Valid data (%) in function of distance to coast/Erdemli station	131
6.8.6	Std in function of distance to coast/Erdemli station	133
6.8.7	Correlation in function of distance to coast/Erdemli station	134
6.8.8	Taylor Diagram	135
6.8.9	Mean statistics table of products comparison with Erdemli tide gauge data	135
6.8.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	136
6.9	Station : Almeria	138
6.9.1	correlation visualization in maps view % Almeria tide gauge	139
6.9.2	rmsd visualization in maps view % Almeria tide gauge	140
6.9.3	std visualization in maps view % Almeria tide gauge	141
6.9.4	valid_data_percent visualization in maps view % Almeria tide gauge	142
6.9.5	Valid data (%) in function of distance to coast/Almeria station	142
6.9.6	Std in function of distance to coast/Almeria station	144
6.9.7	Correlation in function of distance to coast/Almeria station	145
6.9.8	Taylor Diagram	146
6.9.9	Mean statistics table of products comparison with Almeria tide gauge data	146
6.9.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	147
6.10	Station : Civitavecchia	148

6.10.1	correlation visualization in maps view % Civitavecchia tide gauge	149
6.10.2	rmsd visualization in maps view % Civitavecchia tide gauge	150
6.10.3	std visualization in maps view % Civitavecchia tide gauge	151
6.10.4	valid_data_percent visualization in maps view % Civitavecchia tide gauge	152
6.10.5	Valid data (%) in function of distance to coast/Civitavecchia station	152
6.10.6	Std in function of distance to coast/Civitavecchia station	154
6.10.7	Correlation in function of distance to coast/Civitavecchia station	155
6.10.8	Taylor Diagram	156
6.10.9	Mean statistics table of products comparison with Civitavecchia tide gauge data	156
6.10.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	157
6.11	Station : FOS-SUR-MER	158
6.11.1	correlation visualization in maps view % FOS-SUR-MER tide gauge	159
6.11.2	rmsd visualization in maps view % FOS-SUR-MER tide gauge	160
6.11.3	std visualization in maps view % FOS-SUR-MER tide gauge	161
6.11.4	valid_data_percent visualization in maps view % FOS-SUR-MER tide gauge	162
6.11.5	Valid data (%) in function of distance to coast/FOS-SUR-MER station	162
6.11.6	Std in function of distance to coast/FOS-SUR-MER station	164
6.11.7	Correlation in function of distance to coast/FOS-SUR-MER station	165
6.11.8	Taylor Diagram	166
6.11.9	Mean statistics table of products comparison with FOS-SUR-MER tide gauge data	166
6.11.10	The most correlated sla altimetry Time series with the tide gauge sla time serie	167

Table des figures

1	Spatial coherence analysis of the count of the Wet_rad version of sla variable	10
2	Spatial coherence analysis of the count of the Wet_gpd version of sla variable	11
3	Spatial coherence analysis of the count of the Wet_ecmwf version of sla variable	12
4	Spatial coherence analysis of the Difference in sla 's count between Wet_gpd and Wet_rad	13
5	Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_rad	14
6	Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_gpd	15
7	Spatial coherence analysis of the std of the Wet_rad version of sla variable	16
8	Spatial coherence analysis of the std of the Wet_gpd version of sla variable	17
9	Spatial coherence analysis of the std of the Wet_ecmwf version of sla variable	18
10	Spatial coherence analysis of the Difference in sla 's std between Wet_gpd and Wet_rad	19
11	Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_rad	20
12	Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_gpd	21
13	Spatial coherence analysis of the mean of the Wet_rad version of sla variable	22
14	Spatial coherence analysis of the mean of the Wet_gpd version of sla variable	23
15	Spatial coherence analysis of the mean of the Wet_ecmwf version of sla variable	24
16	Spatial coherence analysis of the Difference in sla 's mean between Wet_gpd and Wet_rad	25
17	Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_rad	26
18	Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_gpd	27
19	Spatial coherence analysis of the count of the Wet_rad version of Wet variable	28
20	Spatial coherence analysis of the count of the Wet_gpd version of Wet variable	29
21	Spatial coherence analysis of the count of the Wet_ecmwf version of Wet variable	30

22	Spatial coherence analysis of the Difference in Wet 's count between Wet_gpd and Wet_rad	31
23	Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_rad	32
24	Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_gpd	33
25	Spatial coherence analysis of the std of the Wet_rad version of Wet variable	34
26	Spatial coherence analysis of the std of the Wet_gpd version of Wet variable	35
27	Spatial coherence analysis of the std of the Wet_ecmwf version of Wet variable	36
28	Spatial coherence analysis of the Difference in Wet 's std between Wet_gpd and Wet_rad	37
29	Spatial coherence analysis of the Difference in Wet 's std between Wet_ecmwf and Wet_rad	38
30	Spatial coherence analysis of the Difference in Wet 's std between Wet_ecmwf and Wet_gpd	39
31	Spatial coherence analysis of the mean of the Wet_rad version of Wet variable	40
32	Spatial coherence analysis of the mean of the Wet_gpd version of Wet variable	41
33	Spatial coherence analysis of the mean of the Wet_ecmwf version of Wet variable	42
34	Spatial coherence analysis of the Difference in Wet 's mean between Wet_gpd and Wet_rad	43
35	Spatial coherence analysis of the Difference in Wet 's mean between Wet_ecmwf and Wet_rad	44
36	Spatial coherence analysis of the Difference in Wet 's mean between Wet_ecmwf and Wet_gpd	45
37	Histogram of each of Wet version	46
38	Histograms of difference of each Wet version and reference one	47
39	Histograms of the standard deviation of each Wet version	48
40	Histogram of each of sla version	49
41	Histograms of difference of each sla version and reference one	50
42	Histograms of the standard deviation of each sla version	51
43	Along-track analysis of Wet 's count	52
44	Along-track analysis of Wet 's std	53
45	Along-track analysis of Wet 's mean	54
46	Along-track analysis of sla 's count	55
47	Along-track analysis of sla 's std	56
48	Along-track analysis of sla 's mean	57
49	correlation visualization in maps view % SETE tide gauge	58
50	rmsd visualization in maps view % SETE tide gauge	59
51	std visualization in maps view % SETE tide gauge	60
52	valid_data_percent visualization in maps view % SETE tide gauge	61
53	Valid data (%) in function of distance to coast/SETE station	62
54	Std in function of the distance to the coast/SETE station	63
55	Correlation in function of the distance to the coast/SETE station	64
56	Taylor diagram	65
57	Mean statistics table of the common points in the altimetry products	66
58	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	67
59	correlation visualization in maps view % Mentes tide gauge	68
60	rmsd visualization in maps view % Mentes tide gauge	69
61	std visualization in maps view % Mentes tide gauge	70
62	valid_data_percent visualization in maps view % Mentes tide gauge	71
63	Valid data (%) in function of distance to coast/Mentes station	72
64	Std in function of the distance to the coast/Mentes station	73
65	Correlation in function of the distance to the coast/Mentes station	74
66	Taylor diagram	75

67	Mean statistics table of the common points in the altimetry products	76
68	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	77
69	correlation visualization in maps view % Ibiza tide gauge	78
70	rmsd visualization in maps view % Ibiza tide gauge	79
71	std visualization in maps view % Ibiza tide gauge	80
72	valid_data_percent visualization in maps view % Ibiza tide gauge	81
73	Valid data (%) in function of distance to coast/Ibiza station	82
74	Std in function of the distance to the coast/Ibiza station	83
75	Correlation in function of the distance to the coast/Ibiza station	84
76	Taylor diagram	85
77	Mean statistics table of the common points in the altimetry products	86
78	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	87
79	correlation visualization in maps view % LA_FIGUEIRETTE tide gauge	88
80	rmsd visualization in maps view % LA_FIGUEIRETTE tide gauge	89
81	std visualization in maps view % LA_FIGUEIRETTE tide gauge	90
82	valid_data_percent visualization in maps view % LA_FIGUEIRETTE tide gauge	91
83	Valid data (%) in function of distance to coast/LA_FIGUEIRETTE station	92
84	Std in function of the distance to the coast/LA_FIGUEIRETTE station	93
85	Correlation in function of the distance to the coast/LA_FIGUEIRETTE station	94
86	Taylor diagram	95
87	Mean statistics table of the common points in the altimetry products	96
88	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	97
89	correlation visualization in maps view % Ancona tide gauge	98
90	rmsd visualization in maps view % Ancona tide gauge	99
91	std visualization in maps view % Ancona tide gauge	100
92	valid_data_percent visualization in maps view % Ancona tide gauge	101
93	Valid data (%) in function of distance to coast/Ancona station	102
94	Std in function of the distance to the coast/Ancona station	103
95	Correlation in function of the distance to the coast/Ancona station	104
96	Taylor diagram	105
97	Mean statistics table of the common points in the altimetry products	106
98	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	107
99	correlation visualization in maps view % Livourne tide gauge	108
100	rmsd visualization in maps view % Livourne tide gauge	109
101	std visualization in maps view % Livourne tide gauge	110
102	valid_data_percent visualization in maps view % Livourne tide gauge	111
103	Valid data (%) in function of distance to coast/Livourne station	112
104	Std in function of the distance to the coast/Livourne station	113
105	Correlation in function of the distance to the coast/Livourne station	114
106	Taylor diagram	115
107	Mean statistics table of the common points in the altimetry products	116
108	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	117
109	correlation visualization in maps view % MONACO_FONTVIEILLE tide gauge	118
110	rmsd visualization in maps view % MONACO_FONTVIEILLE tide gauge	119
111	std visualization in maps view % MONACO_FONTVIEILLE tide gauge	120

112	valid_data_percent visualization in maps view % MONACO_FONTVIEILLE tide gauge	121
113	Valid data (%) in function of distance to coast/MONACO_FONTVIEILLE station	122
114	Std in function of the distance to the coast/MONACO_FONTVIEILLE station	123
115	Correlation in function of the distance to the coast/MONACO_FONTVIEILLE station	124
116	Taylor diagram	125
117	Mean statistics table of the common points in the altimetry products	126
118	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	127
119	correlation visualization in maps view % Erdemli tide gauge	128
120	rmsd visualization in maps view % Erdemli tide gauge	129
121	std visualization in maps view % Erdemli tide gauge	130
122	valid_data_percent visualization in maps view % Erdemli tide gauge	131
123	Valid data (%) in function of distance to coast/Erdemli station	132
124	Std in function of the distance to the coast/Erdemli station	133
125	Correlation in function of the distance to the coast/Erdemli station	134
126	Taylor diagram	135
127	Mean statistics table of the common points in the altimetry products	136
128	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	137
129	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	138
130	correlation visualization in maps view % Almeria tide gauge	139
131	rmsd visualization in maps view % Almeria tide gauge	140
132	std visualization in maps view % Almeria tide gauge	141
133	valid_data_percent visualization in maps view % Almeria tide gauge	142
134	Valid data (%) in function of distance to coast/Almeria station	143
135	Std in function of the distance to the coast/Almeria station	144
136	Correlation in function of the distance to the coast/Almeria station	145
137	Taylor diagram	146
138	Mean statistics table of the common points in the altimetry products	147
139	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	148
140	correlation visualization in maps view % Civitavecchia tide gauge	149
141	rmsd visualization in maps view % Civitavecchia tide gauge	150
142	std visualization in maps view % Civitavecchia tide gauge	151
143	valid_data_percent visualization in maps view % Civitavecchia tide gauge	152
144	Valid data (%) in function of distance to coast/Civitavecchia station	153
145	Std in function of the distance to the coast/Civitavecchia station	154
146	Correlation in function of the distance to the coast/Civitavecchia station	155
147	Taylor diagram	156
148	Mean statistics table of the common points in the altimetry products	157
149	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	158
150	correlation visualization in maps view % FOS-SUR-MER tide gauge	159
151	rmsd visualization in maps view % FOS-SUR-MER tide gauge	160
152	std visualization in maps view % FOS-SUR-MER tide gauge	161
153	valid_data_percent visualization in maps view % FOS-SUR-MER tide gauge	162
154	Valid data (%) in function of distance to coast/FOS-SUR-MER station	163
155	Std in function of the distance to the coast/FOS-SUR-MER station	164
156	Correlation in function of the distance to the coast/FOS-SUR-MER station	165

157	Taylor diagram	166
158	Mean statistics table of the common points in the altimetry products	167
159	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie	168
160	The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie	169

1 General description

- Figures and notes have been included in this report to evaluate different altimetry products.
- In order to test different version of the Wet tropospheric correction used to calculate the sea level anomaly. Each version has been compared with a reference version. In this case the Wet_rad is the reference one.
- The sea level anomaly has been calculated using each version of the variable and has been compared to the sea level anomaly calculated using the reference version.
- The region of study is Medsea
- Mission : J3
- Git last tag : 0.9 Ajouter les rapports ssb
- Git changeset number : ddb8b8d-2022-04-25

2 Processing

2.1 sla formula

2.1.1 Wet_rad product ' sla

```
sla = ORBIT.ALTI.CNES_POE_F -
      RANGE.ALTI -
      MEAN_SEA_SURFACE.MODEL.CNESCLS15 -
      SEA_STATE_BIAS.ALTI -
      IONOSPHERIC_CORRECTION.MODEL.GIM -
      WET_TROPOSPHERIC_CORRECTION.RAD -
      DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
      DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -
      OCEAN_TIDE_HEIGHT.MODEL.FES14B -
      SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -
      POLE_TIDE_HEIGHT.MODEL.DESAI_2015
```

2.1.2 Wet_gpd product ' sla

```
sla = ORBIT.ALTI.CNES_POE_F -
      RANGE.ALTI -
      MEAN_SEA_SURFACE.MODEL.CNESCLS15 -
      SEA_STATE_BIAS.ALTI -
      IONOSPHERIC_CORRECTION.MODEL.GIM -
      WET_TROPOSPHERIC_CORRECTION.GPD_PLUS_J3 -
      DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
      DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -
      OCEAN_TIDE_HEIGHT.MODEL.FES14B -
      SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -
      POLE_TIDE_HEIGHT.MODEL.DESAI_2015
```

2.1.3 Wet_ecmwf product ' sla

```
sla = ORBIT.ALTI.CNES_POE_F -  
RANGE.ALTI -  
MEAN_SEA_SURFACE.MODEL.CNESCLS15 -  
SEA_STATE_BIAS.ALTI -  
IONOSPHERIC_CORRECTION.MODEL.GIM -  
WET_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -  
DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -  
DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -  
OCEAN_TIDE_HEIGHT.MODEL.FES14B -  
SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -  
POLE_TIDE_HEIGHT.MODEL.DESAI_2015
```

2.2 Binning

Each track has been divided to a set of sections, where the center of each section is separated by the sample frequency of the satellite times it's velocity.

The data located within the sections limits represent the altimetry time-series on which the statistics will be calculated and visualized in this report.

2.3 Filtering

- The sla has been filtered by a threshold of 1 m.
- Each sla time-serie has been filtered by a window of $[-4\sigma, 4\sigma]$, where σ is the standard deviation of the sla time serie

3 Spatial coherence analysis

3.1 sla

3.1.1 sla 's count




FIGURE 1 – Spatial coherence analysis of the count of the Wet_rad version of the sla variable




FIGURE 2 – Spatial coherence analysis of the count of the Wet_gpd version of sla variable




FIGURE 3 – Spatial coherence analysis of the count of the Wet_ecmwf version of sla variable




FIGURE 4 – Spatial coherence analysis of the Difference in sla 's count between Wet_gpd and Wet_rad

Wet_ecmwf - Wet_rad




FIGURE 5 – Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_rad

Wet_ecmwf - Wet_gpd




FIGURE 6 – Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_gpd

3.1.2 sla's std




FIGURE 7 – Spatial coherence analysis of the std of the Wet_rad version of sla variable




FIGURE 8 – Spatial coherence analysis of the std of the Wet_gpd version of sla variable




FIGURE 9 – Spatial coherence analysis of the std of the Wet_ecmwf version of sla variable




FIGURE 10 – Spatial coherence analysis of the Difference in sla 's std between Wet_gpd and Wet_rad

Wet_ecmwf - Wet_rad




FIGURE 11 – Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_rad




FIGURE 12 – Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_gpd

3.1.3 sla 's mean




FIGURE 13 – Spatial coherence analysis of the mean of the Wet_rad version of the sla variable




FIGURE 14 – Spatial coherence analysis of the mean of the Wet_gpd version of sla variable




FIGURE 15 – Spatial coherence analysis of the mean of the Wet_ecmwf version of sla variable




FIGURE 16 – Spatial coherence analysis of the Difference in sla 's mean between Wet_gpd and Wet_rad

Wet_ecmwf - Wet_rad




FIGURE 17 – Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_rad




FIGURE 18 – Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_gpd

3.2 Wet

3.2.1 Wet 's count




FIGURE 19 – Spatial coherence analysis of the count of the Wet_rad version of Wet variable




FIGURE 20 – Spatial coherence analysis of the count of the Wet_gpd version of Wet variable




FIGURE 21 – Spatial coherence analysis of the count of the Wet_ecmwf version of Wet variable




FIGURE 22 – Spatial coherence analysis of the Difference in Wet 's count between Wet_gpd and Wet_rad




FIGURE 23 – Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_rad




FIGURE 24 – Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_gpd

3.2.2 Wet's std




FIGURE 25 – Spatial coherence analysis of the std of the Wet_rad version of Wet variable




FIGURE 26 – Spatial coherence analysis of the std of the Wet_gpd version of Wet variable




FIGURE 27 – Spatial coherence analysis of the std of the Wet_ecmwf version of Wet variable




FIGURE 28 – Spatial coherence analysis of the Difference in Wet 's std between Wet_gpd and Wet_rad




FIGURE 29 – Spatial coherence analysis of the Difference in Wet's std between Wet_ecmwf and Wet_rad




FIGURE 30 – Spatial coherence analysis of the Difference in Wet 's std between Wet_ecmwf and Wet_gpd

3.2.3 Wet's mean




FIGURE 31 – Spatial coherence analysis of the mean of the Wet_rad version of Wet variable




FIGURE 32 – Spatial coherence analysis of the mean of the Wet_gpd version of Wet variable




FIGURE 33 – Spatial coherence analysis of the mean of the Wet_ecmwf version of Wet variable




FIGURE 34 – Spatial coherence analysis of the Difference in Wet 's mean between Wet_gpd and Wet_rad

Wet_ecmwf - Wet_rad




FIGURE 35 – Spatial coherence analysis of the Difference in Wet 's mean between Wet_ecmwf and Wet_rad




FIGURE 36 – Spatial coherence analysis of the Difference in Wet 's mean between Wet_ecmwf and Wet_gpd

4 Histograms

4.1 Wet




FIGURE 37 – Histogram of each of Wet version




FIGURE 38 – Histograms of difference of each Wet version and reference one




FIGURE 39 – Histograms of the standard deviation of each Wet version

4.2 sla




FIGURE 40 – Histogram of each of sla version

	min (cm)	max (cm)	mean (cm)	std (cm)
Wet_gpd - Wet_rad	-17.531	11.976	0.318	0.412
Wet_ecmwf - Wet_rad	-17.24	8.32	-0.045	1.103
Wet_ecmwf - Wet_gpd	-15.114	8.037	-0.361	1.042




FIGURE 41 – Histograms of difference of each sla version and reference one




FIGURE 42 – Histograms of the standard deviation of each sla version

5 Along-track analysis

5.1 Wet

5.1.1 Wet 's count




FIGURE 43 – Along-track analysis of Wet 's count

5.1.2 Wet's std




FIGURE 44 – Along-track analysis of Wet's std

5.1.3 Wet's mean




FIGURE 45 – Along-track analysis of Wet's mean

5.2 sla

5.2.1 sla 's count




FIGURE 46 – Along-track analysis of sla 's count

5.2.2 sla 's std




FIGURE 47 – Along-track analysis of sla 's std

5.2.3 sla 's mean




FIGURE 48 – Along-track analysis of sla 's mean

6 Comparison with Insitu Data (Tide Gauge)

The size of the marker representing each point in the figures below increase by getting closer to the coast

6.1 Station : SETE

- Nearest track to SETE station is the track number track146
- The area of interest is limited by :
 - A circle which it's center is the SETE tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.1.1 correlation visualization in maps view % SETE tide gauge

Correlation Altimetry data with respect to SETE Tide gauge data




FIGURE 49 – correlation visualization in maps view % SETE tide gauge

6.1.2 rmsd visualization in maps view % SETE tide gauge

Rmsd (m) Altimetry data with respect to SETE Tide gauge data




FIGURE 50 – rmsd visualization in maps view % SETE tide gauge

6.1.3 std visualization in maps view % SETE tide gauge

Std (m) Altimetry data with respect to SETE Tide gauge data




FIGURE 51 – std visualization in maps view % SETE tide gauge

6.1.4 valid_data_percent visualization in maps view % SETE tide gauge

Valid_Data_Percent (%) Altimetry data with respect to SETE Tide gauge data




FIGURE 52 – valid_data_percent visualization in maps view % SETE tide gauge

6.1.5 Valid data (%) in function of distance to coast/SETE station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 109$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 53 – Valid data (%) in function of distance to coast/SETE station

6.1.6 Std in function of distance to coast/SETE station




FIGURE 54 – Std in function of the distance to the coast/SETE station

6.1.7 Correlation in function of distance to coast/SETE station




FIGURE 55 – Correlation in function of the distance to the coast/SETE station

6.1.8 Taylor Diagram




FIGURE 56 – Taylor diagram

6.1.9 Mean statistics table of products comparison with SETE tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	92.123	0.425	0.125	0.115
Wet_gpd#J3	91.316	0.425	0.125	0.115
Wet_ecmwf#J3	92.17	0.431	0.126	0.116

FIGURE 57 – Mean statistics table of the common points in the altimetry products

6.1.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 109 point.




FIGURE 58 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.2 Station : Mentes

- Nearest track to Mentes station is the track number track109
- The area of interest is limited by :
 - A circle which it's center is the Mentes tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km
 - Latitude limits : [38.5, 39] °

6.2.1 correlation visualization in maps view % Mentes tide gauge

Correlation Altimetry data with respect to Mentes Tide gauge data




FIGURE 59 – correlation visualization in maps view % Mentes tide gauge

6.2.2 rmsd visualization in maps view % Mentes tide gauge

Rmsd (m) Altimetry data with respect to Mentes Tide gauge data




FIGURE 60 – rmsd visualization in maps view % Mentes tide gauge

6.2.3 std visualization in maps view % Mentes tide gauge

Std (m) Altimetry data with respect to Mentes Tide gauge data




FIGURE 61 – std visualization in maps view % Mentes tide gauge

6.2.4 valid_data_percent visualization in maps view % Mentes tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Mentes Tide gauge data




FIGURE 62 – valid_data_percent visualization in maps view % Mentes tide gauge

6.2.5 Valid data (%) in function of distance to coast/Mentes station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 110$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 63 – Valid data (%) in function of distance to coast/Mentes station

6.2.6 Std in function of distance to coast/Mentes station




FIGURE 64 – Std in function of the distance to the coast/Mentes station

6.2.7 Correlation in function of distance to coast/Mentes station




FIGURE 65 – Correlation in function of the distance to the coast/Mentes station

6.2.8 Taylor Diagram




FIGURE 66 – Taylor diagram

6.2.9 Mean statistics table of products comparison with Mentes tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	86.573	0.343	0.115	0.111
Wet_gpd#J3	86.587	0.357	0.116	0.11
Wet_ecmwf#J3	86.615	0.356	0.116	0.111

FIGURE 67 – Mean statistics table of the common points in the altimetry products

6.2.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 110 point.




FIGURE 68 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.3 Station : Ibiza

- Nearest track to Ibiza station is the track number track248
- The area of interest is limited by :
 - A circle which it's center is the Ibiza tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km
 - Latitude limits : [38.6, 39.05] °

6.3.1 correlation visualization in maps view % Ibiza tide gauge

Correlation Altimetry data with respect to Ibiza Tide gauge data




FIGURE 69 – correlation visualization in maps view % Ibiza tide gauge

6.3.2 rmsd visualization in maps view % Ibiza tide gauge

Rmsd (m) Altimetry data with respect to Ibiza Tide gauge data




FIGURE 70 – rmsd visualization in maps view % Ibiza tide gauge

6.3.3 std visualization in maps view % Ibiza tide gauge

Std (m) Altimetry data with respect to Ibiza Tide gauge data




FIGURE 71 – std visualization in maps view % Ibiza tide gauge

6.3.4 valid_data_percent visualization in maps view % Ibiza tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Ibiza Tide gauge data




FIGURE 72 – valid_data_percent visualization in maps view % Ibiza tide gauge

6.3.5 Valid data (%) in function of distance to coast/Ibiza station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 110$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 73 – Valid data (%) in function of distance to coast/Ibiza station

6.3.6 Std in function of distance to coast/Ibiza station





FIGURE 74 – Std in function of the distance to the coast/Ibiza station

6.3.7 Correlation in function of distance to coast/Ibiza station




FIGURE 75 – Correlation in function of the distance to the coast/Ibiza station

6.3.8 Taylor Diagram




FIGURE 76 – Taylor diagram

6.3.9 Mean statistics table of products comparison with Ibiza tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	96.822	0.336	0.127	0.119
Wet_gpd#J3	95.011	0.345	0.126	0.119
Wet_ecmwf#J3	96.807	0.33	0.126	0.119

FIGURE 77 – Mean statistics table of the common points in the altimetry products

6.3.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 110 point.




FIGURE 78 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.4 Station : LA FIGUEIRETTE

- Nearest track to LA FIGUEIRETTE station is the track number track222
- The area of interest is limited by :
 - A circle which it's center is the LA FIGUEIRETTE tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.4.1 correlation visualization in maps view % LA FIGUEIRETTE tide gauge

Correlation Altimetry data with respect to LA FIGUEIRETTE Tide gauge data




FIGURE 79 – correlation visualization in maps view % LA FIGUEIRETTE tide gauge

6.4.2 rmsd visualization in maps view % LA FIGUEIRETTE tide gauge

Rmsd (m) Altimetry data with respect to LA FIGUEIRETTE Tide gauge data




FIGURE 80 – rmsd visualization in maps view % LA FIGUEIRETTE tide gauge

6.4.3 std visualization in maps view % LA FIGUEIRETTE tide gauge

Std (m) Altimetry data with respect to LA FIGUEIRETTE Tide gauge data




FIGURE 81 – std visualization in maps view % LA FIGUEIRETTE tide gauge

6.4.4 valid_data_percent visualization in maps view % LA FIGUEIRETTE tide gauge

Valid_Data_Percent (%) Altimetry data with respect to LA FIGUEIRETTE Tide gauge data




FIGURE 82 – valid_data_percent visualization in maps view % LA FIGUEIRETTE tide gauge

6.4.5 Valid data (%) in function of distance to coast/LA FIGUEIRETTE station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 110$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 83 – Valid data (%) in function of distance to coast/LA_FIGUEIRETTE station

6.4.6 Std in function of distance to coast/LA FIGUEIRETTE station





FIGURE 84 – Std in function of the distance to the coast/LA FIGUEIRETTE station

6.4.7 Correlation in function of distance to coast/LA_FIGUEIRETTE station





FIGURE 85 – Correlation in function of the distance to the coast/LA_FIGUEIRETTE station

6.4.8 Taylor Diagram




FIGURE 86 – Taylor diagram

6.4.9 Mean statistics table of products comparison with LA_FIGUEIRETTE tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	92.637	0.395	0.122	0.113
Wet_gpd#J3	91.74	0.397	0.121	0.111
Wet_ecmwf#J3	92.649	0.396	0.121	0.111

FIGURE 87 – Mean statistics table of the common points in the altimetry products

6.4.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 110 point.




FIGURE 88 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.5 Station : Ancona

- Nearest track to Ancona station is the track number track161
- The area of interest is limited by :
 - A circle which it's center is the Ancona tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.5.1 correlation visualization in maps view % Ancona tide gauge

Correlation Altimetry data with respect to Ancona Tide gauge data




FIGURE 89 – correlation visualization in maps view % Ancona tide gauge

6.5.2 rmsd visualization in maps view % Ancona tide gauge

Rmsd (m) Altimetry data with respect to Ancona Tide gauge data




FIGURE 90 – rmsd visualization in maps view % Ancona tide gauge

6.5.3 std visualization in maps view % Ancona tide gauge

Std (m) Altimetry data with respect to Ancona Tide gauge data




FIGURE 91 – std visualization in maps view % Ancona tide gauge

6.5.4 valid_data_percent visualization in maps view % Ancona tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Ancona Tide gauge data




FIGURE 92 – valid_data_percent visualization in maps view % Ancona tide gauge

6.5.5 Valid data (%) in function of distance to coast/Ancona station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 110$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 93 – Valid data (%) in function of distance to coast/Ancona station

6.5.6 Std in function of distance to coast/Ancona station




FIGURE 94 – Std in function of the distance to the coast/Ancona station

6.5.7 Correlation in function of distance to coast/Ancona station




FIGURE 95 – Correlation in function of the distance to the coast/Ancona station

6.5.8 Taylor Diagram




FIGURE 96 – Taylor diagram

6.5.9 Mean statistics table of products comparison with Ancona tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	86.162	0.494	0.154	0.135
Wet_gpd#J3	85.296	0.504	0.154	0.134
Wet_ecmwf#J3	86.162	0.494	0.153	0.134

FIGURE 97 – Mean statistics table of the common points in the altimetry products

6.5.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 110 point.




FIGURE 98 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.6 Station : Livourne

- Nearest track to Livourne station is the track number track85
- The area of interest is limited by :
 - A circle which it's center is the Livourne tide gauge station location and has a Raduis of 40 Km
 - Maximum distance to the coast : 20 Km

6.6.1 correlation visualization in maps view % Livourne tide gauge

Correlation Altimetry data with respect to Livourne Tide gauge data




FIGURE 99 – correlation visualization in maps view % Livourne tide gauge

6.6.2 rmsd visualization in maps view % Livourne tide gauge

Rmsd (m) Altimetry data with respect to Livourne Tide gauge data




FIGURE 100 – rmsd visualization in maps view % Livourne tide gauge

6.6.3 std visualization in maps view % Livourne tide gauge

Std (m) Altimetry data with respect to Livourne Tide gauge data




FIGURE 101 – std visualization in maps view % Livourne tide gauge

6.6.4 valid_data_percent visualization in maps view % Livourne tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Livourne Tide gauge data




FIGURE 102 – valid_data_percent visualization in maps view % Livourne tide gauge

6.6.5 Valid data (%) in function of distance to coast/Livourne station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 109$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 103 – Valid data (%) in function of distance to coast/Livourne station

6.6.6 Std in function of distance to coast/Livourne station





FIGURE 104 – Std in function of the distance to the coast/Livourne station

6.6.7 Correlation in function of distance to coast/Livourne station




FIGURE 105 – Correlation in function of the distance to the coast/Livourne station

6.6.8 Taylor Diagram




FIGURE 106 – Taylor diagram

6.6.9 Mean statistics table of products comparison with Livourne tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	92.539	0.338	0.128	0.121
Wet_gpd#J3	92.377	0.342	0.128	0.12
Wet_ecmwf#J3	92.539	0.34	0.128	0.121

FIGURE 107 – Mean statistics table of the common points in the altimetry products

6.6.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 109 point.




FIGURE 108 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.7 Station : MONACO_FONTVIEILLE

- Nearest track to MONACO_FONTVIEILLE station is the track number track9
- The area of interest is limited by :
 - A circle which it's center is the MONACO_FONTVIEILLE tide gauge station location and has a Raduis of 40 Km

6.7.1 correlation visualization in maps view % MONACO_FONTVIEILLE tide gauge

Correlation Altimetry data with respect to MONACO_FONTVIEILLE Tide gauge data




FIGURE 109 – correlation visualization in maps view % MONACO_FONTVIEILLE tide gauge

6.7.2 rmsd visualization in maps view % MONACO_FONTVIEILLE tide gauge

Rmsd (m) Altimetry data with respect to MONACO_FONTVIEILLE Tide gauge data




FIGURE 110 – rmsd visualization in maps view % MONACO_FONTVIEILLE tide gauge

6.7.3 std visualization in maps view % MONACO_FONTVIEILLE tide gauge

Std (m) Altimetry data with respect to MONACO_FONTVIEILLE Tide gauge data




FIGURE 111 – std visualization in maps view % MONACO_FONTVIEILLE tide gauge

6.7.4 valid_data_percent visualization in maps view % MONACO_FONTVIEILLE tide gauge

Valid_Data_Percent (%) Altimetry data with respect to MONACO_FONTVIEILLE Tide gauge data




FIGURE 112 – valid_data_percent visualization in maps view % MONACO_FONTVIEILLE tide gauge

6.7.5 Valid data (%) in function of distance to coast/MONACO_FONTVIEILLE station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 110$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 113 – Valid data (%) in function of distance to coast/MONACO_FONTVIEILLE station

6.7.6 Std in function of distance to coast/MONACO_FONTVIEILLE station





FIGURE 114 – Std in function of the distance to the coast/MONACO_FONTVIEILLE station

6.7.7 Correlation in function of distance to coast/MONACO_FONTVIEILLE station




FIGURE 115 – Correlation in function of the distance to the coast/MONACO_FONTVIEILLE station

6.7.8 Taylor Diagram




FIGURE 116 – Taylor diagram

6.7.9 Mean statistics table of products comparison with MONACO_FONTVIEILLE tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	92.586	0.311	0.12	0.114
Wet_gpd#J3	92.601	0.31	0.12	0.115
Wet_ecmwf#J3	92.611	0.306	0.121	0.115

FIGURE 117 – Mean statistics table of the common points in the altimetry products

6.7.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 110 point.




FIGURE 118 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.8 Station : Erdemli

- Nearest track to Erdemli station is the track number track68
- The area of interest is limited by :
 - A circle which it's center is the Erdemli tide gauge station location and has a Raduis of 40 Km

6.8.1 correlation visualization in maps view % Erdemli tide gauge

Correlation Altimetry data with respect to Erdemli Tide gauge data




FIGURE 119 – correlation visualization in maps view % Erdemli tide gauge

6.8.2 rmsd visualization in maps view % Erdemli tide gauge

Rmsd (m) Altimetry data with respect to Erdemli Tide gauge data




FIGURE 120 – rmsd visualization in maps view % Erdemli tide gauge

6.8.3 std visualization in maps view % Erdemli tide gauge

Std (m) Altimetry data with respect to Erdemli Tide gauge data




FIGURE 121 – std visualization in maps view % Erdemli tide gauge

6.8.4 valid_data_percent visualization in maps view % Erdemli tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Erdemli Tide gauge data




FIGURE 122 – valid_data_percent visualization in maps view % Erdemli tide gauge

6.8.5 Valid data (%) in function of distance to coast/Erdemli station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 99$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 123 – Valid data (%) in function of distance to coast/Erdemli station

6.8.6 Std in function of distance to coast/Erdemli station




FIGURE 124 – Std in function of the distance to the coast/Erdemli station

6.8.7 Correlation in function of distance to coast/Erdemli station




FIGURE 125 – Correlation in function of the distance to the coast/Erdemli station

6.8.8 Taylor Diagram




FIGURE 126 – Taylor diagram

6.8.9 Mean statistics table of products comparison with Erdemli tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	95.077	0.233	0.125	0.129
Wet_gpd#J3	95.077	0.238	0.125	0.129
Wet_ecmwf#J3	95.094	0.27	0.124	0.126

FIGURE 127 – Mean statistics table of the common points in the altimetry products

6.8.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 99 point.




FIGURE 128 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 129 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie

6.9 Station : Almeria

- Nearest track to Almeria station is the track number track96
- The area of interest is limited by :
 - A circle which it's center is the Almeria tide gauge station location and has a Raduis of 40 Km

6.9.1 correlation visualization in maps view % Almeria tide gauge

Correlation Altimetry data with respect to Almeria Tide gauge data




FIGURE 130 – correlation visualization in maps view % Almeria tide gauge

6.9.2 rmsd visualization in maps view % Almeria tide gauge

Rmsd (m) Altimetry data with respect to Almeria Tide gauge data




FIGURE 131 – rmsd visualization in maps view % Almeria tide gauge

6.9.3 std visualization in maps view % Almeria tide gauge

Std (m) Altimetry data with respect to Almeria Tide gauge data




FIGURE 132 – std visualization in maps view % Almeria tide gauge

6.9.4 valid_data_percent visualization in maps view % Almeria tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Almeria Tide gauge data




FIGURE 133 – valid_data_percent visualization in maps view % Almeria tide gauge

6.9.5 Valid data (%) in function of distance to coast/Almeria station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 109$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 134 – Valid data (%) in function of distance to coast/Almeria station

6.9.6 Std in function of distance to coast/Almeria station




FIGURE 135 – Std in function of the distance to the coast/Almeria station

6.9.7 Correlation in function of distance to coast/Almeria station




FIGURE 136 – Correlation in function of the distance to the coast/Almeria station

6.9.8 Taylor Diagram




FIGURE 137 – Taylor diagram

6.9.9 Mean statistics table of products comparison with Almeria tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	95.507	0.242	0.123	0.122
Wet_gpd#J3	95.507	0.247	0.123	0.122
Wet_ecmwf#J3	95.498	0.268	0.124	0.122

FIGURE 138 – Mean statistics table of the common points in the altimetry products

6.9.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 109 point.




FIGURE 139 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.10 Station : Civitavecchia

- Nearest track to Civitavecchia station is the track number track161
- The area of interest is limited by :
 - A circle which it's center is the Civitavecchia tide gauge station location and has a Raduis of 40 Km

6.10.1 correlation visualization in maps view % Civitavecchia tide gauge

Correlation Altimetry data with respect to Civitavecchia Tide gauge data




FIGURE 140 – correlation visualization in maps view % Civitavecchia tide gauge

6.10.2 rmsd visualization in maps view % Civitavecchia tide gauge

Rmsd (m) Altimetry data with respect to Civitavecchia Tide gauge data




FIGURE 141 – rmsd visualization in maps view % Civitavecchia tide gauge

6.10.3 std visualization in maps view % Civitavecchia tide gauge

Std (m) Altimetry data with respect to Civitavecchia Tide gauge data




FIGURE 142 – std visualization in maps view % Civitavecchia tide gauge

6.10.4 valid_data_percent visualization in maps view % Civitavecchia tide gauge

Valid_Data_Percent (%) Altimetry data with respect to Civitavecchia Tide gauge data




FIGURE 143 – valid_data_percent visualization in maps view % Civitavecchia tide gauge

6.10.5 Valid data (%) in function of distance to coast/Civitavecchia station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 110$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 144 – Valid data (%) in function of distance to coast/Civitavecchia station

6.10.6 Std in function of distance to coast/Civitavecchia station




FIGURE 145 – Std in function of the distance to the coast/Civitavecchia station

6.10.7 Correlation in function of distance to coast/Civitavecchia station




FIGURE 146 – Correlation in function of the distance to the coast/Civitavecchia station

6.10.8 Taylor Diagram




FIGURE 147 – Taylor diagram

6.10.9 Mean statistics table of products comparison with Civitavecchia tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	95.271	0.342	0.114	0.108
Wet_gpd#J3	94.37	0.344	0.114	0.108
Wet_ecmwf#J3	95.279	0.351	0.115	0.109

FIGURE 148 – Mean statistics table of the common points in the altimetry products

6.10.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 110 point.




FIGURE 149 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

6.11 Station : FOS-SUR-MER

- Nearest track to FOS-SUR-MER station is the track number track187
- The area of interest is limited by :
 - A circle which it's center is the FOS-SUR-MER tide gauge station location and has a Raduis of 40 Km

6.11.1 correlation visualization in maps view % FOS-SUR-MER tide gauge

Correlation Altimetry data with respect to FOS-SUR-MER Tide gauge data




FIGURE 150 – correlation visualization in maps view % FOS-SUR-MER tide gauge

6.11.2 rmsd visualization in maps view % FOS-SUR-MER tide gauge

Rmsd (m) Altimetry data with respect to FOS-SUR-MER Tide gauge data




FIGURE 151 – rmsd visualization in maps view % FOS-SUR-MER tide gauge

6.11.3 std visualization in maps view % FOS-SUR-MER tide gauge

Std (m) Altimetry data with respect to FOS-SUR-MER Tide gauge data




FIGURE 152 – std visualization in maps view % FOS-SUR-MER tide gauge

6.11.4 valid_data_percent visualization in maps view % FOS-SUR-MER tide gauge

Valid_Data_Percent (%) Altimetry data with respect to FOS-SUR-MER Tide gauge data




FIGURE 153 – valid_data_percent visualization in maps view % FOS-SUR-MER tide gauge

6.11.5 Valid data (%) in function of distance to coast/FOS-SUR-MER station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where $pvdi$ and nvd are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie, i is the index of the time serie, np is the number of the selected altimetry time series. $maxNB = 107$ point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.




FIGURE 154 – Valid data (%) in function of distance to coast/FOS-SUR-MER station

6.11.6 Std in function of distance to coast/FOS-SUR-MER station




FIGURE 155 – Std in function of the distance to the coast/FOS-SUR-MER station

6.11.7 Correlation in function of distance to coast/FOS-SUR-MER station




FIGURE 156 – Correlation in function of the distance to the coast/FOS-SUR-MER station

6.11.8 Taylor Diagram




FIGURE 157 – Taylor diagram

6.11.9 Mean statistics table of products comparison with FOS-SUR-MER tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	88.53	0.375	0.118	0.112
Wet_gpd#J3	88.551	0.378	0.119	0.113
Wet_ecmwf#J3	89.38	0.376	0.118	0.112

FIGURE 158 – Mean statistics table of the common points in the altimetry products

6.11.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 107 point.




FIGURE 159 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie




FIGURE 160 – The 2nd most correlated sla altimetry Time serie with tide gauge sla time serie