

DIAGTOOL REPORT



---

**Round Robin (GT cotier) : Wet tropospheric correction. Nea. J3. Wet rad vs Wet gpd vs Wet ecmwf.**

# Table of Contents

<b>1 General description</b>	<b>7</b>
<b>2 Processing</b>	<b>7</b>
2.1 sla formula . . . . .	7
2.1.1 Wet_rad product ' sla . . . . .	7
2.1.2 Wet_gpd product ' sla . . . . .	8
2.1.3 Wet_ecmwf product ' sla . . . . .	8
2.2 Binning . . . . .	8
2.3 Filtering . . . . .	8
<b>3 Spatial coherence analysis</b>	<b>9</b>
3.1 sla . . . . .	9
3.1.1 sla 's count . . . . .	9
3.1.2 sla 's std . . . . .	15
3.1.3 sla 's mean . . . . .	21
3.2 Wet . . . . .	27
3.2.1 Wet 's count . . . . .	27
3.2.2 Wet 's std . . . . .	33
3.2.3 Wet 's mean . . . . .	39
<b>4 Histograms</b>	<b>45</b>
4.1 Wet . . . . .	45
4.2 sla . . . . .	48
<b>5 Along-track analysis</b>	<b>51</b>
5.1 Wet . . . . .	51
5.1.1 Wet 's count . . . . .	51
5.1.2 Wet 's std . . . . .	52
5.1.3 Wet 's mean . . . . .	53
5.2 sla . . . . .	54
5.2.1 sla 's count . . . . .	54
5.2.2 sla 's std . . . . .	55
5.2.3 sla 's mean . . . . .	56
<b>6 Comparison with Insitu Data (Tide Gauge)</b>	<b>57</b>
6.1 Station : HERBAUDIERE . . . . .	57
6.1.1 correlation visualization in maps view % HERBAUDIERE tide gauge . . . . .	57
6.1.2 rmsd visualization in maps view % HERBAUDIERE tide gauge . . . . .	58
6.1.3 std visualization in maps view % HERBAUDIERE tide gauge . . . . .	59
6.1.4 valid_data_percent visualization in maps view % HERBAUDIERE tide gauge . . . . .	60
6.1.5 Valid data (%) in function of distance to coast/HERBAUDIERE station . . . . .	60
6.1.6 Std in function of distance to coast/HERBAUDIERE station . . . . .	62
6.1.7 Correlation in function of distance to coast/HERBAUDIERE station . . . . .	63
6.1.8 Taylor Diagram . . . . .	64
6.1.9 Mean statistics table of products comparison with HERBAUDIERE tide gauge data . . . . .	64

6.1.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	65
6.2	Station : Llandudno . . . . .	66
6.2.1	correlation visualization in maps view % Llandudno tide gauge . . . . .	67
6.2.2	rmsd visualization in maps view % Llandudno tide gauge . . . . .	68
6.2.3	std visualization in maps view % Llandudno tide gauge . . . . .	69
6.2.4	valid_data_percent visualization in maps view % Llandudno tide gauge . . . . .	70
6.2.5	Valid data (%) in function of distance to coast/Llandudno station . . . . .	70
6.2.6	Std in function of distance to coast/Llandudno station . . . . .	72
6.2.7	Correlation in function of distance to coast/Llandudno station . . . . .	73
6.2.8	Taylor Diagram . . . . .	74
6.2.9	Mean statistics table of products comparison with Llandudno tide gauge data . . . . .	74
6.2.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	75
6.3	Station : Newhaven . . . . .	76
6.3.1	correlation visualization in maps view % Newhaven tide gauge . . . . .	77
6.3.2	rmsd visualization in maps view % Newhaven tide gauge . . . . .	78
6.3.3	std visualization in maps view % Newhaven tide gauge . . . . .	79
6.3.4	valid_data_percent visualization in maps view % Newhaven tide gauge . . . . .	80
6.3.5	Valid data (%) in function of distance to coast/Newhaven station . . . . .	80
6.3.6	Std in function of distance to coast/Newhaven station . . . . .	82
6.3.7	Correlation in function of distance to coast/Newhaven station . . . . .	83
6.3.8	Taylor Diagram . . . . .	84
6.3.9	Mean statistics table of products comparison with Newhaven tide gauge data . . . . .	84
6.3.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	85
6.4	Station : CALAIS . . . . .	86
6.4.1	correlation visualization in maps view % CALAIS tide gauge . . . . .	87
6.4.2	rmsd visualization in maps view % CALAIS tide gauge . . . . .	88
6.4.3	std visualization in maps view % CALAIS tide gauge . . . . .	89
6.4.4	valid_data_percent visualization in maps view % CALAIS tide gauge . . . . .	90
6.4.5	Valid data (%) in function of distance to coast/CALAIS station . . . . .	90
6.4.6	Std in function of distance to coast/CALAIS station . . . . .	92
6.4.7	Correlation in function of distance to coast/CALAIS station . . . . .	93
6.4.8	Taylor Diagram . . . . .	94
6.4.9	Mean statistics table of products comparison with CALAIS tide gauge data . . . . .	94
6.4.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	95
6.5	Station : Portpatrick . . . . .	96
6.5.1	correlation visualization in maps view % Portpatrick tide gauge . . . . .	97
6.5.2	rmsd visualization in maps view % Portpatrick tide gauge . . . . .	98
6.5.3	std visualization in maps view % Portpatrick tide gauge . . . . .	99
6.5.4	valid_data_percent visualization in maps view % Portpatrick tide gauge . . . . .	100
6.5.5	Valid data (%) in function of distance to coast/Portpatrick station . . . . .	100
6.5.6	Std in function of distance to coast/Portpatrick station . . . . .	102
6.5.7	Correlation in function of distance to coast/Portpatrick station . . . . .	103
6.5.8	Taylor Diagram . . . . .	104
6.5.9	Mean statistics table of products comparison with Portpatrick tide gauge data . . . . .	104
6.5.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	105

6.6	Station : Newlyn . . . . .	106
6.6.1	correlation visualization in maps view % Newlyn tide gauge . . . . .	107
6.6.2	rmsd visualization in maps view % Newlyn tide gauge . . . . .	108
6.6.3	std visualization in maps view % Newlyn tide gauge . . . . .	109
6.6.4	valid_data_percent visualization in maps view % Newlyn tide gauge . . . . .	110
6.6.5	Valid data (%) in function of distance to coast/Newlyn station . . . . .	110
6.6.6	Std in function of distance to coast/Newlyn station . . . . .	112
6.6.7	Correlation in function of distance to coast/Newlyn station . . . . .	113
6.6.8	Taylor Diagram . . . . .	114
6.6.9	Mean statistics table of products comparison with Newlyn tide gauge data . . . . .	114
6.6.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	115
6.7	Station : LE_CONQUET . . . . .	116
6.7.1	correlation visualization in maps view % LE_CONQUET tide gauge . . . . .	117
6.7.2	rmsd visualization in maps view % LE_CONQUET tide gauge . . . . .	118
6.7.3	std visualization in maps view % LE_CONQUET tide gauge . . . . .	119
6.7.4	valid_data_percent visualization in maps view % LE_CONQUET tide gauge . . . . .	120
6.7.5	Valid data (%) in function of distance to coast/LE_CONQUET station . . . . .	120
6.7.6	Std in function of distance to coast/LE_CONQUET station . . . . .	122
6.7.7	Correlation in function of distance to coast/LE_CONQUET station . . . . .	123
6.7.8	Taylor Diagram . . . . .	124
6.7.9	Mean statistics table of products comparison with LE_CONQUET tide gauge data . . . . .	124
6.7.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	125
6.8	Station : Holyhead . . . . .	126
6.8.1	correlation visualization in maps view % Holyhead tide gauge . . . . .	127
6.8.2	rmsd visualization in maps view % Holyhead tide gauge . . . . .	128
6.8.3	std visualization in maps view % Holyhead tide gauge . . . . .	129
6.8.4	valid_data_percent visualization in maps view % Holyhead tide gauge . . . . .	130
6.8.5	Valid data (%) in function of distance to coast/Holyhead station . . . . .	130
6.8.6	Std in function of distance to coast/Holyhead station . . . . .	132
6.8.7	Correlation in function of distance to coast/Holyhead station . . . . .	133
6.8.8	Taylor Diagram . . . . .	134
6.8.9	Mean statistics table of products comparison with Holyhead tide gauge data . . . . .	134
6.8.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	135
6.9	Station : LE_CROUESTY . . . . .	136
6.9.1	correlation visualization in maps view % LE_CROUESTY tide gauge . . . . .	137
6.9.2	rmsd visualization in maps view % LE_CROUESTY tide gauge . . . . .	138
6.9.3	std visualization in maps view % LE_CROUESTY tide gauge . . . . .	139
6.9.4	valid_data_percent visualization in maps view % LE_CROUESTY tide gauge . . . . .	140
6.9.5	Valid data (%) in function of distance to coast/LE_CROUESTY station . . . . .	140
6.9.6	Std in function of distance to coast/LE_CROUESTY station . . . . .	142
6.9.7	Correlation in function of distance to coast/LE_CROUESTY station . . . . .	143
6.9.8	Taylor Diagram . . . . .	144
6.9.9	Mean statistics table of products comparison with LE_CROUESTY tide gauge data . . . . .	144
6.9.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	145
6.10	Station : North_Shields . . . . .	146

6.10.1	correlation visualization in maps view % North_Shields tide gauge . . . . .	147
6.10.2	rmsd visualization in maps view % North_Shields tide gauge . . . . .	148
6.10.3	std visualization in maps view % North_Shields tide gauge . . . . .	149
6.10.4	valid_data_percent visualization in maps view % North_Shields tide gauge . . . . .	150
6.10.5	Valid data (%) in function of distance to coast/North_Shields station . . . . .	150
6.10.6	Std in function of distance to coast/North_Shields station . . . . .	152
6.10.7	Correlation in function of distance to coast/North_Shields station . . . . .	153
6.10.8	Taylor Diagram . . . . .	154
6.10.9	Mean statistics table of products comparison with North_Shields tide gauge data . . . . .	154
6.10.10	The most correlated sla altimetry Time series with the tide gauge sla time serie . . . . .	155

## Table des figures

1	Spatial coherence analysis of the count of the Wet_rad version of sla variable . . . . .	9
2	Spatial coherence analysis of the count of the Wet_gpd version of sla variable . . . . .	10
3	Spatial coherence analysis of the count of the Wet_ecmwf version of sla variable . . . . .	11
4	Spatial coherence analysis of the Difference in sla 's count between Wet_gpd and Wet_rad . . . . .	12
5	Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_rad . . . . .	13
6	Spatial coherence analysis of the Difference in sla 's count between Wet_ecmwf and Wet_gpd . . . . .	14
7	Spatial coherence analysis of the std of the Wet_rad version of sla variable . . . . .	15
8	Spatial coherence analysis of the std of the Wet_gpd version of sla variable . . . . .	16
9	Spatial coherence analysis of the std of the Wet_ecmwf version of sla variable . . . . .	17
10	Spatial coherence analysis of the Difference in sla 's std between Wet_gpd and Wet_rad . . . . .	18
11	Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_rad . . . . .	19
12	Spatial coherence analysis of the Difference in sla 's std between Wet_ecmwf and Wet_gpd . . . . .	20
13	Spatial coherence analysis of the mean of the Wet_rad version of sla variable . . . . .	21
14	Spatial coherence analysis of the mean of the Wet_gpd version of sla variable . . . . .	22
15	Spatial coherence analysis of the mean of the Wet_ecmwf version of sla variable . . . . .	23
16	Spatial coherence analysis of the Difference in sla 's mean between Wet_gpd and Wet_rad . . . . .	24
17	Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_rad . . . . .	25
18	Spatial coherence analysis of the Difference in sla 's mean between Wet_ecmwf and Wet_gpd . . . . .	26
19	Spatial coherence analysis of the count of the Wet_rad version of Wet variable . . . . .	27
20	Spatial coherence analysis of the count of the Wet_gpd version of Wet variable . . . . .	28
21	Spatial coherence analysis of the count of the Wet_ecmwf version of Wet variable . . . . .	29
22	Spatial coherence analysis of the Difference in Wet 's count between Wet_gpd and Wet_rad . . . . .	30
23	Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_rad . . . . .	31
24	Spatial coherence analysis of the Difference in Wet 's count between Wet_ecmwf and Wet_gpd . . . . .	32
25	Spatial coherence analysis of the std of the Wet_rad version of Wet variable . . . . .	33
26	Spatial coherence analysis of the std of the Wet_gpd version of Wet variable . . . . .	34
27	Spatial coherence analysis of the std of the Wet_ecmwf version of Wet variable . . . . .	35
28	Spatial coherence analysis of the Difference in Wet 's std between Wet_gpd and Wet_rad . . . . .	36
29	Spatial coherence analysis of the Difference in Wet 's std between Wet_ecmwf and Wet_rad . . . . .	37
30	Spatial coherence analysis of the Difference in Wet 's std between Wet_ecmwf and Wet_gpd . . . . .	38
31	Spatial coherence analysis of the mean of the Wet_rad version of Wet variable . . . . .	39
32	Spatial coherence analysis of the mean of the Wet_gpd version of Wet variable . . . . .	40

33	Spatial coherence analysis of the mean of the Wet_ecmwf version of Wet variable . . . . .	41
34	Spatial coherence analysis of the Difference in Wet 's mean between Wet_gpd and Wet_rad . . . . .	42
35	Spatial coherence analysis of the Difference in Wet 's mean between Wet_ecmwf and Wet_rad . . . . .	43
36	Spatial coherence analysis of the Difference in Wet 's mean between Wet_ecmwf and Wet_gpd . . . . .	44
37	Histogram of each of Wet version . . . . .	45
38	Histograms of difference of each Wet version and reference one . . . . .	46
39	Histograms of the standard deviation of each Wet version . . . . .	47
40	Histogram of each of sla version . . . . .	48
41	Histograms of difference of each sla version and reference one . . . . .	49
42	Histograms of the standard deviation of each sla version . . . . .	50
43	Along-track analysis of Wet 's count . . . . .	51
44	Along-track analysis of Wet 's std . . . . .	52
45	Along-track analysis of Wet 's mean . . . . .	53
46	Along-track analysis of sla 's count . . . . .	54
47	Along-track analysis of sla 's std . . . . .	55
48	Along-track analysis of sla 's mean . . . . .	56
49	correlation visualization in maps view % HERBAUDIERE tide gauge . . . . .	57
50	rmsd visualization in maps view % HERBAUDIERE tide gauge . . . . .	58
51	std visualization in maps view % HERBAUDIERE tide gauge . . . . .	59
52	valid_data_percent visualization in maps view % HERBAUDIERE tide gauge . . . . .	60
53	Valid data (%) in function of distance to coast/HERBAUDIERE station . . . . .	61
54	Std in function of the distance to the coast/HERBAUDIERE station . . . . .	62
55	Correlation in function of the distance to the coast/HERBAUDIERE station . . . . .	63
56	Taylor diagram . . . . .	64
57	Mean statistics table of the common points in the altimetry products . . . . .	65
58	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	66
59	correlation visualization in maps view % Llandudno tide gauge . . . . .	67
60	rmsd visualization in maps view % Llandudno tide gauge . . . . .	68
61	std visualization in maps view % Llandudno tide gauge . . . . .	69
62	valid_data_percent visualization in maps view % Llandudno tide gauge . . . . .	70
63	Valid data (%) in function of distance to coast/Llandudno station . . . . .	71
64	Std in function of the distance to the coast/Llandudno station . . . . .	72
65	Correlation in function of the distance to the coast/Llandudno station . . . . .	73
66	Taylor diagram . . . . .	74
67	Mean statistics table of the common points in the altimetry products . . . . .	75
68	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	76
69	correlation visualization in maps view % Newhaven tide gauge . . . . .	77
70	rmsd visualization in maps view % Newhaven tide gauge . . . . .	78
71	std visualization in maps view % Newhaven tide gauge . . . . .	79
72	valid_data_percent visualization in maps view % Newhaven tide gauge . . . . .	80
73	Valid data (%) in function of distance to coast/Newhaven station . . . . .	81
74	Std in function of the distance to the coast/Newhaven station . . . . .	82
75	Correlation in function of the distance to the coast/Newhaven station . . . . .	83
76	Taylor diagram . . . . .	84
77	Mean statistics table of the common points in the altimetry products . . . . .	85

78	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	86
79	correlation visualization in maps view % CALAIS tide gauge . . . . .	87
80	rmsd visualization in maps view % CALAIS tide gauge . . . . .	88
81	std visualization in maps view % CALAIS tide gauge . . . . .	89
82	valid_data_percent visualization in maps view % CALAIS tide gauge . . . . .	90
83	Valid data (%) in function of distance to coast/CALAIS station . . . . .	91
84	Std in function of the distance to the coast/CALAIS station . . . . .	92
85	Correlation in function of the distance to the coast/CALAIS station . . . . .	93
86	Taylor diagram . . . . .	94
87	Mean statistics table of the common points in the altimetry products . . . . .	95
88	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	96
89	correlation visualization in maps view % Portpatrick tide gauge . . . . .	97
90	rmsd visualization in maps view % Portpatrick tide gauge . . . . .	98
91	std visualization in maps view % Portpatrick tide gauge . . . . .	99
92	valid_data_percent visualization in maps view % Portpatrick tide gauge . . . . .	100
93	Valid data (%) in function of distance to coast/Portpatrick station . . . . .	101
94	Std in function of the distance to the coast/Portpatrick station . . . . .	102
95	Correlation in function of the distance to the coast/Portpatrick station . . . . .	103
96	Taylor diagram . . . . .	104
97	Mean statistics table of the common points in the altimetry products . . . . .	105
98	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	106
99	correlation visualization in maps view % Newlyn tide gauge . . . . .	107
100	rmsd visualization in maps view % Newlyn tide gauge . . . . .	108
101	std visualization in maps view % Newlyn tide gauge . . . . .	109
102	valid_data_percent visualization in maps view % Newlyn tide gauge . . . . .	110
103	Valid data (%) in function of distance to coast/Newlyn station . . . . .	111
104	Std in function of the distance to the coast/Newlyn station . . . . .	112
105	Correlation in function of the distance to the coast/Newlyn station . . . . .	113
106	Taylor diagram . . . . .	114
107	Mean statistics table of the common points in the altimetry products . . . . .	115
108	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	116
109	correlation visualization in maps view % LE_CONQUET tide gauge . . . . .	117
110	rmsd visualization in maps view % LE_CONQUET tide gauge . . . . .	118
111	std visualization in maps view % LE_CONQUET tide gauge . . . . .	119
112	valid_data_percent visualization in maps view % LE_CONQUET tide gauge . . . . .	120
113	Valid data (%) in function of distance to coast/LE_CONQUET station . . . . .	121
114	Std in function of the distance to the coast/LE_CONQUET station . . . . .	122
115	Correlation in function of the distance to the coast/LE_CONQUET station . . . . .	123
116	Taylor diagram . . . . .	124
117	Mean statistics table of the common points in the altimetry products . . . . .	125
118	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	126
119	correlation visualization in maps view % Holyhead tide gauge . . . . .	127
120	rmsd visualization in maps view % Holyhead tide gauge . . . . .	128
121	std visualization in maps view % Holyhead tide gauge . . . . .	129
122	valid_data_percent visualization in maps view % Holyhead tide gauge . . . . .	130

123	Valid data (%) in function of distance to coast/Holyhead station . . . . .	131
124	Std in function of the distance to the coast/Holyhead station . . . . .	132
125	Correlation in function of the distance to the coast/Holyhead station . . . . .	133
126	Taylor diagram . . . . .	134
127	Mean statistics table of the common points in the altimetry products . . . . .	135
128	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	136
129	correlation visualization in maps view % LE_CROUESTY tide gauge . . . . .	137
130	rmsd visualization in maps view % LE_CROUESTY tide gauge . . . . .	138
131	std visualization in maps view % LE_CROUESTY tide gauge . . . . .	139
132	valid_data_percent visualization in maps view % LE_CROUESTY tide gauge . . . . .	140
133	Valid data (%) in function of distance to coast/LE_CROUESTY station . . . . .	141
134	Std in function of the distance to the coast/LE_CROUESTY station . . . . .	142
135	Correlation in function of the distance to the coast/LE_CROUESTY station . . . . .	143
136	Taylor diagram . . . . .	144
137	Mean statistics table of the common points in the altimetry products . . . . .	145
138	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	146
139	correlation visualization in maps view % North_Shields tide gauge . . . . .	147
140	rmsd visualization in maps view % North_Shields tide gauge . . . . .	148
141	std visualization in maps view % North_Shields tide gauge . . . . .	149
142	valid_data_percent visualization in maps view % North_Shields tide gauge . . . . .	150
143	Valid data (%) in function of distance to coast/North_Shields station . . . . .	151
144	Std in function of the distance to the coast/North_Shields station . . . . .	152
145	Correlation in function of the distance to the coast/North_Shields station . . . . .	153
146	Taylor diagram . . . . .	154
147	Mean statistics table of the common points in the altimetry products . . . . .	155
148	The 1st most correlated sla altimetry Time serie with tide gauge sla time serie . . . . .	156

## 1 General description

- Figures and notes have been included in this report to evaluate different altimetry products.
- In order to test different version of the Wet tropospheric correction used to calculate the sea level anomaly. Each version has been compared with a reference version. In this case the Wet\_rad is the reference one.
- The sea level anomaly has been calculated using each version of the variable and has been compared to the sea level anomaly calculated using the reference version.
- The region of study is Nea
- Mission : J3
- Git last tag : 0.9 Ajouter les rapports ssb
- Git changeset number : ddb8b8d-2022-04-25

## 2 Processing

### 2.1 sla formula

#### 2.1.1 Wet\_rad product 'sla

```

sla = ORBIT.ALTI.CNES_POE_F -
      RANGE.ALTI -
      MEAN_SEA_SURFACE.MODEL.CNESCLS15 -
      SEA_STATE_BIAS.ALTI -

```

```

IONOSPHERIC_CORRECTION.MODEL.GIM -
WET_TROPOSPHERIC_CORRECTION.RAD -
DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -
OCEAN_TIDE_HEIGHT.MODEL.FES14B -
SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -
POLE_TIDE_HEIGHT.MODEL.DESAI_2015

```

### 2.1.2 Wet\_gpd product ' sla

```

sla = ORBIT.ALTI.CNES_POE_F -
RANGE.ALTI -
MEAN_SEA_SURFACE.MODEL.CNESCLS15 -
SEA_STATE_BIAS.ALTI -
IONOSPHERIC_CORRECTION.MODEL.GIM -
WET_TROPOSPHERIC_CORRECTION.GPD_PLUS_J3 -
DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -
OCEAN_TIDE_HEIGHT.MODEL.FES14B -
SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -
POLE_TIDE_HEIGHT.MODEL.DESAI_2015

```

### 2.1.3 Wet\_ecmwf product ' sla

```

sla = ORBIT.ALTI.CNES_POE_F -
RANGE.ALTI -
MEAN_SEA_SURFACE.MODEL.CNESCLS15 -
SEA_STATE_BIAS.ALTI -
IONOSPHERIC_CORRECTION.MODEL.GIM -
WET_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
DRY_TROPOSPHERIC_CORRECTION.MODEL.ECMWF -
DYNAMICAL_ATMOSPHERIC_CORRECTION.MODEL.MOG2D_HR -
OCEAN_TIDE_HEIGHT.MODEL.FES14B -
SOLID_EARTH_TIDE_HEIGHT.MODEL.CARTWRIGHT_TAYLER_71 -
POLE_TIDE_HEIGHT.MODEL.DESAI_2015

```

## 2.2 Binning

Each track has been divided to a set of sections, where the center of each section is separated by the sample frequency of the satellitte times it's velocity.

The data located within the sections limits represent the altimetry time-series on which the statistics will be calculated and visualized in this report.

## 2.3 Filtering

- The sla has been filtered by a threashold of 3 m.
- Each sla time-serie has been filtred by a window of  $[-4\sigma, 4\sigma]$ , where  $\sigma$  is the standard deviation of the sla time serie

### 3 Spatial coherence analysis

#### 3.1 sla

##### 3.1.1 sla 's count




FIGURE 1 – Spatial coherence analysis of the count of the Wet\_rad version of sla variable




FIGURE 2 – Spatial coherence analysis of the count of the Wet\_gpd version of sla variable




FIGURE 3 – Spatial coherence analysis of the count of the Wet\_ecmwf version of sla variable




FIGURE 4 – Spatial coherence analysis of the Difference in sla 's count between Wet\_gpd and Wet\_rad




FIGURE 5 – Spatial coherence analysis of the Difference in sla 's count between Wet\_ecmwf and Wet\_rad




FIGURE 6 – Spatial coherence analysis of the Difference in sla 's count between Wet\_ecmwf and Wet\_gpd

### 3.1.2 sla's std




FIGURE 7 – Spatial coherence analysis of the std of the Wet\_rad version of `sla` variable




FIGURE 8 – Spatial coherence analysis of the std of the Wet\_gpd version of sla variable




FIGURE 9 – Spatial coherence analysis of the std of the Wet\_ecmwf version of sla variable




FIGURE 10 – Spatial coherence analysis of the Difference in sla 's std between Wet\_gpd and Wet\_rad




FIGURE 11 – Spatial coherence analysis of the Difference in sla 's std between Wet\_ecmwf and Wet\_rad




FIGURE 12 – Spatial coherence analysis of the Difference in sla 's std between Wet\_ecmwf and Wet\_gpd

### 3.1.3 sla's mean




FIGURE 13 – Spatial coherence analysis of the mean of the Wet\_rad version of the sla variable




FIGURE 14 – Spatial coherence analysis of the mean of the Wet\_gpd version of the sla variable




FIGURE 15 – Spatial coherence analysis of the mean of the Wet\_ecmwf version of the sla variable




FIGURE 16 – Spatial coherence analysis of the Difference in sla 's mean between Wet\_gpd and Wet\_rad




FIGURE 17 – Spatial coherence analysis of the Difference in sla 's mean between Wet\_ecmwf and Wet\_rad




FIGURE 18 – Spatial coherence analysis of the Difference in sla's mean between Wet\_ecmwf and Wet\_gpd

### 3.2 Wet

#### 3.2.1 Wet's count




FIGURE 19 – Spatial coherence analysis of the count of the Wet\_rad version of Wet variable




FIGURE 20 – Spatial coherence analysis of the count of the Wet\_gpd version of Wet variable




FIGURE 21 – Spatial coherence analysis of the count of the Wet\_ecmwf version of Wet variable




FIGURE 22 – Spatial coherence analysis of the Difference in Wet's count between Wet\_gpd and Wet\_rad




FIGURE 23 – Spatial coherence analysis of the Difference in Wet's count between Wet\_ecmwf and Wet\_rad




FIGURE 24 – Spatial coherence analysis of the Difference in Wet's count between Wet\_ecmwf and Wet\_gpd

### 3.2.2 Wet's std




FIGURE 25 – Spatial coherence analysis of the std of the Wet\_rad version of Wet variable




FIGURE 26 – Spatial coherence analysis of the std of the Wet\_gpd version of Wet variable




FIGURE 27 – Spatial coherence analysis of the std of the Wet\_ecmwf version of Wet variable




FIGURE 28 – Spatial coherence analysis of the Difference in Wet's std between Wet\_gpd and Wet\_rad




FIGURE 29 – Spatial coherence analysis of the Difference in Wet's std between Wet\_ecmwf and Wet\_rad




FIGURE 30 – Spatial coherence analysis of the Difference in Wet's std between Wet\_ecmwf and Wet\_gpd

### 3.2.3 Wet's mean




FIGURE 31 – Spatial coherence analysis of the mean of the Wet\_rad version of Wet variable




FIGURE 32 – Spatial coherence analysis of the mean of the Wet\_gpd version of Wet variable




FIGURE 33 – Spatial coherence analysis of the mean of the Wet\_ecmwf version of Wet variable




FIGURE 34 – Spatial coherence analysis of the Difference in Wet's mean between Wet\_gpd and Wet\_rad




FIGURE 35 – Spatial coherence analysis of the Difference in Wet 's mean between Wet\_ecmwf and Wet\_rad




FIGURE 36 – Spatial coherence analysis of the Difference in Wet's mean between Wet\_ecmwf and Wet\_gpd

## 4 Histograms

### 4.1 Wet




FIGURE 37 – Histogram of each of Wet version

	min (cm)	max (cm)	mean (cm)	std (cm)
Wet gpd - Wet rad	-10.767	89.36	-0.356	0.528
Wet ecmwf - Wet rad	-10.1	90.13	-0.279	1.077
Wet ecmwf - Wet gpd	-9.891	12.068	0.077	0.933




FIGURE 38 – Histograms of difference of each Wet version and reference one




FIGURE 39 – Histograms of the standard deviation of each Wet version

## 4.2 sla




FIGURE 40 – Histogram of each of sla version

	min (cm)	max (cm)	mean (cm)	std (cm)
Wet_gpd - Wet_rad	-17.055	10.768	0.336	0.399
Wet_ecmwf - Wet_rad	-16.26	10.1	0.255	1.025
Wet_ecmwf - Wet_gpd	-12.068	7.926	-0.082	0.938




FIGURE 41 – Histograms of difference of each sla version and reference one




FIGURE 42 – Histograms of the standard deviation of each sla version

## 5 Along-track analysis

### 5.1 Wet

#### 5.1.1 Wet 's count




FIGURE 43 – Along-track analysis of Wet 's count

### 5.1.2 Wet's std




FIGURE 44 – Along-track analysis of Wet's std

### 5.1.3 Wet's mean




FIGURE 45 – Along-track analysis of Wet's mean

## 5.2 sla

### 5.2.1 sla 's count




FIGURE 46 – Along-track analysis of sla 's count

### 5.2.2 sla 's std




FIGURE 47 – Along-track analysis of `sla's std`

### 5.2.3 sla 's mean




FIGURE 48 – Along-track analysis of sla 's mean

## 6 Comparison with Insitu Data (Tide Gauge)

The size of the marker representing each point in the figures below increase by getting closer to the tide Gauge station

### 6.1 Station : HERBAUDIERE

- Nearest track to HERBAUDIERE station is the track number track70
- The area of interest is limited by :
  - A circle which it's center is the HERBAUDIERE tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 20 Km
  - Latitude limits : [None, 47.1] °

#### 6.1.1 correlation visualization in maps view % HERBAUDIERE tide gauge

Correlation Altimetry data with respect to HERBAUDIERE Tide gauge data




FIGURE 49 – correlation visualization in maps view % HERBAUDIERE tide gauge

### 6.1.2 rmsd visualization in maps view % HERBAUDIERE tide gauge

Rmsd (m) Altimetry data with respect to HERBAUDIERE Tide gauge data




FIGURE 50 – rmsd visualization in maps view % HERBAUDIERE tide gauge

### 6.1.3 std visualization in maps view % HERBAUDIERE tide gauge

Std (m) Altimetry data with respect to HERBAUDIERE Tide gauge data




FIGURE 51 – std visualization in maps view % HERBAUDIERE tide gauge

#### 6.1.4 valid\_data\_percent visualization in maps view % HERBAUDIERE tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to HERBAUDIERE Tide gauge data




FIGURE 52 – valid\_data\_percent visualization in maps view % HERBAUDIERE tide gauge

#### 6.1.5 Valid data (%) in function of distance to coast/HERBAUDIERE station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 93$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 53 – Valid data (%) in function of distance to coast/HERBAUDIERE station

#### 6.1.6 Std in function of distance to coast/HERBAUDIERE station





FIGURE 54 – Std in function of the distance to the coast/HERBAUDIERE station

#### 6.1.7 Correlation in function of distance to coast/HERBAUDIERE station




FIGURE 55 – Correlation in function of the distance to the coast/HERBAUDIERE station

#### 6.1.8 Taylor Diagram




FIGURE 56 – Taylor diagram

#### 6.1.9 Mean statistics table of products comparison with HERBAUDIERE tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	91.917	0.084	0.502	0.503
Wet_gpd#J3	91.954	0.088	0.504	0.504
Wet_ecmwf#J3	91.954	0.087	0.504	0.504

FIGURE 57 – Mean statistics table of the common points in the altimetry products

#### 6.1.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 93 point.




FIGURE 58 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

## 6.2 Station : Llandudno

- Nearest track to Llandudno station is the track number track222
- The area of interest is limited by :
  - A circle which it's center is the Llandudno tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 20 Km
  - Latitude limits : [None, 53.4] °

### 6.2.1 correlation visualization in maps view % Llandudno tide gauge

Correlation Altimetry data with respect to Llandudno Tide gauge data




FIGURE 59 – correlation visualization in maps view % Llandudno tide gauge

### 6.2.2 rmsd visualization in maps view % Llandudno tide gauge

Rmsd (m) Altimetry data with respect to Llandudno Tide gauge data




FIGURE 60 – rmsd visualization in maps view % Llandudno tide gauge

### 6.2.3 std visualization in maps view % Llandudno tide gauge

Std (m) Altimetry data with respect to Llandudno Tide gauge data




FIGURE 61 – std visualization in maps view % Llandudno tide gauge

#### 6.2.4 valid\_data\_percent visualization in maps view % Llandudno tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to Llandudno Tide gauge data




FIGURE 62 – valid\_data\_percent visualization in maps view % Llandudno tide gauge

#### 6.2.5 Valid data (%) in function of distance to coast/Llandudno station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 78$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 63 – Valid data (%) in function of distance to coast/Llandudno station

#### 6.2.6 Std in function of distance to coast/Llandudno station





FIGURE 64 – Std in function of the distance to the coast/Llandudno station

#### 6.2.7 Correlation in function of distance to coast/Llandudno station




FIGURE 65 – Correlation in function of the distance to the coast/Llandudno station

#### 6.2.8 Taylor Diagram




FIGURE 66 – Taylor diagram

#### 6.2.9 Mean statistics table of products comparison with Llandudno tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	77.991	0.335	0.234	0.225
Wet_gpd#J3	76.852	0.332	0.242	0.233
Wet_ecmwf#J3	78.086	0.338	0.238	0.228

FIGURE 67 – Mean statistics table of the common points in the altimetry products

#### 6.2.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 78 point.




FIGURE 68 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

### 6.3 Station : Newhaven

- Nearest track to Newhaven station is the track number track137
- The area of interest is limited by :
  - A circle which it's center is the Newhaven tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 20 Km

### 6.3.1 correlation visualization in maps view % Newhaven tide gauge

Correlation Altimetry data with respect to Newhaven Tide gauge data




FIGURE 69 – correlation visualization in maps view % Newhaven tide gauge

### 6.3.2 rmsd visualization in maps view % Newhaven tide gauge




FIGURE 70 – rmsd visualization in maps view % Newhaven tide gauge

### 6.3.3 std visualization in maps view % Newhaven tide gauge




FIGURE 71 – std visualization in maps view % Newhaven tide gauge

#### 6.3.4 valid\_data\_percent visualization in maps view % Newhaven tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to Newhaven Tide gauge data




FIGURE 72 – valid\_data\_percent visualization in maps view % Newhaven tide gauge

#### 6.3.5 Valid data (%) in function of distance to coast/Newhaven station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 108$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 73 – Valid data (%) in function of distance to coast/Newhaven station

#### 6.3.6 Std in function of distance to coast/Newhaven station




FIGURE 74 – Std in function of the distance to the coast/Newhaven station

#### 6.3.7 Correlation in function of distance to coast/Newhaven station




FIGURE 75 – Correlation in function of the distance to the coast/Newhaven station

### 6.3.8 Taylor Diagram




FIGURE 76 – Taylor diagram

### 6.3.9 Mean statistics table of products comparison with Newhaven tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	98.131	0.452	0.162	0.145
Wet_gpd#J3	97.231	0.461	0.163	0.145
Wet_ecmwf#J3	98.148	0.458	0.163	0.146

FIGURE 77 – Mean statistics table of the common points in the altimetry products

#### 6.3.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 108 point.




FIGURE 78 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

#### 6.4 Station : CALAIS

- Nearest track to CALAIS station is the track number track44
- The area of interest is limited by :
  - A circle which it's center is the CALAIS tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 14 Km
  - Latitude limits : [50.8, 51.21] °

#### 6.4.1 correlation visualization in maps view % CALAIS tide gauge

Correlation Altimetry data with respect to CALAIS Tide gauge data




FIGURE 79 – correlation visualization in maps view % CALAIS tide gauge

#### 6.4.2 rmsd visualization in maps view % CALAIS tide gauge

Rmsd (m) Altimetry data with respect to CALAIS Tide gauge data




FIGURE 80 – rmsd visualization in maps view % CALAIS tide gauge

#### 6.4.3 std visualization in maps view % CALAIS tide gauge

Std (m) Altimetry data with respect to CALAIS Tide gauge data




FIGURE 81 – std visualization in maps view % CALAIS tide gauge

#### 6.4.4 valid\_data\_percent visualization in maps view % CALAIS tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to CALAIS Tide gauge data




FIGURE 82 – valid\_data\_percent visualization in maps view % CALAIS tide gauge

#### 6.4.5 Valid data (%) in function of distance to coast/CALAIS station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 108$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 83 – Valid data (%) in function of distance to coast/CALAIS station

#### 6.4.6 Std in function of distance to coast/CALAIS station




FIGURE 84 – Std in function of the distance to the coast/CALAIS station

#### 6.4.7 Correlation in function of distance to coast/CALAIS station




FIGURE 85 – Correlation in function of the distance to the coast/CALAIS station

#### 6.4.8 Taylor Diagram




FIGURE 86 – Taylor diagram

#### 6.4.9 Mean statistics table of products comparison with CALAIS tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	85.541	0.476	0.196	0.173
Wet_gpd#J3	85.613	0.469	0.196	0.174
Wet_ecmwf#J3	85.613	0.466	0.196	0.174

FIGURE 87 – Mean statistics table of the common points in the altimetry products

#### 6.4.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 108 point.




FIGURE 88 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

## 6.5 Station : Portpatrick

- Nearest track to Portpatrick station is the track number track87
- The area of interest is limited by :
  - A circle which it's center is the Portpatrick tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 20 Km

### 6.5.1 correlation visualization in maps view % Portpatrick tide gauge

Correlation Altimetry data with respect to Portpatrick Tide gauge data




FIGURE 89 – correlation visualization in maps view % Portpatrick tide gauge

### 6.5.2 rmsd visualization in maps view % Portpatrick tide gauge

Rmsd (m) Altimetry data with respect to Portpatrick Tide gauge data




FIGURE 90 – rmsd visualization in maps view % Portpatrick tide gauge

### 6.5.3 std visualization in maps view % Portpatrick tide gauge

Std (m) Altimetry data with respect to Portpatrick Tide gauge data




FIGURE 91 – std visualization in maps view % Portpatrick tide gauge

#### 6.5.4 valid\_data\_percent visualization in maps view % Portpatrick tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to Portpatrick Tide gauge data




FIGURE 92 – valid\_data\_percent visualization in maps view % Portpatrick tide gauge

#### 6.5.5 Valid data (%) in function of distance to coast/Portpatrick station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 59$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 93 – Valid data (%) in function of distance to coast/Portpatrick station

#### 6.5.6 Std in function of distance to coast/Portpatrick station




FIGURE 94 – Std in function of the distance to the coast/Portpatrick station

#### 6.5.7 Correlation in function of distance to coast/Portpatrick station




FIGURE 95 – Correlation in function of the distance to the coast/Portpatrick station

#### 6.5.8 Taylor Diagram




FIGURE 96 – Taylor diagram

#### 6.5.9 Mean statistics table of products comparison with Portpatrick tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	92.888	0.296	0.162	0.16
Wet_gpd#J3	92.492	0.313	0.162	0.158
Wet_ecmwf#J3	92.872	0.311	0.162	0.158

FIGURE 97 – Mean statistics table of the common points in the altimetry products

#### 6.5.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 59 point.




FIGURE 98 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

## 6.6 Station : Newlyn

- Nearest track to Newlyn station is the track number track70
- The area of interest is limited by :
  - A circle which it's center is the Newlyn tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 20 Km
  - Latitude limits : [49.8, 50.06] °

### 6.6.1 correlation visualization in maps view % Newlyn tide gauge

Correlation Altimetry data with respect to Newlyn Tide gauge data




FIGURE 99 – correlation visualization in maps view % Newlyn tide gauge

### 6.6.2 rmsd visualization in maps view % Newlyn tide gauge

Rmsd (m) Altimetry data with respect to Newlyn Tide gauge data




FIGURE 100 – rmsd visualization in maps view % Newlyn tide gauge

### 6.6.3 std visualization in maps view % Newlyn tide gauge

Std (m) Altimetry data with respect to Newlyn Tide gauge data




FIGURE 101 – std visualization in maps view % Newlyn tide gauge

#### 6.6.4 valid\_data\_percent visualization in maps view % Newlyn tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to Newlyn Tide gauge data




FIGURE 102 – valid\_data\_percent visualization in maps view % Newlyn tide gauge

#### 6.6.5 Valid data (%) in function of distance to coast/Newlyn station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 111$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 103 – Valid data (%) in function of distance to coast/Newlyn station

#### 6.6.6 Std in function of distance to coast/Newlyn station




FIGURE 104 – Std in function of the distance to the coast/Newlyn station

#### 6.6.7 Correlation in function of distance to coast/Newlyn station




FIGURE 105 – Correlation in function of the distance to the coast/Newlyn station

#### 6.6.8 Taylor Diagram




FIGURE 106 – Taylor diagram

#### 6.6.9 Mean statistics table of products comparison with Newlyn tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	85.977	0.313	0.161	0.154
Wet_gpd#J3	85.977	0.315	0.161	0.153
Wet_ecmwf#J3	85.977	0.318	0.161	0.153

FIGURE 107 – Mean statistics table of the common points in the altimetry products

#### 6.6.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 111 point.




FIGURE 108 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

## 6.7 Station : LE\_CONQUET

- Nearest track to LE\_CONQUET station is the track number track61
- The area of interest is limited by :
  - A circle which it's center is the LE\_CONQUET tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 20 Km

### 6.7.1 correlation visualization in maps view % LE\_CONQUET tide gauge

Correlation Altimetry data with respect to LE\_CONQUET Tide gauge data




FIGURE 109 – correlation visualization in maps view % LE\_CONQUET tide gauge

### 6.7.2 rmsd visualization in maps view % LE\_CONQUET tide gauge

Rmsd (m) Altimetry data with respect to LE\_CONQUET Tide gauge data




FIGURE 110 – rmsd visualization in maps view % LE\_CONQUET tide gauge

### 6.7.3 std visualization in maps view % LE\_CONQUET tide gauge

Std (m) Altimetry data with respect to LE\_CONQUET Tide gauge data




FIGURE 111 – std visualization in maps view % LE\_CONQUET tide gauge

#### 6.7.4 valid\_data\_percent visualization in maps view % LE\_CONQUET tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to LE\_CONQUET Tide gauge data




FIGURE 112 – valid\_data\_percent visualization in maps view % LE\_CONQUET tide gauge

#### 6.7.5 Valid data (%) in function of distance to coast/LE\_CONQUET station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 106$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 113 – Valid data (%) in function of distance to coast/LE\_CONQUET station

#### 6.7.6 Std in function of distance to coast/LE\_CONQUET station




FIGURE 114 – Std in function of the distance to the coast/LE\_CONQUET station

#### 6.7.7 Correlation in function of distance to coast/LE\_CONQUET station




FIGURE 115 – Correlation in function of the distance to the coast/LE\_CONQUET station

#### 6.7.8 Taylor Diagram




FIGURE 116 – Taylor diagram

#### 6.7.9 Mean statistics table of products comparison with LE\_CONQUET tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	85.116	0.2	0.24	0.237
Wet_gpd#J3	85.709	0.205	0.24	0.237
Wet_ecmwf#J3	85.699	0.201	0.24	0.237

FIGURE 117 – Mean statistics table of the common points in the altimetry products

#### 6.7.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 106 point.




FIGURE 118 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

## 6.8 Station : Holyhead

- Nearest track to Holyhead station is the track number track163
- The area of interest is limited by :
  - A circle which it's center is the Holyhead tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 20 Km

### 6.8.1 correlation visualization in maps view % Holyhead tide gauge

Correlation Altimetry data with respect to Holyhead Tide gauge data




FIGURE 119 – correlation visualization in maps view % Holyhead tide gauge

### 6.8.2 rmsd visualization in maps view % Holyhead tide gauge

Rmsd (m) Altimetry data with respect to Holyhead Tide gauge data




FIGURE 120 – rmsd visualization in maps view % Holyhead tide gauge

### 6.8.3 std visualization in maps view % Holyhead tide gauge

Std (m) Altimetry data with respect to Holyhead Tide gauge data




FIGURE 121 – std visualization in maps view % Holyhead tide gauge

#### 6.8.4 valid\_data\_percent visualization in maps view % Holyhead tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to Holyhead Tide gauge data




FIGURE 122 – valid\_data\_percent visualization in maps view % Holyhead tide gauge

#### 6.8.5 Valid data (%) in function of distance to coast/Holyhead station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 88$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 123 – Valid data (%) in function of distance to coast/Holyhead station

#### 6.8.6 Std in function of distance to coast/Holyhead station




FIGURE 124 – Std in function of the distance to the coast/Holyhead station

#### 6.8.7 Correlation in function of distance to coast/Holyhead station




FIGURE 125 – Correlation in function of the distance to the coast/Holyhead station

#### 6.8.8 Taylor Diagram




FIGURE 126 – Taylor diagram

#### 6.8.9 Mean statistics table of products comparison with Holyhead tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	93.987	0.289	0.152	0.149
Wet_gpd#J3	93.977	0.292	0.152	0.149
Wet_ecmwf#J3	93.977	0.292	0.152	0.149

FIGURE 127 – Mean statistics table of the common points in the altimetry products

#### 6.8.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 88 point.




FIGURE 128 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

## 6.9 Station : LE\_CROUESTY

- Nearest track to LE\_CROUESTY station is the track number track137
- The area of interest is limited by :
  - A circle which it's center is the LE\_CROUESTY tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 20 Km

### 6.9.1 correlation visualization in maps view % LE\_CROUESTY tide gauge

Correlation Altimetry data with respect to LE\_CROUESTY Tide gauge data




FIGURE 129 – correlation visualization in maps view % LE\_CROUESTY tide gauge

### 6.9.2 rmsd visualization in maps view % LE\_CROUESTY tide gauge

Rmsd (m) Altimetry data with respect to LE\_CROUESTY Tide gauge data




FIGURE 130 – rmsd visualization in maps view % LE\_CROUESTY tide gauge

### 6.9.3 std visualization in maps view % LE\_CROUESTY tide gauge

Std (m) Altimetry data with respect to LE\_CROUESTY Tide gauge data




FIGURE 131 – std visualization in maps view % LE\_CROUESTY tide gauge

#### 6.9.4 valid\_data\_percent visualization in maps view % LE\_CROUESTY tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to LE\_CROUESTY Tide gauge data




FIGURE 132 – valid\_data\_percent visualization in maps view % LE\_CROUESTY tide gauge

#### 6.9.5 Valid data (%) in function of distance to coast/LE\_CROUESTY station

The formula to calculate the percentage of valid data in each time serie is ;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 103$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 133 – Valid data (%) in function of distance to coast/LE\_CROUESTY station

#### 6.9.6 Std in function of distance to coast/LE\_CROUESTY station




FIGURE 134 – Std in function of the distance to the coast/LE\_CROUESTY station

#### 6.9.7 Correlation in function of distance to coast/LE\_CROUESTY station




FIGURE 135 – Correlation in function of the distance to the coast/LE\_CROUESTY station

#### 6.9.8 Taylor Diagram




FIGURE 136 – Taylor diagram

#### 6.9.9 Mean statistics table of products comparison with LE\_CROUESTY tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	84.108	0.18	0.244	0.243
Wet_gpd#J3	83.418	0.174	0.246	0.246
Wet_ecmwf#J3	84.147	0.174	0.246	0.245

FIGURE 137 – Mean statistics table of the common points in the altimetry products

#### 6.9.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 103 point.




FIGURE 138 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie

## 6.10 Station : North\_Shields

- Nearest track to North\_Shields station is the track number track120
- The area of interest is limited by :
  - A circle which it's center is the North\_Shields tide gauge station location and has a Raduis of 40 Km
  - Maximum distance to the coast : 20 Km

#### 6.10.1 correlation visualization in maps view % North\_Shields tide gauge

Correlation Altimetry data with respect to North\_Shields Tide gauge data




FIGURE 139 – correlation visualization in maps view % North\_Shields tide gauge

#### 6.10.2 rmsd visualization in maps view % North\_Shields tide gauge

Rmsd (m) Altimetry data with respect to North\_Shields Tide gauge data




FIGURE 140 – rmsd visualization in maps view % North\_Shields tide gauge

### 6.10.3 std visualization in maps view % North\_Shields tide gauge

Std (m) Altimetry data with respect to North\_Shields Tide gauge data




FIGURE 141 – std visualization in maps view % North\_Shields tide gauge

#### 6.10.4 valid\_data\_percent visualization in maps view % North\_Shields tide gauge

Valid\_Data\_Percent (%) Altimetry data with respect to North\_Shields Tide gauge data




FIGURE 142 – valid\_data\_percent visualization in maps view % North\_Shields tide gauge

#### 6.10.5 Valid data (%) in function of distance to coast/North\_Shields station

The formula to calculate the percentage of valid data in each time serie is;

$$pvdi = \frac{nvd_i}{maxNB}, i = 1, np$$

Where  $pvdi$  and  $nvd$  are the percentage of data and the number of altimetry data in the period covered by the tide gauge sla time serie, respectively in the time serie,  $i$  is the index of the time serie,  $np$  is the number of the selected altimetry time series.  $maxNB = 82$  point is the maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie.





FIGURE 143 – Valid data (%) in function of distance to coast/North\_Shields station

#### 6.10.6 Std in function of distance to coast/North\_Shields station




FIGURE 144 – Std in function of the distance to the coast/North\_Shields station

#### 6.10.7 Correlation in function of distance to coast/North\_Shields station




FIGURE 145 – Correlation in function of the distance to the coast/North\_Shields station

#### 6.10.8 Taylor Diagram




FIGURE 146 – Taylor diagram

#### 6.10.9 Mean statistics table of products comparison with North\_Shields tide gauge data

The table below contains the mean statistics of the common points between the different products in the selected area.

Product	Valid data (%)	Correlation	std (m)	rmsd (m)
Wet_rad#J3	97.948	0.442	0.14	0.125
Wet_gpd#J3	97.948	0.441	0.139	0.125
Wet_ecmwf#J3	97.934	0.439	0.138	0.124

FIGURE 147 – Mean statistics table of the common points in the altimetry products

#### 6.10.10 The most correlated sla altimetry Time series with the tide gauge sla time serie

The maximum number of valid altimetry points in the set of all the altimetry sla time series covered by the period of time of the Tide gauge sla time serie is 82 point.




FIGURE 148 – The 1st most correlated sla altimetry Time serie with tide gauge sla time serie